



(11) Publication number : **0 578 616 A2**

(12) **EUROPEAN PATENT APPLICATION**

(21) Application number : **93810474.2**

(51) Int. Cl.<sup>5</sup> : **C12N 15/52, C12N 9/00**

(22) Date of filing : **05.07.93**

(30) Priority : **09.07.92 AT 1403/92**  
**08.03.93 AT 437/93**  
**29.04.93 CH 1310/93**  
**04.05.93 CH 1375/93**

(43) Date of publication of application :  
**12.01.94 Bulletin 94/02**

(84) Designated Contracting States :  
**AT BE CH DE DK ES FR GB GR IE IT LI LU NL**  
**PT SE**

(71) Applicant : **SANDOZ LTD.**  
**Lichtstrasse 35**  
**CH-4002 Basel (CH)**

(84) **BE CH DK ES FR GB GR IE IT LI LU NL PT SE**

(71) Applicant : **SANDOZ-PATENT-GMBH**  
**Humboldtstrasse 3**  
**D-79539 Lörrach (DE)**

(84) **DE**

(71) Applicant : **SANDOZ-ERFINDUNGEN**  
**Verwaltungsgesellschaft m.b.H.**  
**Brunner Strasse 59**  
**A-1230 Wien (AT)**

(84) **AT**

(72) Inventor : **Löfner, Ernst**  
**Daxerfeld 5**  
**A-6250 Kundl (AT)**  
Inventor : **Schneider, Elisabeth**  
**Canisiusweg 125 Top 34**  
**A-6064 Rum (AT)**  
Inventor : **Schoergendorfer, Kurt**  
**A-6322 Unterlangkampfen Nr. 437 (AT)**  
Inventor : **Weber, Gerhard**  
**A-6322 Unterlangkampfen Nr. 437 (AT)**

(54) **Cyclosporin synthetase.**

(57) The nucleotide sequence which codes for cyclosporin synthetase and similar enzymes and recombinant vectors containing the sequence. The vectors are used in methods for the production of cyclosporin and cyclosporin derivatives.

**EP 0 578 616 A2**

This invention relates to nucleotide sequences which code for enzymes possessing cyclosporin synthetase-like activity and to methods for the production of cyclosporin and cyclosporin derivatives using these sequences.

The fungus *Tolypocladium niveum* (previously known as *Tolypocladium inflatum* GAMS) produces cyclosporins, a group of neutral cyclic peptides composed of eleven amino acids. Other fungi have been found which may form cyclosporins (Dreyfuss, 1986; Nakajima *et al.*, 1989) but *Tolypocladium niveum* is the most important organism for the production of cyclosporins by fermentation. Cyclosporins exhibit remarkable biological effects: for example cyclosporin A, the main metabolite, is a potent immunosuppressant (Borel *et al.*, 1976). An enzyme has been identified which catalyses the entire peptide biosynthesis of cyclosporin and is therefore called cyclosporin synthetase (Zocher *et al.*, 1986, Billich and Zocher 1987). The biosynthesis proceeds non-ribosomally by a thiotemplate process, as has also been described for other peptide synthetases (Kleinkauf and von Döhren 1990). Each amino acid is first activated in the form of an adenylate, then bound in the form of a thioester and linked with the following amino acid to the peptide. In the case of cyclosporin A, seven of the amino acids, bound as thioesters, are methylated before they are linked to the preceding amino acid in a peptide bond. This methylation function is an integral constituent of the enzyme polypeptide (Lawen and Zocher 1990). Including the cyclisation reaction, cyclosporin synthetase performs at least 40 reactions.

Cyclosporin A contains three non-proteinogenic amino acids: D-alanine in position 8,  $\alpha$ -amino butyric acid in position 2 and, in position 1, the unusual amino acid (4R)-4-[(E)-2-butenyl]-4-methyl-L-threonine (Bmt or C9 amino acid). All three amino acids must be each prepared by a biosynthetic pathway which is independent of the primary biosynthetic pathway. Cyclosporin synthetase does not possess an alanine-racemase function (Kleinkauf and von Döhren 1990) and thus, D-alanine cannot be produced by cyclosporin synthetase by epimerisation of enzyme-bound L-alanine, as is the case for other peptide antibiotics whose biosynthesis mechanism is known.

Although attempts have been made to isolate and characterize cyclosporin synthetase in terms of its amino acid sequence, because of the complexity and size of the enzyme this has not to date been possible. Hence it has not been possible to characterize the DNA coding for cyclosporin synthetase.

This invention provides a nucleotide sequence which codes for an enzyme possessing cyclosporin synthetase-like activity. In the present specification, an enzyme possessing cyclosporin synthetase-like activity is an enzyme which catalyses the peptide biosynthesis of cyclosporins and structurally related peptides and derivatives.

Preferably, the nucleotide sequence codes for cyclosporin synthetase or an enzyme which is at least 70% (for example, at least 80, 90 or 95%) homologous to it and which possesses cyclosporin synthetase-like activity.

Preferably, the nucleotide sequence codes for an enzyme which possesses cyclosporin synthetase-like activity and in which at least one amino acid recognition unit is different from that of cyclosporin synthetase.

Preferably, the nucleotide sequence comprises the sequence represented in Seq Id 1 or a sequence which hybridises to it under conditions of reduced stringency or, more preferably stringent conditions. Stringent conditions include hybridisation at 42°C in 6 x SSPE, 50% formamide, 5 x Denhardt's solution, and 0.1% SDS and washing three times for 10 minutes in 2 x SSC, 0.1% SDS and twice for 30 minutes in 0.2 x SSC, 0.1% SDS at 65°C. Reduced stringency conditions include a washing temperature of 60°C. Even more preferably the nucleotide sequence codes for an enzyme having the amino acid sequence set out in Seq Id 2. The nucleotide sequence may have a restriction map as represented in figure 1.

In another aspect, the invention provides a recombinant vector containing a nucleotide sequence as defined above. The vector may include the endogenous promoter for cyclosporin synthetase or may include some other suitable promoter. A suitable promoter region is illustrated in Seq Id 7. The recombinant vector may be in the form of a plasmid, a cosmid, a P1-vector or a YAC-vector. The invention also extends to host cells carrying the vector. Preferably the host cell is a *Tolypocladium niveum* cell.

The invention also provides a process for the production of cyclosporin or a cyclosporin derivative, comprising cultivating a host cell as defined above and causing the host cell to produce the cyclosporin or cyclosporin derivative.

The invention also provides a method for the production of a cyclosporin derivative, comprising altering the DNA sequence coding for cyclosporin synthetase so that the enzyme causes the production of the cyclosporin derivative, placing the altered DNA sequence in a vector, transforming a host cell with the vector, and causing the host cell to produce the cyclosporin derivative. Preferably the DNA sequence coding for cyclosporin synthetase is altered by changing the fragments that code for amino acid recognition units. Alterations may be made using standard techniques such as those based on PCR procedures. Point deletions, mutations and insertions, as well as larger alterations are possible.

This specification describes the isolation and characterisation of the gene for cyclosporin synthetase from

*Tolypocladium niveum* and the use of the gene in genetically engineering cells, including *Tolypocladium niveum* cells. While a protocol for the isolation of cyclosporin synthetase from *Tolypocladium niveum* was published in 1990 (Lawen and Zocher 1990), it is however not suitable for extracting large quantities of homogeneous enzyme in a short period of time. Also, in the publication, the synthetase was attributed an  $M_r$  of approximately 650,000 Daltons. It may, however, justifiably be assumed from sedimentation analyses with fluorescence-labelled protein (Lawen *et al.*, 1992) and by extrapolation from the protein size of comparable enzymes that cyclosporin synthetase has an  $M_r$  of approximately 1,500 kDa. The enzyme occurs as a single polypeptide chain and cannot be decomposed into subunits by either denaturing or reducing agents (Lawen and Zocher 1990).

The enormous size of the enzyme means that a strategy for amino acid sequencing which differs from the customarily used route must be used. Substantially more homogeneous material is required than is generally used to perform fragmentation tests. It is for this reason that a protocol was developed for cyclosporin synthetase which may, in principle, also be applied to analogous enzymes from other microorganisms and, in the practical example of the purification of the enzyme from *Tolypocladium niveum* (example 1), gave rise to a substantial improvement in terms of yield and the amount of time required.

Purification may initially proceed according to customary processes. Cell disruption may be performed, for example, with a high pressure homogeniser or a glass bead mill; the cells being present in moist or lyophilised state. If the cells are moist, pressure disruption is conveniently performed, for example with a Maunton Gaulin apparatus. Lyophilised cells are conveniently broken up by grinding in a mortar under liquid nitrogen.

The crude extract so obtained is clarified by centrifugation. The nucleic acids are removed by precipitating them from the extract using customary reagents for this purpose; polyethyleneimine or protamine sulphate are, for example, used. The nucleic acid precipitation also removes fine suspended particles, which can disturb subsequent purification stages. Then the proteins may be precipitated out of the clarified crude extract to provide the enzyme in a more concentrated form. The protein precipitation is customarily performed with ammonium sulphate. For cyclosporin synthetase, saturation to 50% is sufficient to achieve almost complete precipitation. After this step, the enzyme is in an enriched and highly concentrated state.

In principle, all chromatographic methods are suitable for further purification of the enzyme, such as ion-exchange chromatography and gel permeation chromatography. With very large proteins, gel permeation chromatography is particularly suitable as a very selective purification step. If the correct molecular sieve is chosen, an approximately 90% homogeneous protein preparation may be obtained in a single step. Analysis of purity is performed in SDS polyacrylamide gels (preferably gradient gels 4-15%).

The purification process used produces stable, at least 90% homogeneous, active enzyme preparations, as is necessary for characterisation of enzyme kinetics or protein chemistry. In Example 1, the protocol described in detail for *Tolypocladium niveum*, in comparison with the published method, reduces the time required from 4 days to 10 hours and increases the yield by approximately a factor of 4.

With a protein of this exceptional size, the requirement for amino acid sequences to identify the gene or gene product correctly is naturally greater than for an average-sized protein. Apart from the possibility of N-terminal blocking, it is also not possible to prepare a protein of this size in such a way that it is suitable for N-terminal sequencing. For these reasons, it is necessary to obtain a sufficient number of internal amino acid sequences.

However, when a protein of this size is fragmented, so many fragments are produced (theoretically approximately 700, assuming one cleavage every 20 amino acids) that the standard method of completely fragmenting the protein and purifying the fragments by high-pressure reversed-phase chromatography (HP-RPC) is not practicable. For this reason, fragmentation is performed under conditions which are sub-optimal for the relevant endoproteases to give substantially larger fragments.

Cyclosporin synthetase is cleaved by adjusting the pH value. In particular, cleavage into large fragments of up to 200 kDa is achieved by adjusting the pH value to approximately 7.5 in a HEPES buffer with the addition of EDTA and DTT. The fragments obtained in this manner may be isolated and enriched as is conventional, for example by using chromatography and electrophoresis, such as the combination of anion exchange chromatography on MonoQ with HP-RPC or the combination of MonoQ with SDS-polyacrylamide gel electrophoresis/electroblot.

The sub-optimal conditions are principally obtained by altering the buffer conditions, and possibly also altering the cleavage temperature (see Example 3 as a possible variant). The nonetheless numerous fragments must each be isolated or enriched by 2 purification steps, it being in principle possible to use any chromatographic and electrophoretic separation techniques. In the case of cyclosporin synthetase fragments from *Tolypocladium niveum*, the combinations of anion exchange chromatography on MonoQ with HP-RPC (Examples 4 and 5) and MonoQ with SDS-polyacrylamide gel electrophoresis/electroblot (Examples 4 and 6) prove particularly advantageous.

The non-ribosomal biosynthetic pathway implies that the sequence of the cyclic peptide is determined by

the corresponding arrangement of the amino acid activating domains. Each of these domains must perform analogous reactions, namely the activation of the amino acid by adenylation and binding in the form of a thioester. Hence it may be expected that recurrent, preserved moieties will be found in the protein sequence.

In fact, in previously analysed peptid synthetases, preserved regions within the sequences have been discovered, the number of which coincides with the number of amino acids to be activated: three for ACV synthetase (activates aminoadipic acid, cysteine and valine; Smith *et al.*, 1990, MacCabe *et al.*, 1991, Gutierrez *et al.*, 1991); one each for gramicidine synthetase I (Kraetzschmar *et al.*, 1989) and tyrocidine synthetase I (Weckermann *et al.*, 1988); and four preserved regions in gramicidine synthetase 2, which activates the amino acids proline, valine, ornithine and leucine (Turgay *et al.*, 1992).

Maximally accurate identification and characterisation of such preserved regions of cyclosporin synthetase at both the enzymatic and genetic levels constitutes the basis for well-directed genetic engineering in terms of altering enzyme specificity for the *in vivo* production of cyclosporin variants. It is therefore useful to identify proteolytic fragments of cyclosporin synthetase which may be correlated with a partial function of the synthetase. The following correlations were made:

- (1) a protein fragment with a methyl transferase function (the method on which this work is based is, in principle, applicable to all methyl transferases and is published in Yu *et al.*, 1983; a first application to cyclosporin synthetase is published in Lawen and Zocher 1990); see Example 7;
- (2) a protein fragment capable of activating L-alanine (Example 8).

The method used in Example 8 exploits the fact that when proteins are subjected to limited proteolytic cleavage, *inter alia* intact domains are cleaved which, due to their correct spatial folding, are still capable of exercising their enzyme function to a limited extent. Theoretically, therefore, each amino acid activating domain may be identified with this method. The optimal conditions (for proteolytic cleavage and its timing in relation to amino acid activation) must, however, be determined by testing in each individual case. Moreover, unambiguous identification of a domain may be achieved only if the amino acid it activates occurs only once in the product.

The gene is isolated by DNA hybridisation with oligonucleotides specific to cyclosporin synthetase (Example 10). Whether a specific DNA fragment actually belongs to the cyclosporin synthetase gene is established by Northern hybridisation, since a non-transcribed neighbouring fragment does not hybridise with the corresponding RNA (Example 15). The DNA sequence of the cloned DNA of the cyclosporin synthetase gene is determined and compared with the amino acid partial fragments of cyclosporin synthetase (Examples 13 and 14).

Hence it is possible to transform *Tolypocladium niveum* with the complete gene for cyclosporin synthetase. Among the transformants, strains may be found which contain several copies of this gene or copies with altered regulation. Those strains are selected which, in fermentation tests, display increased cyclosporin formation or can form the same quantity of cyclosporin over a shorter fermentation period.

It is also possible to select the transformed strains by the activity of the cyclosporin synthetase, independently of whether cyclosporin is formed in greater quantities or faster. The isolated cyclosporin synthetase gene can act as an analytical aid in order to determine whether a specific strain of *Tolypocladium niveum* has a high concentration of the mRNA or not (Example 15). Such strains may then be subjected to conventional mutagenesis and strain selection. Even if the initial strain used for transformation is not limited in its cyclosporin synthetase activity, a strain is provided in this way which potentially allows greater cyclosporin formation. The combination of classical genetics (mutation and strain selection) with molecular genetics (transformation with isolated genes) allows the isolation of improved strains which could not be achieved by either of the two methods alone: not by classical genetics because a double mutation is extremely rare in a single selection stage; not by molecular genetics because in some circumstances an unknown factor has a limiting effect.

A further use of the isolated gene is gene-specific mutagenesis. Instead of producing mutations in the entire genome - and therefore also altering many uninvolved genes - the isolated gene alone is mutated using suitable methods (Sambroock *et al.*, 1989) and then transformed to *Tolypocladium niveum* (Example 17). Among the transformants, the proportion of mutants in the cyclosporin synthetase gene is higher than with mutagenesis of the fungus. Mutants, which form specific cyclosporins in greater or reduced quantities, may more frequently be found than with conventional mutagenesis.

By internal sequence comparisons of the derived amino acid sequences (Example 14c) and the correlation of specific partial sequences (Example 8 and Example 9 or Example 14ab), domains of the cyclosporin synthetase for the activation of the individual amino acids may be localised (as performed above for non-ribosomal peptid synthetases). By this means, well-directed mutagenesis of cyclosporin synthetase genes may be performed, by interchanging the gene region of individual domains, by deliberately removing a corresponding region or the cyclosporin synthetase gene may also be extended by individual domains. After transformation of such mutated genes into *Tolypocladium niveum*, new cyclosporin variants may become accessible. The cloned

gene may be used to produce strains of *T. lyopocladium niveum* which no longer have an active cyclosporin synthetase gene. Such strains may be used for the production of D-alanine or Bmt by fermentation or act as recipient strains for *in vitro* modified cyclosporin synthetase genes. To this end, an inactive version produced *in vitro* is constructed for the transformation (Example 18).

When screening for microorganisms which can synthesise cyclosporins, it is necessary that the active metabolites under test conditions are also actually formed in sufficient quantity. Such substances may moreover have slightly changed characteristics and may for this reason alone be overlooked. Example 16 describes the use of the isolated cyclosporin synthetase gene to find microorganisms which contain the cyclosporin synthetase gene in their genome. These genes do not have to be active for this purpose. On the basis of these hybridisations, the corresponding genes may be isolated in a manner analogous to Examples 10, 11 and 12 and transformed into *Tolypocladium niveum*. A strain may be used to this end which no longer contains any active cyclosporin synthetase. This interspecific recombination cannot be achieved with other methods. As described in the preceding paragraph, such strains may be subjected to a screening programme. In this case, genetic variability is based on the introduced gene which hybridises with the cyclosporin synthetase gene.

The control sequences of the cyclosporin synthetase gene may also be used for the construction of plasmids. An example of a control sequence is that which occurs in synp4 (Example 12). The promoter may be fused with a readily detectable reporter gene, such as for example the  $\beta$ -glucuronidase gene (Tada *et al.*, 1991). Strains of *Tolypocladium niveum* which are transformed with these plasmids permit, not only the selection of regulatory mutants, but moreover make it possible to measure and optimise promoter activity independently of other functions.

The following examples and figures illustrate the invention without, however, limiting it.

Figure 1: Restriction map of cyclosporin synthetase gene from *Tolypocladium niveum* cloned in  $\lambda$ SYN3. The position of some restriction cleavage points is shown in relation to a scale (2.0, 4.0, 6.0, etc. kb). Among these, several partial fragments subcloned in plasmids are represented as rectangles (S5, E3, S3, etc.). If the corresponding rectangle is filled in, this means that the corresponding DNA fragment reacts with a high molecular weight RNA in Northern hybridisation (S5, E3, S3, E1, E2). Rectangles with lengthwise lines indicate that no bands were obtained in Northern hybridisation (E4, S2). Empty rectangles indicate that the DNA was not used as a probe (S4). The following two tables give the positions of the fragments (S5, H2, etc) and enzyme restriction sites shown in figure 1 (in bp):

Start	End	Fragment Name
1	2500	S5
1300	3300	H2
2000	5400	E3
2500	5300	S3
4700	11750	H3
5300	8400	S4
5400	7000	E1
7000	9200	E2
9200	12100	E4
10250	13850	S2

Enzym Restriction sites :					
Sall	1,	HindIII	1300,	EcoRI	2000,
Sall	2500,	HindIII	3300,	HindIII	3800,
HindIII	4700,	Sall	5300,	EcoRI	5400,
EcoRI	7000,	Sall	8400,	EcoRI	9200,
Sall	10250,	HindIII	11750,	EcoRI	12100,
Sall	13850.				

Figure 2: Restriction map of plasmid pSIM10. The construction and structure of the plasmid is described in Example 18. The positions are stated in bp. Nucleotides 4749-6865 are DNA from *Tolypocladium niveum* containing the promoter of the cyclophilin gene. Nucleotides 1-1761 contain the hygromycin phosphotransferase gene from plasmid pCSN44 (Staben *et al.*, 1989). Nucleotides 1761-4714 are from plasmid pGEM7Zf (Promega Inc.).

Figure 3: Restriction map of plasmid pSIM11. Construction of the plasmid is described in Example 18. Nucleotides 4924 to 8553 are the 3.6 kb *Xho*I restriction fragment from the cyclosporin synthetase gene. Nucleotides 8548-10489 and 1-4929 are plasmid pSIM10 (figure 2).

Figure 4: Restriction map of plasmid pSIM12. Construction of the plasmid is described in Example 18. Nucleotides 4924 to 5727 are the 0.8 kb *Xho*I restriction fragment from the cyclosporin synthetase gene. Nucleotides 5722-7663 and 1-4929 are plasmid pSIM10 (figure 2).

Figure 5: Restriction map of cyclosporin synthetase gene from *Tolypocladium niveum* cloned in *syn*cosl3. The position of some restriction cleavage points is shown. The position of the part cloned in *λsyn*3 is marked with the crosshatched bar.

All the restriction maps shown in figures 1, 2, 3, 4 and 5 are only approximate reproductions of restriction cleavage points in DNA molecules. The distances as drawn are proportional to the actual distances, but the actual distances may be different. Not all restriction cleavage point are shown, it is possible for further cleavage points to be present.

#### Example 1: Isolation of active cyclosporin synthetase in electrophoretically homogeneous form:

The starting material used for the protein purification is *Tolypocladium niveum*, strain 7939/45 (Lawen *et al.*, 1989). All steps are performed at a temperature between 0° and 4°C. 10 g of lyophilised mycelium is finely ground in a mortar with addition of liquid nitrogen and then suspended in buffer A (buffer A: 0.2 M HEPES pH 7.8, 0.3 M KCl, 4 mM EDTA, 40 (v/v)% glycerol, 10 mM DTT). The suspension is carefully stirred over ice for 1 hour and then centrifuged for 10 min at 10,000 g to remove cell debris.

The supernatant is collected and nucleic acids are precipitated with polyethyleneimine (final concentration 0.1%). The precipitate is removed by centrifugation for 10 min at 10,000 g.

The supernatant is again collected and proteins are precipitated using a solution of ammonium sulphate (saturated) in buffer B (0.1 M HEPES pH 7.8, 4 mM EDTA, 15 (v/v)% glycerol, 4 mM DTT) at room temperature. The solution is added dropwise to the supernatant up to a final concentration of 50% of saturation. The mixture is left to stand for a further 30 minutes to reach equilibrium. The precipitated proteins are collected by centrifugation for 30 minutes at 30,000 g. The pellet obtained is resolubilised to 10 ml in buffer B.

The resolubilised pellet is then subjected to molecular sieve chromatography. The molecular sieve is a HW65-F Fractogel obtained from Merck; the column dimensions are 2.6 cm x 93 cm, and the volume is 494 ml. The column is operated under fast performance liquid chromatography (FPLC) conditions. The flow rate is 2 ml/min, continuous under buffer B. The cyclosporin synthetase elutes under these conditions at an elution volume of 260 to 310 ml. Processing 10 g of lyophilised mycelium produces 50 mg of cyclosporin synthetase in electrophoretically homogeneous form within 10 hours.

#### Example 2: Detection of enzymatic activity of cyclosporin synthetase :

80 µl of an enzyme sample in buffer B are incubated, in a total volume of 130 µl, with 3.5 mM ATP, 8 mM MgCl<sub>2</sub>, 10 mM DTT, 10 µM C9 acid, 690 µM of any other constituent amino acid and 100 µM S-adenosyl-methionine + 2 µCi of adenosyl-L-methionine-S-[methyl-<sup>3</sup>H] (75 Ci/mmol) for 1 hour at 22°C. Extraction and de-

tection of the cyclosporin A formed are performed as described in Billich and Zocher 1987.

#### Example 3: Endoproteinase cleavages:

5 The following endoproteinases (Boehringer Mannheim, sequencing grade) are used: trypsin from bovine pancreas (cleaves after arginine and lysine); LysC from *Lyso bacter enzyrnogenes* (cleaves after lysine); GluC = V8 from *Staphylococcus aureus* (cleaves after glutamic acid and aspartic acid).

The cleavages are not performed under the conditions recommended by the manufacturer, but rather under 'sub-optimal' conditions. The cyclosporin synthetase is incubated in its storage buffer (0.1 M HEPES pH 7.5, 4 mM EDTA, 4 mM DTT, 15 (w/v)% glycerol) with protease in a ratio of 100 µg : 1 µg for 2 to 3 hours at 25°C. In this way, fragments of a size up to approximately 200 kDa are produced.

#### Example 4: MonoQ purification of fragments:

15 Purification is performed using a commercially available MonoQ column (HR 5/5) obtained from PHARMACIA, at 4°C. The protease digested protein sample is diluted (1:5) in buffer 1 (20 mM HEPES pH 7.5, 2 mM EDTA, 2 mM DTT, 5 w/v% glycerol) and applied to the column. The gradient elution of fragments is carried out in 20 ml of 0% to 100% buffer 2 (buffer 1 + 500 mM NaCl).

#### Example 5: HP-RPC purification of MonoQ fractions:

20 Purification is performed using a commercially available Nucleosil 300A-C4-5µ column of dimensions 85 x 4.5 mm. The MonoQ fraction sample is diluted (1:5) in buffer 1 (5% acetonitrile, 0.1% TFA) and applied at a flow rate of 1 ml/min and room temperature. Gradient elution is carried out in 85 minutes from 0% to 100% buffer 2 (90% acetonitrile, 0.1% TFA).

#### Example 6: SDS-PAGE/Blot purification of MonoQ fractions:

30 SDS-PAGE is performed according to Lämmli (1970). Thioglycolic acid (2 mM) is added to the electrophoresis buffer in order to prevent the N termini being blocked by residual radicals from the polymerisation reaction. The MonoQ fractions are used after denaturation with SDS for the electrophoresis. For sequencing, the proteins are blotted out of the gel onto glass fibre membranes ("Glassybond" from Biometra) using the semi-dry method.

#### Example 7: Protein fragment with methyl transferase activity: identification and purification

40 The active centre of methyl transferases may be crosslinked with its substrate S-adenosyl-methionine by UV irradiation. This may be exploited by providing a radioactive substrate and so achieving radioactive labelling of the enzyme (Yu *et al.*, 1983). This method, which is also known as "photoaffinity labelling", has been used on cyclosporin synthetase (Lawen and Zocher 1990) and it is possible to show that several labelled protein fragments are produced upon subsequent protease digestion. A labelled fragment is enriched by a combination of the methods described in Examples 4 and 6 and so made accessible to sequencing (see Example 9: aa4). This fragment has a size of approximately 47,000 Dalton.

#### Example 8: Amino acid activating protein fragments: identification and purification

50 Protein fragments that have the capacity to activate an amino acid are identified by loading the synthetase with radioactively labelled amino acid in the simultaneous presence of an endoproteinase. Approximately 500 µg of purified cyclosporin synthetase are incubated with 25 mM of ATP, 30 mM MgCl<sub>2</sub> and 5 µCi of <sup>14</sup>C-L-alanine and are simultaneously treated with, for example, endoproteinase LysC. The reaction is arrested after 3 hours by precipitation of the proteins with TCA. The fragments are resolubilised in a sample buffer for SDS-PAGE, omitting reducing agents. Half of the batch is subjected to SDS-PAGE and the labelled protein fragment is detected by autoradiography of the gel after amplification in "amplify solution" (from NEN) and drying. A fragment with a M<sub>r</sub> of approximately 140,000 Dalton is identified and enriched by a combination of the methods described in Examples 4 and 6. The amino acid sequence is given in Example 9: aa13.

Exempl 9: Amin acid partial sequences f cyclosporin synth tas :

The following partial sequences are obtained from cyclosporin synth tas obtained from Exempl 6.

- 5 aa1: amino acids 1916 to 1942 of Seq Id 2 with amino acid 1921 being S and 1942 being I  
 aa2: amino acids 2906 to 2925 of Seq Id 2  
 aa3: amino acids 12240 to 12261 of Seq Id 2 with amino acid 12254 being E.  
 aa4: amino acids 6535 to 6550 of Seq Id 2  
 aa5: amino acids 12654 to 12671 of Seq Id 2  
 aa6: amino acids 1099 to 1117 of Seq Id 2 with amino acids 1116 and 1117 being V and L  
 10 aa8: amino acids 1984 to 1996 of Seq Id 2 with amino acid 1991 undeterminable.  
 aa9: amino acids 13718 to 13738 of Seq Id 2 with amino acid 13731 undeterminable.  
 aa10: amino acids 9611 to 9622 of Seq Id 2  
 aa12: amino acids 11475 to 11484 of Seq Id 2  
 aa13: amino acids 13601 to 13620 of Seq Id 2  
 15 aa14: amino acids 9549 to 9568 of Seq Id 2 with amino acid 9565 undeterminable.  
 aa15: amino acids 9504 to 9521 of Seq Id 2  
 aa16: amino acids 13569 to 13586 of Seq Id 2 with amino acid 13568 being G  
 aa17: amino acids 1020 to 1034 of Seq Id 2  
 aa19: amino acids 9070 to 9084 of Seq Id 2 with amino acids 9082 and 9083 undeterminable  
 20 aa20: amino acids 6532 to 6546 of Seq Id 2 with amino acid 6545 undeterminable

Example 10: Isolation of  $\lambda$ -clones which hybridise with an oligonucleotide specific to cyclosporin synthetasea) Construction of a genomic  $\lambda$ -gene library from *Tolypocladium niveum*.

25 DNA is isolated from the mycelium of a culture of *Tolypocladium niveum* grown in medium 1 [50 g/l of maltose, 10 g/l of casein peptone (digested with trypsin, Fluka), 5 g/l of  $\text{KH}_2\text{PO}_4$  and 2.5 g/l of KCl; the pH value is adjusted to 5.6 with phosphoric acid]. 4 ml of a spore suspension of *Tolypocladium niveum* strain ATCC 34921 with  $4 \times 10^8$  spores per ml are added to 200 ml of medium 1 in a 1 l conical flask and are shaken for 72 hours  
 30 at 25°C and 250 rpm. The mycelium is filtered off with a Büchner funnel, washed with 10 mM of tris-Cl pH 8.0, 1 mM EDTA and ground to a fine powder under liquid nitrogen. Nuclei are isolated from 40 g of moist mycelial mass and are then lysed; the DNA is purified by CsCl-EtBr centrifugation. This method is described in Jofuku and Goldberg (1988). 4.3 mg of DNA are obtained, which, in a 0.5% agarose gel, produces a band exhibiting lower mobility than  $\lambda$ -DNA.

35 40  $\mu\text{g}$  of the DNA are incubated with 1.4 units of the restriction enzyme *Sau3A* in 10 mM of tris-Cl pH 7.5, 10 mM  $\text{MgCl}_2$ , 1 mM of DTE, 50 mM of NaCl for 60 minutes at 37°C and then 10 minutes at 65°C. The extent of cleavage is verified on an agarose gel: part of the DNA is between 10 and 20 kb in size. The DNA is then applied to two NaCl gradients, which are produced by freezing and slowly thawing at 4°C two Beckman SW28.1 ultracentrifuge microtubes with 20% NaCl in TE (10 mM tris-Cl, pH 8.0, 1 mM EDTA). The microtubes are centrifuged for 16 hours at 14,000 rpm in Beckman L8M ultracentrifuge in rotor SW28.1. The contents of the microtubes are fractionated. Fractions with DNA larger than 10 kb are combined and dialysed against TE. After concentration of the DNA to 500  $\mu\text{g}/\text{ml}$ , the DNA is combined with  $\lambda\text{EMBL3-DNA}$  (Promega Inc.), previously cleaved with *EcoRI* and *BamHI*. 1.5  $\mu\text{g}$  of the DNA and 1  $\mu\text{g}$  of  $\lambda\text{EMBL3-DNA}$  (cleaved with *EcoRI* and *BamHI*) are ligated for 16 hours at 16°C in 5  $\mu\text{l}$  of 30 mM tris-Cl pH 7.5, 10 mM of  $\text{MgCl}_2$ , 10 mM of DTE, and 2.5 mM  
 45 ATP after the addition of 0.5 U of T4-DNA ligase (DNA concentration 500  $\mu\text{g}/\text{ml}$ ). The ligation mixture is packaged *in vitro* with the assistance of protein extracts ("packaging mixes", Amersham). The  $\lambda$ -lysates produced are titrated with *E. coli* KW251 (Promega Inc.). Approximately  $4.5 \times 10^5$  pfu are obtained.

b) Isolation of  $\lambda$ -clones

50 40,000 recombinant phages from the *Tolypocladium niveum* gene library are cast with *E. coli* strain KW251 onto 90 mm TB plates (TB contains 10 g/l of bacto tryptone and 5 g/l of NaCl and 0.7% of agarose, the pH is adjusted to 7.5 with NaOH). Two blots onto nitrocellulose (Stratagene) are made from each plate (Maniatis *et al.*, 1982). From the amino acid sequence of the cyclosporin synthetase fragment aa9 (Example 9), an oligonucleotide mixture (96 different lig nucleotides, each 20 nucleotides in length) with the sequences



5' GCA TCA ATA TTA AAT TGA TC 3'  
           G      G      G      G      C      G  
                   T

5

may be produced on the basis of the genetic code. 1.5 µg of this oligonucleotide mixture are incubated in 25 µl of 50 mM Tris-HCl pH 9.5, 10 mM MgCl<sub>2</sub>, 5 mM DTE, 5% glycerol with 150 µCi γ-ATP (<sup>32</sup>P) and 20 U of polynucleotide kinase (Boehringer) for 30 minutes at 37°C. Over 80% of the radioactivity is incorporated. Hybridisation is performed at 37°C in 400 µl 6 x SSPE (Maniatis *et al.*, 1982), 5 x Denhardt's solution (Maniatis *et al.*, 1982), 0.1% SDS, 100 µg/ml denatured herring sperm DNA (Maniatis *et al.*, 1982), 0.1 mM ATP, 1.4 x 10<sup>6</sup> cpm/ml <sup>32</sup>P-labelled oligonucleotide mixture for 16 hours. The filters are washed three times for 5 minutes and twice for 30 minutes in 6 x SSC (Maniatis *et al.*, 1982) at 4°C. The filters are then washed for 10 minutes at 37°C in a TMAC (tetramethylammonium chloride) washing solution which is prepared according to Wood *et al.*, 1985. Finally, the filters are washed for 30 minutes at 57°C in the TMAC washing solution, dried and exposed for 10 days with a Kodak Xomatik AR X-ray film. Regions of the agarose layer corresponding to positive signals on the X-ray film are punched out and resuspended in SM buffer (5.8 g/l NaCl, 2 g/l MgSO<sub>4</sub> x 7 H<sub>2</sub>O and 50 mM Tris-HCl pH 7.5). A suitable dilution is again cast with KW251 onto a TB plate. The plaques are again transferred onto nitrocellulose. The DNA is isolated from plaques producing a positive hybridisation signal in the second hybridisation. The purified DNA from these phages is used for Southern hybridisations and restriction analyses. Figure 1 shows the restriction map of the *Tolypocladium niveum* proportion of such a λ-clone (= λSYN3). Sub-cloning is performed in various plasmid vectors (for example pUC18, Pharmacia).

To isolate λ-clones containing the neighbouring DNA fragments ("chromosome walking"), the plaque hybridisation method described above is repeated a number of times; the marginal restriction fragments being used in each case as <sup>32</sup>P-labelled probes. In order to clone the DNA adjoining the region shown schematically in figure 1 (λSYN3), fragment S5 is used (figure 1). Hybridisation is then performed at 42°C in 6 x SSPE, 50% formamide, 5 x Denhardt's solution, 0.1% SDS, 100 µg/ml denatured herring sperm DNA, and 100 µM ATP. Before hybridisation, the <sup>32</sup>P-labelled DNA is heated to 100°C for 5 minutes and cooled in ice. After 16 to 20 hours, the filters are washed: three times for 10 minutes in 2 x SSC, 0.1% SDS and twice for 30 minutes in 0.2 x SSC, 0.1% SDS at 65°C. The dried filters are autoradiographed. Those areas of the agarose corresponding to positive signals are further processed as described above.

#### Example 11: Isolation of cosmid clones containing parts of the cyclosporin synthetase gene

##### a) Construction of a genomic cosmid gene library from *Tolypocladium niveum*

Protoplasts are produced as described in Example 17. Approximately 10<sup>9</sup> protoplasts are carefully lysed in 2 ml of TE (10 mM Tris-HCl, 1 mM EDTA, pH 8.0). 0.1 mg/ml of RNase A are added and incubation is continued for 20 minutes at 37°C. After the addition of 0.5% SDS and 0.1 mg/ml of proteinase K, incubation is continued for a further 40 minutes at 55°C. The batch is very carefully extracted twice with each of TE-saturated phenol, phenol/chloroform (1:1) and chloroform/isoamyl alcohol (24:1) (Maniatis *et al.*, 1982). The aqueous, slightly viscous supernatant is combined with one tenth its volume of 3 M sodium acetate (pH 5.2) and covered with a layer of 2.5 times its volume of absolute ethanol at -20°C and the DNA, found as fine threads at the phase interface, wound up using glass rods. The DNA is dissolved in 3 ml of TE for at least 20 hours. Depending on the quality of the protoplasts, approximately 500 µg/ml of DNA are obtained. Analysis with field inversion gel electrophoresis (FIGE) (0.8% agarose, 0.5 x TBE (Maniatis *et al.*, 1982), 6 V/cm, forwards pulse 0.2 to 3 sec, pulse ratio 3.0, running time 5 hours) gives a size greater than 150 kb. Two batches of 135 µg of DNA are cleaved with 7.5 and 15 units respectively of restriction enzyme *Nde*I (from Boehringer Mannheim) for 1 hour at 37°C in 1 ml of buffer (Tris-acetate 33 mM, magnesium acetate 10 mM, potassium acetate 66 mM, DTT 0.5 mM, pH 7.9). Aliquots of the cleaved DNA are tested with FIGE and give a maximum size for the fragments obtained of approximately 45 and 30 kb respectively.

Using a gradient mixer, linear NaCl density gradients from 30% to 5% in 3 mM EDTA pH 8.0 are produced in ultracentrifuge microtubes and the DNA fragments applied. After centrifugation for 5 hours at 37,000 rpm and 25°C (Beckman L7-65 ultracentrifuge, rotor SW 41), the gradient is harvested in 500 µl fractions. Fractions with DNA greater than 30 kb and less than 50 kb are dialysed three times for two hours against TE (Tris-HCl 10 mM, EDTA 1 mM, pH 8.0), precipitated with ethanol and each dissolved in 50 µl TE.

sCos1 (from Stratagene) is used as the cloning vector. The vector arms cleaved with *Bam*HI and *Xba*I are produced and modified as stated by Evans *et al.*, (1989). 1 µg of the cleaved vector are ligated with approxi-

mately 500 ng of the DNA fragments in 20 µl of ligation mix (tris-HCl 66 mM, MgCl<sub>2</sub> 5 mM, DTE 1 mM, ATP 1 mM, pH 7.5) with 16 units of T4-DNA ligase (from Boehringer) for 16 hours at 12°C. 4 µl portions of the batch are packaged into lambda phage heads with packaging extracts (Gigapak, from Stratagene). *E. coli* SRB (from Stratagene) is used as the host strain for the infection and the bacteriophage lambda-competent cells are produced following the method of Sambrook *et al.*, (1989). After infection, the batches are plated in aliquots onto LB medium (Maniatis *et al.*, 1982) with 75 µg/ml of ampicillin. Recombinant clones are discernible as colonies after 20 hours at 37°C. In total, approximately 50,000 colonies are obtained, which are then suspended in 0.9% NaCl/20% glycerol and stored at -70°C. Analysis of 40 randomly selected clones by isolation and restriction of the cosmids obtained shows that all the clones contain recombinant cosmids; the average insert size is 36 kb.

#### b) Isolation of cosmid clones

The cosmid gene library is plated at a density of approximately 2500 colonies per 85 mm plate on LB medium with 75 µg/ml of ampicillin (Maniatis *et al.*, 1982). Transfer of each onto two nylon membranes (Duralon UV, Stratagene) is performed as described in Sambrook *et al.*, (1989). The 1.6 kb HindIII fragment from λsyn3 (see figure 1) is labelled with alpha-<sup>32</sup>P-dATP using "Random Priming" (from Stratagene) and is used as a hybridisation probe. Prehybridisation is performed for 6 hours, hybridisation for 18 hours at 42°C in 5 x SSC, 40% formamide, 5 x Denhardt's (Maniatis *et al.*, 1982), 0.1% SDS, 25 mM NaH<sub>2</sub>PO<sub>4</sub>, pH 6.5, and 250 µg/ml of herring sperm DNA. The filters are washed twice for 10 minutes in 2 x SSC/0.1% SDS at room temperature and twice for 40 minutes in 1 x SSC/0.1% SDS at 60°C. The membranes are exposed for 14 hours on X-ray film (Kodak Xomatic AR). Colonies having positive signals are purified, the corresponding cosmid-DNA isolated from the colonies and characterised by various restriction analyses and hybridisations with the labelled λsyn3 probes, and the vector-DNA sCos1. Figure 5 shows the restriction map of the cloned regions of such a cosmid, syncos13; the *Tolypocladium niveum* DNA contained in it amounts to approximately 35 kb and also includes the region of λsyn3.

#### Example 12: Isolation of a P1 clone with the complete gene for cyclosporin synthetase

Protoplasts are produced from *Tolypocladium niveum* as described in Example 17 and suspended at a density of 10<sup>9</sup>/ml in TPS. 1 ml portions of this suspension are mixed with 1 ml of 1.6% melted agarose (Incert from FMC) held at 40°C and cast into small 1.5 mm thick blocks using a casting stand (BioRad). After solidifying, the blocks are transferred into lysis buffer (0.45 M EDTA pH 8.0, 1% N-lauroyl sarcosine, 1 mg/ml proteinase K) and incubated for 16 hours at 55°C. The blocks are washed for thrice for 2 hours in 0.5 M EDTA pH 8.0 while being slowly rocked and are then stored at 4°C. Before being cleaved, the blocks are cut into small strips, transferred into Eppendorf microtubes and washed for four times for 2 hours and once for 16 hours in TE. The blocks are preincubated in four parallel batches at 4°C, each in 300 µl BamHI buffer (from NEB), supplemented with 100 µg/ml of bovine serum albumin (from NEB) and 80 µM S-adenosylmethionine, for 3 hours on ice. Then, 2 units of BamHI (from NEB) and 16, 20, 24 or 28 units of BamHI methylase (from NEB) are added to each batch and incubation is continued for a further 90 minutes on ice and then for 1 hour at 37°C. The reactions are arrested by the addition of 20 mM of EDTA and 0.5 mg/ml of proteinase K and incubated at 37°C for 30 minutes.

The blocks are applied to a 1% agarose gel (Seaplaque GTG from FMC) and the DNA fragments separated by pulsed field gel electrophoresis ((Chef DR II from BioRad), 0.5 x TBE (Maniatis *et al.*, 1982), switch interval of 8-16 sec, 150 V, 16 h, 12°C).

The region of DNA fragments between 70 and 100 kb is cut out of the gel and the agarose hydrolysed with β-agarase (from NEB). The DNA solution obtained in this manner is very carefully extracted once with tris-saturated phenol and once with chloroform/isoamyl alcohol (24+1) and then concentrated to a final volume of approximately 100 µl by extraction with 1-butanol.

pNS528tet14-Ad10-SacIIb (from DuPont-NEN) is used as the cloning vector. The vector arms are prepared as stated in Pierce *et al.*, (1992). Approximately 250 ng of the cleaved vector are ligated with approximately 500 ng of the DNA fraction for 16 hours at 16°C (performed as in Example 11, total volume 15 µl). After heating the ligation to 70°C for 10 minutes, 4 µl aliquots are cleaved with Pacase (from DuPont-NEN) and packaged into bacteriophage P1 envelopes by addition of the "head/tail" extract, as described in Pierce and Sternberg (1991). After infection of *E. coli* NS3529, the preparation is plated onto LB medium (Maniatis *et al.*, 1982) with 25 µg/ml kanamycin and 5% saccharose. Recombinant clones become visible after incubation of the plates at 37°C for 20 h.

In total, approximately 2000 colonies are obtained, which are stored as a pool in 0.9% NaCl/20% glycerol

at -70°C as "P1 library".

The gene library (10 x 500 colonies) is screened as described in Example 11 (cosmid clones). *Inter alia*, a positive clone is obtained which contains all the fragments of the cosmid clone synco3, together with additionally a further approximately 30 kb of the cyclosporin synthase gene in the 5' direction. Hybridisation with oligonucleotide mixtures derived from suitable amino acid sequences (see Example 9 and Example 10) shows that all the tested sequences are present on this P1 clone (synp4). In this way, it is ensured that the complete gene for cyclosporin synthetase is contained on this clone synp4.

Example 13: DNA partial sequence of the cyclosporin synthetase gene from *Tolypocladium niveum* ATCC34921

- a) The DNA cloned as described in Examples 11 and 12 is sequenced and is illustrated as Seq Id 1.
- b) A polypeptide with the amino acid sequence illustrated as Seq Id 2 is to be derived from this DNA.

Example 14: Comparison of the amino acid sequences derived from the DNA with the cyclosporin synthetase amino acid partial sequences

The DNA of Seq Id 1 is translated on the basis of the genetic code into an amino acid sequence (*i.e.* position 1 of the protein sequence corresponds to position 885 of the DNA sequence) and is compared with the amino acid sequences given in Example 9:

AA-Partial sequence 3: in Seq Id 2, position 12254 is T. Otherwise all amino acids correspond.

AA-Partial sequence 4: all amino acids correspond.

AA-Partial sequence 5: all amino acids correspond.

AA-Partial sequence 9: in Seq Id 2, position 13730 is W. Otherwise all amino acids correspond. (Position 13 of the AA partial sequence aa9 could not be determined.)

AA-Partial sequence 10: all amino acids correspond.

AA-Partial sequence 12: all amino acids correspond.

AA-Partial sequence 13: all amino acids correspond.

AA-Partial sequence 14: in Seq Id 2, position 9565 is C. Otherwise all amino acids correspond.

AA-Partial sequence 15: all amino acids correspond.

AA-Partial sequence 16: Position 1 of the AA partial sequence aa16 does not correspond to the AA sequence of Seq Id 2. Otherwise all amino acids correspond.

AA-Partial sequence 19: in Seq Id 2, positions 9082 and 9083 are R and Y. Otherwise all amino acids correspond.

AA-Partial sequence 20: in Seq Id 2, position 6545 is W. Otherwise all amino acids correspond.

Further, internal comparison of the amino acids 13804-14063 of Seq Id 2 with amino acids 12304-12563 of Seq Id 2 shows that 178 out of 259 amino acids are identical (68.7%). A further 28 amino acid residues (10.8%) are functionally similar. In total, 11 partial regions similar to each other may be identified in this manner.

Example 15: Isolation of RNA from mycelium of *Tolypocladium niveum* and Northern hybridisation

A 1 l conical flask with 100 ml of medium 4 (Dreyfuss *et al.*, 1976) is inoculated with a spore suspension of *Tolypocladium niveum* ATCC34921 (1 x 10<sup>7</sup> spores/ml) and shaken for 96 hours at 250 rpm and 25°C. If conical flasks with 100 ml of medium 5 (Dreyfuss *et al.*, 1976) are inoculated with 10 ml of this preculture and shaken for 7 days at 25°C and 250 rpm. The cyclosporin A concentration is determined (Dreyfuss *et al.*, 1976) to be 100 µg/ml. 8 g of moist mycelial mass is filtered, washed with TE (10 mM Tris-Cl pH 7.5, 1 mM EDTA) and ground to a fine powder in a mortar under liquid nitrogen. RNA is then isolated according to the method described by Cathala *et al.*, (1983). 4 mg of RNA are obtained, which are stored at -70°C. 10 µg of the RNA are separated on a denaturing 1.2% agarose gel containing 0.6 M formaldehyde. The electrophoresis buffer is 0.2 M MOPS, 50 mM sodium acetate, 10 mM EDTA, pH 7.0. The RNA is dissolved in a buffer mixed together from 0.72 ml formamide, 0.16 ml of 10 x concentrated electrophoresis buffer, 0.26 ml formaldehyde, 0.18 ml water and 0.10 ml glycerol. The samples are heated to 100°C for 2 minutes and separated at 115 V, 100 mA over 2 hours. The gel is shaken three times for 20 minutes in 10 x SSC, blotted onto Hybond N-Filter and fixed by UV treatment. Hybridisation is performed at 42°C in 6 x SSPE, 50% formamide, 5 x Denhardt's solution, 0.1% SDS, 100 µg/ml denatured herring sperm DNA, and 100 µM ATP. The <sup>32</sup>P-labelled DNA (fragments of the cloned DNAs described in Examples 9 to 12) are heated to 100°C for 5 minutes and cooled in ice before hybridisation. After 16 to 20 hours, the filters are washed: three times for 10 minutes in 2 x SSC, 0.1% SDS and twice for 30 minutes in 0.2 x SSC, 0.1% SDS at 65°C. The dried filters are autoradiographed. If the fragment

used as the probe is a fragment of the cyclosporin synthetase gene, a band may be detected on the X-ray film after 24 to 72 hours of autoradiography at -70°C. The band exhibits distinctly less mobility than the largest of the comparison RNA used (9500 bp; RNA-ladder, BRL). Figure 1 summarises the results of such hybridisations: in relation to the restriction map of a  $\lambda$ -clone, the isolation of which is described in Example 10, the positions of individual restriction fragments are given which were used as probes in Northern hybridisations. The filled-in rectangles indicate that the bands described above may be detected (E2, E3, E1, S3, S5), while the rectangles with the transverse lines stand for those fragments which do not hybridise with such a band (E4, S2). (Fragment S4 was not used as a probe).

#### 10 Example 16: Identification of homologous synthetase genes

100 ml of medium 1 (Dreyfuss *et al.*, 1976) are inoculated with  $1 \times 10^8$  fungal spores and shaken for 72 hours at 25°C and 250 rpm. The mycelium is filtered out, washed with TE and lyophilised. 100 mg of lyophilised mycelium are added to 700  $\mu$ l of lysis buffer (200 mM tris-Cl pH 8.5, 250 mM NaCl, 25 mM EDTA, 0.5% SDS) and 100 mg of aluminium oxide powder (Sigma A2039) in an Eppendorf homogeniser and are homogenised. 500  $\mu$ l of phenol-chloroform are then added and vigorously mixed in. After 15 minutes centrifugation, the extraction is repeated. A volume of 3M sodium acetate pH 5.2 corresponding to 0.1 time the volume of the supernatant are added to the supernatant and then a volume of i-propanol corresponding to 0.6 time the volume of the supernatant is thoroughly mixed in. After 5 minutes of centrifugation, the pellet is washed with 70% ethanol, briefly dried and dissolved in 100  $\mu$ l of TE with 100  $\mu$ g/ml of RNase and incubated for 15 minutes at 37°C. The phenol-chloroform extraction and ethanol precipitation are then repeated. The precipitated DNA is collected.

5  $\mu$ l portions of the DNA are cleaved with *Xho*I, separated on an agarose gel and blotted onto a nylon filter. This filter is hybridised with  $^{32}$ P-labelled  $\lambda$ SYN3 DNA as a probe. Hybridisation is performed under standard conditions, as described in Example 10 ("chromosome walking"). The hybridisations may, however, also be performed under less stringent conditions.

The following hybridising bands are obtained with DNA from *Tolypocladium niveum* (all data are estimates due to mobility in the gel): 3.6 kb, 3.4 kb, 3.2 kb, 3.0 kb, 2.3 kb, 1.9 kb and 0.7 kb. DNA from *Fusarium solani* ATCC 46829 also displays bands at 3.6 kb, 3.4 kb, 1.9 kb and 0.7 kb together with a further band at approximately 2.1 kb. DNA from *Neocosmospora vasinfecta* ATCC 24402 also displays the bands at 3.6 kb, 3.4 kb, 1.9 kb and 0.7 kb, together with two further bands at 2.9 kb and 1.8 kb. DNA from *Tolypocladium geodes*, *Acremonium* sp. S42160/F, *Paecilomyces* sp. S84-21622/F, *Verticillium* sp. 85-22022/F (Dreyfuss, 1986) each display several hybridising bands in the range 0.7 kb to 7 kb.

On the basis of the DNA sequence Seq Id 1, the following oligonucleotide pairs are synthesised:

35 Nucleotides 35073-35092 of Seq Id 1  
Nucleotides 37848-37829 of Seq Id 1 (complementary strand)  
or also  
Nucleotides 40309-40328 of Seq Id 1  
Nucleotides 42018-41999 of Seq Id 1 (complementary strand)

40 If 50 ng of the *Tolypocladium geodes* CBS723.70 DNA is amplified with the first of the two oligonucleotide pairs described above (Sambrook *et al.*, 1989): 30 cycles: 1 min 30 sec 94°C; 2 min 30 sec 50°C; 6 minutes 72°C, a 350 bp DNA is produced. If a part of this DNA is sequenced, the sequence given as Seq Id 3 is obtained. This DNA sequence is 75.1% homologous to the corresponding DNA sequence of Seq Id 1.

45 Also, if 50 ng of the *Neocosmospora vasinfecta* ATCC 24402 DNA is amplified with the second of the two oligonucleotide pairs described above (Sambrook *et al.*, 1989): 30 cycles: 1 minutes 30 sec 94°C; 2 minutes 30 sec 50°C; 6 minutes 72°C, a 1713 bp DNA is produced. If this DNA is sequenced, the sequence given as Seq Id 4 is obtained. This DNA sequence is 96.3% homologous to the corresponding DNA sequence of Seq Id 1.

#### 50 Example 17: Protoplastisation and transformation of *Tolypocladium niveum*

##### a) Method 1:

200 ml of medium 1 (maltose (monohydrate) 50 g/l, casein peptone, digested with trypsin (Fluka 70169) 10 g/l,  $\text{KH}_2\text{PO}_4$  5 g/l, KCl 2.5 g/l pH 5.6) in a conical flask are inoculated with  $10^8$  spores of *Tolypocladium niveum* and are incubated at 27°C, 250 rpm for approximately 70 hours. 200  $\mu$ l of (0.1%)  $\beta$ -mercaptoethanol are added and incubation continued for a further 16 hours. The mycelium is harvested by centrifugation (Beckman J2-21 centrifuge, rotor JA14, 8000 rpm, 20°C, 5 minutes), washed in 40 ml of TPS (NaCl 0.6 M,  $\text{KH}_2\text{PO}_4/\text{NaH}_2\text{PO}_4$

66 mM pH 6.2) and the pellet volume measured by centrifugation in calibrated microtubes at 2000 g (in Beckman GPR centrifuge, GH3.7 rotor, 3000 rpm, 5 minutes). The mycelium is suspended in TPS (3 ml of TPS are used for each 1 ml of pellet volume) and the same volume of protoplastisation solution is added (Novozym 234 10 mg/ml from Novo Industri, batch PPM-2415), cytochalasin 5 mg/ml (from IBF), Zymolyase 20T 1 mg/ml (from Sankagaku Kogyo, batch no. 120491). The suspension is incubated at 27°C at 80 rpm for approximately 60 minutes. The protoplasts are filtered through a milk filter, centrifuged out (700 g, 10 minutes) and taken up in a total of 4 ml of TPS. Each 1 ml of this suspension is layered on to 4 ml of 35% saccharose solution and is centrifuged at 600 g, 20°C for 20 minutes. The protoplast bands at the phase interface are drawn off, each diluted to 10 ml with TPS, centrifuged out, carefully resuspended in 200 µl portions of TPS and the suspensions are combined. For each 1 ml of pellet volume of starting mycelium (see above), approximately  $2 \times 10^8$  protoplasts are obtained.

The protoplast suspension is centrifuged out (700 g, 10 minutes) and suspended in 1 M sorbitol, 50 mM  $\text{CaCl}_2$  at a density of  $1 \times 10^8$ . 90 µl portions of this suspension are combined with 10 µl of the vector DNA to be transformed, which contains the *amdS* gene from *Aspergillus nidulans*, for example plasmid p3SR2 (Hynes *et al.*, 1983), (1-10 µg dissolved in tris-HCl 10 mM, EDTA 1 mM, pH 8.0) and 25 µl of PEG 6000-Lsg are added (25% PEG 6000, 50 mM  $\text{CaCl}_2$ , 10 mM tris-HCl, pH 7.5, freshly prepared from the stock solutions: 60% PEG 6000 (from BDH), 250 mM tris-HCl pH 7.5, 250 mM  $\text{CaCl}_2$ ). The transformation batch is placed on ice for 20 minutes and then a further 500 µl of the mixed PEG 6000 solution are added and carefully mixed in. After 5 minutes at room temperature, 1 ml of 0.9 M NaCl, 50 mM  $\text{CaCl}_2$  is added, the entire batch added to 7 ml of melted soft agar TMMAAC+N, held at 45°C, and cast onto preheated TMMAAC+N plates. Medium TMMAAC+N contains 6 g/l glucose, 3 g/l  $\text{KH}_2\text{PO}_4$ , 0.5 g/l KCl, 0.4 g/l  $\text{MgSO}_4 \times 7 \text{H}_2\text{O}$ , 0.2 g/l  $\text{CaCl}_2 \times 2 \text{H}_2\text{O}$ , 8 mM acrylamide, 2.1 g/l CsCl, 1 ml/l trace element solution, and 0.6 M NaCl. 15 g/l of Agar-Agar (Merck) are used for plates and 7 g/l for soft agar. The trace element solution contains 1 mg/ml of  $\text{FeSO}_4 \times 7 \text{H}_2\text{O}$ , 9 mg/ml of  $\text{ZnSO}_4 \times 7 \text{H}_2\text{O}$ , 0.4 mg/ml of  $\text{CuSO}_4 \times 5 \text{H}_2\text{O}$ , 0.1 mg/ml of  $\text{MnSO}_4 \times \text{H}_2\text{O}$ , 0.1 mg/ml of  $\text{H}_3\text{BO}_3$  and 0.1 mg/ml of  $\text{Na}_2\text{MoO}_4 \times \text{H}_2\text{O}$ . Transformants are capable of using acrylamide as a source of nitrogen in the medium and may therefore be identified after approximately 3 weeks at 25°C as colonies against weak background growth.

#### b) Method 2:

Two portions each of 4.0 ml of the *Tolyposcladium niveum* spores (ATCC 34921;  $5 \times 10^8$ /ml) are introduced into a 1 l conical flask with 200 ml of medium 1 (50 g/l maltose (monohydrate), 10 g/l casein peptone, digested with trypsin, FLUKA 70169, 5 g/l  $\text{KH}_2\text{PO}_4$ , 2.5 g/l KCl, pH 5.6) and are shaken at 25°C at 250 rpm for 65 hours. The mycelium is filtered out over a sterile sintered porcelain filter with GMX nylon gauze and washed with TE (10 mM tris-HCl pH 7.5, 1 mM EDTA) and resuspended in 40 ml of YG (5 g/l yeast extract, 20 g/l dextrose). Centrifugation is carried out at 900 g and 20°C for 5 minutes. The pellet is resuspended in YG (approximately 1 ml pellet in 5 ml) and 5 ml of protoplastisation solution are added to 5 ml of suspension. The protoplastisation solution is produced from a solution containing 1.1 M KCl and 0.1 M citric acid. The pH is adjusted to 5.8 with KOH. Driselase (Sigma D9515) is added (15 mg/ml; storage at -20°C); the suspension remains in the ice for 15 minutes and the starch carrier is removed by centrifugation for 5 minutes at 2000 rpm. Novozym (4 mg/ml) and bovine serum albumin (Sigma A7096, 20 mg/ml) are added. The solution is filtered through Millipore SLGV025LS and remains in the ice until used. The preparation is shaken at 37°C for 2.5 hours at 250 rpm. The preparation is filtered through a milk filter. The protoplasts are centrifuged out (700 g; 20°C; 5 minutes) and carefully resuspended in STC (1.2 M sorbitol, 50 mM  $\text{CaCl}_2$ , 10 mM tris-HCl pH 7.5). 5 ml of 35% saccharose solution are carefully covered with a layer of the suspension and centrifuged (600 g; 20°C; 20 minutes). The bands are drawn off and diluted to approximately 5 ml with STC.  $2 \times 10^8$  protoplasts are obtained from 200 ml of culture.

50 µl of the protoplast suspension ( $1 \times 10^8$ /ml) are introduced into a sterile Eppendorf tube and 5 µg of plasmid DNA in TE and 12.5 µl of PEG solution (20% PEG 4000, 50 mM  $\text{CaCl}_2$ , 10 mM tris-HCl pH 7.5) are added. This solution is mixed from separately autoclaved stock solutions: 1 M  $\text{CaCl}_2$ , 1 M tris-HCl pH 7.5, 60% PEG 4000 (Riedel de Hæen). Once the mixture has stood for 20 minutes in ice, 0.5 ml of PEG solution are added and carefully mixed in. After 5 minutes at room temperature, 1 ml of 0.9 M NaCl, 50 mM  $\text{CaCl}_2$  are carefully mixed in. The suspension is added to 10 ml of TM88 sorbitol soft agar (20 g/l malt extract, 4 g/l yeast extract, 10 g/l bacto agar, 218 g/l sorbitol, pH 5.7) (45°C) and cast onto TM88 sorbitol plates (10 ml TM88 sorbitol agar: 20 g/l malt extract, 4 g/l yeast extract, 30 g/l bacto agar, 218 g/l sorbitol, pH 5.7). After 15 to 20 hours at 25°C, 10 ml of TM88 sorbitol agar with 600 µg/ml of hygromycin (45°C) are poured over. Hygromycin resistant transformants may be detected after 7 days at 25°C.

Example 18: Construction of vectors pSIM10, pSIM11 and pSIM12 and transformation with these plasmidsa) Isolation of cyclophilin gene from *Tolypocladium niveum*

As described in Example 10, the *Tolypocladium niveum* gene library is screened with a radioactively labelled DNA probe. Hybridisation is performed at 42°C in 6 x SSPE, 30% formamide, 5 x Denhardt's solution, 0.1% SDS, 100 µg/ml denatured herring sperm DNA, and 100 µM ATP. <sup>32</sup>P-labelled DNA (fragments of the DNA of the cyclophilin gene from *Neurospora crassa*, Tropschug *et al.*, 1988) are heated to 100°C for 5 minutes and cooled in ice before hybridisation. After 16 to 20 hours, the filters are washed three times for 10 minutes in 2 x SSC, 0.1% SDS and twice for 30 minutes in 1 x SSC, 0.1% SDS at 45°C. The dried filters are autoradiographed. The purified DNA from λ-phages is subcloned in plasmids and characterised by restriction mapping, Southern hybridisation and DNA sequencing. The cDNA sequence of Seq Id 5 is obtained. The sequence is homologous to the cyclophilin gene of *N. crassa*. The start codon ATG is at positions 12-14 and the stop codon TAA is at positions 552-554.

## b) Construction of vector pSIM10 and transformation with this plasmid

On the basis of the Seq Id 5, a first oligonucleotide is synthesised which is largely complementary to Seq Id 5 (positions 2 to 29); however, the ATG region (12 to 14) is altered in such a way that a *Cla*I cleavage point (ATCGAT) is produced. A second oligonucleotide contains a sequence of the plasmid pUC18 and a recognition sequence for *Bam*HI and is given as Seq Id 6.

A plasmid containing a 2.7 kb *Eco*RI-*Hind*III fragment from Example 18a cloned into pUC18 is linearised with *Hind*III. 1 ng of the plasmid DNA is amplified with the oligonucleotides described above (Sambrook *et al.*, 1989): 30 cycles: 1 minutes 30 sec 94°C; 2 minutes 30 sec 50°C; 6 minutes 72°C. A 2.1 kb DNA is produced. After chloroform extraction, this DNA is purified by ultrafiltration (Ultrafree MC 100 000; Millipore) and cleaved in the appropriate buffer with the enzymes *Cla*I and *Bam*HI. 50 ng of this DNA are ligated with 50 ng of *Bam*HI and *Cla*I cleaved DNA of the plasmid pGEM7Zf (Promega). The newly produced plasmid is cleaved with *Cla*I and *Xba*I and ligated with a *Cla*I-*Xba*I restriction fragment 1.76 kb in size from the plasmid pCSN44 (Staben *et al.*, 1989). A restriction map of this plasmid (pSIM10) is reproduced in figure 3.

The 2157 bp *Bam*HI-*Cla*I restriction fragment of the plasmid (4714-6865 in figure 3), which contains the cyclophilin gene promoter, has the DNA sequence of Seq Id 7.

The plasmid pSIM10 may be used for the transformation of *Tolypocladium niveum*, as described in Example 17. DNA from the transformants is cleaved with *Bam*HI and, after electrophoresis, blotted on a nylon membrane. The 1.8 kb *Bgl*II fragment from pSIM10 (figure 3) is used as a radioactive probe. In this way, those of the transformants in which the plasmid pSIM10 has been incorporated once or a plurality of times into the genome may be identified.

The *Xho*I cleavage point in plasmid pSIM10 (4924) allows the construction of plasmids which contain defined parts of the cyclosporin synthetase gene with which a deliberate inactivation of the cyclosporin synthetase gene is possible:

pSIM11 contains a 3.6 kb *Xho*I restriction fragment (42285-45909 of Seq Id 1). If the plasmid linearised with *Eco*RV is used for the transformation, approximately 30% of transformants obtained no longer form cyclosporin. It is shown with Southern hybridisations with DNA from such transformants that an 8.4 kb *Xba*I fragment is no longer detectable, but instead two new restriction fragments with 10.6 kb and 8.2 kb are detected.

pSIM12 contains a 0.8 kb *Xho*I restriction fragment (39663-40461 of Seq Id 1). If the plasmid linearised with *Sal*I is used for the transformation, approximately 30% of transformants obtained no longer form cyclosporin. It is shown with Southern hybridisations with DNA from such transformants that an 8.4 kb *Xba*I fragment is no longer detectable, but instead two new restriction fragments with 10.4 kb and 5.6 kb are detected.

Example 19: Cotransformation with synp4

pSIM10 (Example 18) is used as transformation vector. Together with this vector, equimolar quantities of synp4 (Example 12) are also used in the same transformation batch. These cotransformations are performed according to the method described in Example 17 and *Tolypocladium niveum* ATCC 34921 is used as the starting strain.

Genomic DNA from hygromycin resistant transformants is isolated according to a rapid method. The mycelium is taken from an area of approximately 1 cm<sup>2</sup> of the corresponding colony and transferred into Eppendorf homogenisers. 1 ml lysis buffer (50 mM EDTA, 0.2% SDS) and 100 mg aluminium oxid (grad A5, from Sigma) are added and the mixture is roughly homogenised for approximately 5 minutes. After centrifugation (5 min-

utes, 11,000 rpm) the supernatant is extracted once with each of tris-saturated phenol, phenol/chloroform (1:1) and chloroform/isoamyl alcohol (24:1) and the DNA precipitated with isopropanol using the standard procedure (Sambrook *et al.*, 1989).

The DNA is completely restricted with the restriction enzyme *SaI*, separated with gel electrophoresis and investigated in Southern hybridisations. The 0.8% agarose gel is transferred by vacuum blotting (Vacublot, from Pharmacia) onto a nylon membrane (Duralon-UV from Stratagene) and fixed with UV.

As probe for the hybridisations, the small *SpeI* restriction fragment from the bacteriophage P1 vector pNS-528tet4-Ad10-SacII B (from DuPont-NEN) is prepared by gel electrophoresis and GeneClean II Kit (from BIO101) and radioactively labelled with alpha  $^{32}\text{P}$  dATP by "random primer" synthesis (from Stratagene).

Prehybridisation is performed for approximately 8 to 16 hours at 42°C in 6 x SSC, 50% formamide, 5 x Denhardt's (Maniatis *et al.*, 1982), 0.1% SDS, 0.25 mg/ml denatured herring sperm DNA, and 25 mM  $\text{NaH}_2\text{PO}_4$  pH 6.5 in a volume of 10 ml per 100 cm<sup>2</sup> of membrane. After addition of the labelled probe, incubation is continued for a further 16 to 20 hours at 42°C. The blot is washed twice for 10 minutes with 2 x SSC/0.1% SDS at 25°C and twice for 30 minutes with 0.5 x SSC/0.1% SDS at 60°C. After autoradiography for approximately 48 to 96 hours at -70°C with Kodak intensifying film onto X-ray film (Xomatic AR, from Kodak), bands become visible on the X-ray film.

Some of the investigated DNAs display hybridisation signals which are attributable to the integration of synp4. The number of signals, which should correlate with the number of integrated synp4 molecules, varies between 1 and 3.

A transformant strain verified in this manner is investigated for cyclosporin A formation by test fermentation in a shaking flask as described by Dreyfuss *et al.* (1976). Whilst approximately 100 µg/ml of cyclosporin A is formed in parallel tests of the untransformed starting strain *Tolypocladium niveum* ATCC 34921, approximately 150 µg/ml of cyclosporin A is detected in tests with the strain in which additional copies of the cyclosporin synthetase gene are present due to the integration of synp4.

#### Abbreviations used:

ACV	aminoacidipyl-cysteinyI-valine
amdS	acetamidase gene
ATCC	American Type Culture Collection
ATP	adenosine triphosphate
bp	base pairs
CBS	Centraalbureau voor Schimmelcultures
DTE	dithioerythritol
DTT	dithiothreitol
EDTA	ethylenediaminetetraacetic acid
HEPES	N-2-hydroxyethyl-piperazine-N-2-propanesulphonic acid
MOPS	3-morpholinepropanesulphonic acid
PEG	polyethylene glycol
pfu	plaque forming units
SDS	sodium dodecyl sulphate
SDS-PAGE	SDS-polyacrylamide gel electrophoresis
SSC	150 mM NaCl, 15 mM sodium citrate, pH 7.0
SSPE	180 mM NaCl, 10 mM sodium phosphate, 1 mM EDTA, pH 7.7
TE	10 mM tris-Cl pH 7.5, 1 mM EDTA
TFA	trifluoroacetic acid
tris	tris(hydroxymethyl)aminomethane
YAC	yeast artificial chromosome

Moreover, the customary abbreviations for the restriction endonucleases are used (*Sau3A*, *HindIII*, *EcoRI*, *HindII*, *Clal* etc.; Maniatis *et al.*, 1982). The nucleotide abbreviations A, T, C, G are used for DNA sequences and the amino acid abbreviations (Arg, Asn, Asp, Cys etc.; or R, N, D, C etc.) for polypeptides (Sambrook *et al.*, 1989).

#### Literature list:

- A. Billich and R. Zocher (1987) Enzymatic Synthesis of Cyclosporin A. *J. Biol. Chem.* **262**, 36, 17258-17259  
 J. F. Borel, C. Feurer and H. U. Gubler (1976) Biological effects of cyclosporin A: a new antilymphotic agent  
*Agents Actions* **6**: 468

- M. Dreyfuss, E. Härrig, H. Hofmann, H. Kibel, W. Pach and H. Tschertter (1976) Cyclosporin A and C *European J. Appl. Microbiology* **3** (1976), S. 125-133.
- M. M. Dreyfuss (1986) Neue Erkenntnisse aus dem pharmakologischen Pilz-Screening, *Sydowia* **39** (1986), S. 22-36.
- 5 K. D. Jofuku and R. B. Goldberg, *Analysis of plant gene structure*, in: *Plant molecular biology: a practical approach* (C. H. Shaw, Hrsg.), 1. Aufl., IRL press, Oxford 1988, S. 37- 66.
- H. Kleinkauf and H. v. Döhren (1990) Nonribosomal biosynthesis of peptide antibiotics *Eur. J. Biochem.* **192**, 1-15
- J. Kraetzschmar, M. Krause and M. A. Marahiel (1989) Gramicidin S Biosynthesis Operon Containing the Structural Genes *grsA* and *grsB* has an Open Reading Frame Encoding a Protein Homologous to Fatty Acid Thioesterases *J. Bacteriol.* **171**, 5422-5429
- 10 U. K. Laemmli (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4 *Nature* **227**, 680 - 685
- A. Lawen, R. Traber, D. Geyl, R. Zocher and H. Kleinkauf (1989) Cell-Free Biosynthesis of New Cyclosporins *J. Antibiotics* **42**, 8, 1283-1289
- 15 A. Lawen, J. Dittmann, B. Schmidt, D. Riesner and H. Kleinkauf (1992) Enzymatic biosynthesis of cyclosporin A and analogues *Biochimie* **74**, 511-516
- A. Lawen and R. Zocher (1990) Cyclosporin Synthetase. The Most Complex Peptide Synthesizing Multi-enzyme Polypeptide So Far Described *J. Biol. Chem.* **265**, 19, 11355-11360
- 20 A. P. McCabe, H. v. Liempt, H. Palissa, M. B. R. Riach, E. Pfeifer, H. v. Döhren and J. R. Kinghorn (1991)  $\delta$ -(L- $\alpha$ -aminoadipyl)-L-cysteinyl-D-valine synthetase from *Aspergillus nidulans*. Molecular characterization of the *acvA* gene encoding the first enzyme of the penicillin biosynthetic pathway *J. Biol. Chem.* **266**, 12646
- T. Maniatis, E.F. Fritsch and J. Sambrook, *Molecular cloning: a laboratory manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor 1982/1.
- 25 H. Nakajima, T. Hamasaki, K. Tanaka, Y. Kimura, S. Udagawa and Y. Horie (1989) Production of Cyclosporin by fungi belonging to the genus *Neocosmospora*, *Agric. Biol. Chem.* **53** (1989) Nr. 8, S. 2291-2292.
- J. C. Pierce and N. Sternberg (1991), Using the bacteriophage P1 system to clone high molecular weight (HMW) genomic DNA, *Methods Enzymol.* in press
- J. C. Pierce, B. Sauer and N. Sternberg (1992), A positive selection vector for cloning high molecular weight DNA by the bacteriophage P1 system: Improved cloning efficacy. *Proc. Natl. Acad. Sci. USA* **89** 2056 - 2060.
- 30 J. Sambrook, E.F.Fritsch and T. Maniatis, *Molecular Cloning: a laboratory manual* Cold Spring Harbor Laboratory Press, Cold Spring Harbor 1989/2
- D. J. Smith, A. J. Earl and G. Turner (1990) The multifunctional peptide synthetase performing the first step of penicillin biosynthesis in *Penicillium chrysogenum* is a 421.073 dalton protein similar to *Bacillus brevis* peptide antibiotic synthetases *EMBO J.* **9**, 2743-2750
- 35 C. Staben, B. Jensen, M. Singer, J. Pollock, M. Schechtman, J. Kinsey and E. Selker (1989) Use of a bacterial Hygromycin B resistance gene as a dominant selectable marker in *Neurospora crassa* transformation, *Fungal Genetics Newsletter* **36** (1989), S. 79.
- S. Tada, K. Gomi, K. Kitamoto, K. Takahashi, G. Tamura und S. Hara (1991) Construction of a Fusion Gene Comprising the Taka-Amylase- A Promoter and the Escherichia-Coli beta-Glucuronidase Gene and Analysis of Its Expression in *Aspergillus-Oryzae*, *Mol Gen Genet* **229** (1991) Nr. 2, S. 301-306.
- 40 M. Tropschug, D.W. Nicholson, F. Hartl, H. Köhler, N. Pfanner, E. Wachter and W. Neupert (1988) Cyclosporin A-binding Protein (Cyclophilin) of *Neurospora crassa*. One gene codes for both the cytosolic and mitochondrial forms. *Journal of Biological Chemistry* **263** (1988) Nr. 28, S. 14433- 14440.
- 45 K. Turgay, M. Krause, and M. A. Marahiel (1992) 4 Homologous Domains in the Primary Structure of GrsB Are Related to Domains in a Superfamily of Adenylate-Forming Enzymes *Molecular Microbiol.* **6**, 4, 529-546
- R. Weckermann, R. Fuerbass and M. A. Marahiel (1988) Complete nucleotide sequence of the *tycA* gene encoding the tyrocidine synthetase 1 from *Bacillus brevis* *Nucleic Acids Res.* **16**, 11841
- 50 P. H. Yu (1983) Specific Photoactivated Covalent Binding of S-Adenosyl-Methionine to Phenylethanolamine-N-Methyl Transferase *Biochim. Biophys. Acta* **742**, 517
- R. Zocher, T. Nihira, E. Paul, N. Madry, H. Peeters, H. Kleinkauf and U. Keller (1986). Biosynthesis of Cyclosporin A: Partial Purification and Properties of a Multifunctional Enzyme from *Tolypocladium inflatum*. *Biochemistry* **25**, 550-553



## SEQUENCE LISTING

5

## (1) GENERAL INFORMATION:

## (i) APPLICANT:

10 (A) NAME: Sandoz Ltd  
 (B) STREET: Lichtstrasse 35  
 (C) CITY: Basel  
 (E) COUNTRY: Switzerland  
 (F) POSTAL CODE (ZIP): CH-4002  
 (G) TELEPHONE: 41-61-324 4395  
 (H) TELEFAX: 41-61-322 7532

15 (A) NAME: Sandoz-Patent-GmbH  
 (B) STREET: Humboldstr. 3  
 (C) CITY: Loerrach  
 (E) COUNTRY: Germany  
 (F) POSTAL CODE (ZIP): D-7850

20 (A) NAME: Sandoz-Erfindungen Verwaltungsgesellschaft  
 mbH  
 (B) STREET: Brunnerstr 59  
 (C) CITY: Vienna  
 (E) COUNTRY: Austria  
 (F) POSTAL CODE (ZIP): A-1235

25 (ii) TITLE OF INVENTION: Cyclosporin Synthetase

(iii) NUMBER OF SEQUENCES: 7

## (iv) COMPUTER READABLE FORM:

30 (A) MEDIUM TYPE: Floppy disk  
 (B) COMPUTER: IBM PC compatible  
 (C) OPERATING SYSTEM: PC-DOS/MS-DOS  
 (D) SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)

## (2) INFORMATION FOR SEQ ID NO: 1:

35 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 46899 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: DNA (genomic)

40 (iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

## (vi) ORIGINAL SOURCE:

45 (A) ORGANISM: Tolypocladium niveum  
 (B) STRAIN: ATCC 34921

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

GAATTCAGTA TCGGGCAAAT CTTTCATGGTG ATGTGAATCT AGCGAGATGA ATGCAGGAGA 60  
 50 ATCGGCTGGG ATGGCCTCCA GATATACACC CTTCTAGCAT CACAAATCCC GCCGATGTAC 120  
 AAGCCCCACG ACGAACGTTT TTATTGGCTT AACCGCTACT AGTATTTTTA TATAGTAGTT 180  
 TATATGCGTA GGTACTCTCT TCTGTTAATG TCAGAGGATC TATTGCGATG GGCAGGCTGC 240

55

	AGCAATGCCT CGATCTTGAT GGAGGGATAG TTGTTTGCTG ATGAGTATAG GTACTTATTC	300
5	TATTAGTAAC TCTATGCTTG TTTAAGGTA CCGATACTCG TACGTCGATC GTGGGGGGTG	360
	TAAGCCACGT GGTCCACAGT CTGACGAAGT TTCGAACCCT TCAGGGATTA TTAACAAGGT	420
	AATACGGAGT AAAGGAGTAG TATCATAGCT TGGAATATGT GGAAACCCCG AGGAGGCAAT	480
10	CCCCTTGGCT GTCAGATTAC CTTACAAGTC TCCATCTACT GACCACGAAC TGAAGTCAGT	540
	TCCTTCAGTC GCTTACTATT TACTGGAACA TCTCCTCGAA TTTGGAAAAA GAAAAAAGCA	600
	CCAACAAAAA CTCAGGAGAT CCACTCTTTA TCGGACACAA ATAGCTACTT GCTTTCTGTG	660
	CCGTGCAACG ATACTGTCGG AAAGCTCGAC CTACGAGCCA CTTACACCTG TGGTAGCAGC	720
15	ACAAAGCCGG ACTCGCCACA ACTCAGCAAC TAGCCATTCG AAATCGCAA CTACAGCAGC	780
	TACACGAACT TCATGAGATG GATTGTACAT ACTGACTACA CTAGGTTTAC TAACAGATAG	840
	ACAACCATTG CCAGATTATA GAGCCTTTTG CTTTCTTGGT CAACATGGGC GCCATCGGGC	900
20	AAGACATGGC ATATGATCGC CTTGCCAACC CGTCTCGGGC GAGTTCCATC TCTTCGAACC	960
	GATACTCCGA ACCTGTCGAG CAATCCTTTG CCCAGGGCAG ACTGTGGTTC CTGCACCAGC	1020
	TGAAGCTCGG TGCGAGCTGG GACATTACGC CGGCCGCGAT CCGACTTCGG GGCCATCTCG	1080
25	ACATCGATGC GCTGAACGCT GCCTCGCGCG CTCTGACGCA GCGCCACGAG ACGCTCCGAA	1140
	CGACGTTCAA GGAGCAGGAT GGCGTGGGCG TACAGGTTGT GCACGCCTCG GGCCTCGAAA	1200
	GAGGGTTGAG GATTGTTGAT GCCTCGAGCC GCGATTTGGC CCAGCTCCTG GCAGAGGAAC	1260
30	AAACCATGAA GTTCGACCTA GAGTCTGAGC CAGCTTGGAG AGTTGCATTG TTGAAGGTGG	1320
	CCGAGGATCA CCATATTCTT TCCATTGTTG TACACCATAT CATCTCAGAC AGCCGGTCTC	1380
	TCGACATTAT TCAGCAGGAG CTTGGAGAAC TCTACACGGC CGCCTCGCAG GGGAAATCGA	1440
	TTTCGGCTTG TCCCTTGGGT CCAATTCCCA TTCAATACCG TGACTTGACG ACTTGGCAGA	1500
35	ACCAGGACGA GCAGGTCGCT GAGCAGGAAA GGCAGCTCGG ATACTGGATC GAGCAGCTCG	1560
	ATAACAACAC ACCGGCCGAG CTCCTCACAG AGCTTCCCCG GCCAGCTATC CCATCTGGCG	1620
	AAACTGGCAA GATCTCCTTC CAGATCGATG GATCGGTACA CAAAGAATC CTGGCCTTCT	1680
40	GCCGCTCCCA GCAAGTAACC GCCTACGCCG TGCTGCTGGC AGCGTTTCGC GTGGCGCACT	1740
	TTCGCCCTAC TGGAGCCGAG GATGCAACCA TCGGAGCGCC CGTTGCCAAC CGCGACCGGC	1800
	CGGAGCTGGA GAACATGGTG GCTCCCTTGG CCACTCTGCA GTGCATGCGA GTCGTGCTCG	1860
45	ACGAGGACGA CACCTTCGAG TCGGTGCTGC GGCAGATCAT GTCCGTCATG ACAGAGGCAC	1920
	ATGCCAACCG CGACGTCCCC TTGAGCGCA TCGTGTCTGC GTTGCTGCCC GGGTCGACAG	1980
	ACACATCACG ACACCCGCTT GTGCAGCTCA TGTTTGCTTT GCATCCCGCG CAGGATACGG	2040
	GCCGAGCCCG GTGGGGGTTC CTCGAGGCTG AGACTCTGCA GAGTGCGGCC CCGACACGAT	2100
50	TCGACATGGA GATGCACCTG TTTGAGGGAG ACGACCGGTT CGATGCAAAC GTGCTGTCTT	2160
	CCACGGGCC TTTGACGCA GAGGCCATCC GCAGCGTGGT TTCTATCTTT CGGGAAGTCC	2220
55	TGCGCCGTGG CATCTCGAG CCTGCGGTGC ATGTGAAGAC GATGCCGCTC ACCGATGGGC	2280

5	TCGCCGCGAT CCGGGACATG GGCTTGCTGG ATATCGGGAC CACCGACTAC CCCC GCGAGG	2340
	CGAGCGTGGT TGATATGTTT CAAGAGCAGG TGGCCTTGAA TCCAAGCGCC ACCGCCGTGG	2400
	CCGATGCTTC GTCCAGATTG AGCTACTCTG AGTTGGATCA CAAGTCAGAT CAGCTGGCCG	2460
	CGTGGCTGCG CAGACGGCAG CTCAAGCCCG AGACCTTGAT TGGCGTGTG TCTCCTCCGT	2520
10	CTTGCGAGAC CATGGTTTCC TTCCTCGGTA TCCTCAAGGC TCATCTGGCT TATCTGCCTC	2580
	TCGATATCAA CGTTCCCTTG GCACGCATCG AATCAATCCT TTCGGCCGTG GACGGGCACA	2640
	AGCTCGTCTT GCTTGGGAGC AACGTGCCCC AACC CAAGGT GGATGTACCC GATGTTGAGT	2700
15	TGTCGCGGAT CAGCGATGCC CTGAACGGGT CTCAGGTGAA TGGGCTTGCA GGGAAACAGG	2760
	CGACTGCAAA GCCCTCGGCG ACGGACCTGG CCTACGTCAT CTTCACCTCG GGATCGACTG	2820
	GCAAGCCGAA GGGTGTCA TG ATCGAGCATC GGGGCATCGT ACGCCTCGTG AAAGGAACAA	2880
20	ACATTATTTT GCCCGCCAG GCAGCAGTGC CGACAGCTCA CCTGGCCAAAC ATCGCTTTTCG	2940
	ACCTCTCAAC ATGGGAGATC TATACCCCTA TCCTTAATGG CGGCACCTCT GTCTGTATCG	3000
	AACACTCTGT CACGCTAGAT AGCAAGGCAC TAGAAGCTGT ATTCACCAAG GAGGGCATTC	3060
	GTGTGGCCTT CTTGCTCCT GCTCTGATCA AGCAGTGTCT CGCCGACAGA CCGCGATCT	3120
25	TTGCGGGCCT GGATAGCCTG TACGCTATTG GCGATCGCTT CGACCGACGT GACGCCCTCC	3180
	ATGCAAAGTC CTTGGTGAAG CATGGCGTTT ATAATGCCTA TGGTCCAACC GAGAATTCGG	3240
	TCGTCACTAC CATCTACAGC GTCTCCGAGG CTTACCGTT TGTCACGGGG GTGCCC GTG	3300
30	GCCGGGCCAT CAGCAACTCG GCGCCTATG TAATGGATCA GGATCAGCAA TTGGTCTCTC	3360
	CCGGGGTGAT GGGGAGCTT GTGGTTTCTG GAGATGGCCT AGCTCGAGGA TATACCGATT	3420
	CGGCTCTGGA TAAGAACCGA TTTGTCGTGG TGCAGATTGA CGGCGAGTCA ATCCGGGGCT	3480
35	ATCGTACGGG AGACCGGGCC CGATACAGCC TCAAGGGTGG CCAGATTGAG TTCTTTGGCC	3540
	GCATGGATCA GCAGGTCAAG ATCCGTGGCC ATCGTATCGA GCCAGCCGAG GTAGAGCACG	3600
	CTTTACTCAA CAGCGACCAA GTACGCGATG CAGCAGTGGT TATCCGAGA CAGGAGGAGG	3660
	AAGAGCCTGC GATGATTGCC TTCGTTACGA CGCAGGGTAC GCTCCCTGAT CACCTCGTCA	3720
40	ACATCAACGG CAACGGCCAC GTTCCGACG GCAACGGCAG CAAGAACGAC CAATTCGCCG	3780
	TTACGTCGA GAGCGAACTG CGCCGGCGCT TGCAGATGTT GCTGCCCTCC TACATGATGC	3840
	CGGCCCGCAT CGTGGTGCTT GACCATCTCC CTCTCAACCC CAACGGCAA GTCGACCGGA	3900
45	AGGCGCTGGG TCAGTCGGCC AAGACTGTGC AGAAGAGCAA GCTGGTCTCA CAGCGCGTCG	3960
	CCCCACGCAA TGAGATCGAG GCCGTGCTTT GCGAGGAGTA CAGGAGTGTG CTTGGTGTG	4020
	AGGTTGGCAT CACCGATAAC TTCCTCGACC TGGGTGGTCA TTCCTTGACG GCCATGAAGC	4080
50	TCGCGGCACG GATCAGCCAG AGGCTCGACA TTCAAGCATC CGTAGCAACT GTCTTTGAGC	4140
	AGCCGATGCT CGCTGACCTC GCCGCCACGA TCCAGCGCGG CTCGACTCTG TATAGCGTCA	4200
	TCCCTACGAC AGAATACAG GGACCGGTGG AGCAATCATT TGCCCAAGGC CGTCTGTGGT	4260

55

	TCCTTGAGCA GCTGAATACC GGCGCCTCAT GGTATAATGT GATGCTCACC GTACGACTAC	4320
5	GAGGCCACCT CGACGTGGAT GCGCTGGGAA CGGCCCTGCT CGCCCTGGAG AAACGGCACG	4380
	AGACTCTTCG GACAACCTTT GAGGAACGGG ACGGGGTGG CATGCAGGTA GTCCACAGCA	4440
	GCCTCATGGG GGAGCTGCGG CTGATTGATA TATCAGAGAA ATCTGGCACT GCCGCGCATG	4500
10	AGGCACTGAT GAAGGAGCAG TCAACCCGCT TCGACCTGAC TCGCGAGCCA GGTGGAGAG	4560
	TGGCGCTGCT GAAGTTGGCA GACCACCACA TCTTCTCGAT CGTCATGCAC CACATTGTAT	4620
	CGGATGGATG GTCTCTCGAC CTCCTACGAC ACGAGCTGGG CCAACTCTAC TCGGCAGCTC	4680
	TGCGCGGCCA GGACCCATTG TCGCGCCTTG AGCCACTCCC GATCCAATAC CGCGACTTTG	4740
15	CGGTCTGGCA GAAGCAAGAC AGCCAGCAGA AAGCAGCGCA CCAGAGGCAA TTGGAGTACT	4800
	GGACCAAGCA GCTTGCAGAC AGCACGCCCTG CAGAGCTCTT GACAGACTTC CCGCGGCCCT	4860
	CGATTCTATC CGGAAAGGCT GGAAAGGTCC CCGTTGCCAT CGAGGGGTCT CTATACGACA	4920
20	CGCTTCAAGT CTTACGCCGC ACCCATCAAG TCACGTCGTT TGCTGTCCTA CTCGCAGCCT	4980
	TCCGTGCAGC ACATTTCCGG CTTACGGGAT CTGATAATGC GACTATTGGT GTCCCCAGCG	5040
	CGAACCGGAA TCGACCTGAG CTTGAGAACG TGATCGGCTT CTTGCGTAAC ACACAATGTA	5100
25	TACGTATCAC GATCGATGAA AACGATAACT TTGAATCGTT GGTCCGGCAG GTCCGGTCGA	5160
	CGACTACAGC CGCACAGGAC AATCAGGATG TCCCGTTCGA ACAGGTCGTT TCCAGCCTCA	5220
	TGCCGAGCAG CTCGAGAGAT GCATCCCGGA ACCCTCTGGT GCAGCTCATG TTTGCACTGC	5280
30	ACGGCCAGCA GGATCTGTTC AAGATCCAAC TGGAAGGGAC CGAAGAGGAG GTGATCCCAA	5340
	CAGAAGAAGT GACGAGGTTG GACATCGAGT TCCATCTCTA CCAAGGCGCC AGCAAGCTGA	5400
	GCGGTGATAT CATATTGCTT GCCGACTTAT TCGAAGCCGA AACTATTCTG GCGTCTGTC	5460
	GCGTCTTTCA GGAGGTTCTG AGGCGCGGAT TGCAACAGCC GCAGACCCCG ATCATGACAA	5520
35	TGCCACTCAC CGACGGCATT CCAGAGTTGG AGAGGATGGG CTTGTTGCAC ATGGTCAAGA	5580
	CCGACTACCC CCGCAACATG TCTGTGGTAG ACGTATTCCA ACAACAAGTT CGTCTCAGCG	5640
	CCGAGGCTAC AGCTGTTATC GACTCATCTT CGCGGATGAG TTACGCCGAA CTGGACCAGA	5700
40	GGTCCGATCA GGTGGCAGCG TGGCTTCGCC AGCGACAACCT GCCAGCCGAA ACCTTTGTGG	5760
	CAGTGCTCGC ACCACGCTCG TGCGAGGCCG TCATTGCTCT CTTGGGCATC TTGAAGGCTG	5820
	GTCATGCCTA CCTACCGCTC GACGTCAATG TGCCAGCAGC GCGTCTTCGC GCCATCTTGG	5880
45	CCGAGGTGAA GGGCGAGAAG CTGGTTCTCC TAGGAGCAGG TGAGCCATCA CCGGAAGGCC	5940
	AGTCGCCAGA GGTCTCGATC GTGAGGATTG CCGATGCCAC GAGCCCTGCT GGCCATGCCA	6000
	GCTTGCGTGA TGGCAAGTCC AAGCCAACCG CAGGCAGCCT CGCCTATGTC ATCTTCACTT	6060
	CCGGATCCAC TGGTAAACCC AAGGGTGTGA TGATCGAGCA CCGCGGAGTC TTGCGCCTTG	6120
50	TGAAGCAGAC CAACATTCTA TCCAGTCTAC CGCCGGCGCA GACCTTCCGA ATGGCTCACA	6180
	TGTCCAACCT TGCGTTCGAT GCATCGATAT GGGAGGTCTT CACGGCCCTT CTCAACGGAG	6240
55	GCTCTCTTGT ATGCATTGAC AGGTTTACCA TCTTGGATGC TCAAGCGTTG GAGGCACTAT	6300

5	TCCTCAGGGA GCACATCAAT ATTGCACTGT TCCCACCCGC CCTGTTGAAG CAATGCCTCA	6360
	CGGATGCAGC TGCTACCATC AAGTCTCTTG ACCTCCTATA CGTAGGAGGA GACCGGTTAG	6420
	ACACAGCGGA CGCAGCTCTG GCCAAAGCTC TGGTCAAGTC AGAGGTCTAC AATGCCTACG	6480
	GCCCAACGGA AAATACGGTC ATGAGCACTT TATACTCGAT TGCTGACACA GAACGATTTG	6540
10	TTAATGGTGT GCCAATTGGA AGAGCCGTTA GCAACTCTGG GGTCTACGTG ATGGACCAGA	6600
	ATCAGCAGCT TGTGCCGTTG GGCCTGATGG GAGAGCTGGT AGTCACTGGA GATGGTTTGG	6660
	CTCGTGGCTA CACCAACCCG GCTCTTGATT CCGACCGGTT CGTGGATGTC ATTGCTCGAG	6720
15	GCCAACTTCT CAGGGCCTAT CGCACAGGCG ACCGAGCTCG TTACCGGCCC AAGGATGGCC	6780
	AGGTTGAGTT CTTTGGTCGG ATGGATCACC AGGTCAAGGT CCGAGGGCAC CGCATCGAGC	6840
	TCGCCGAAGT AGAACACGCT TTGTTAAGCA GTGCCGGTGT GCACGATGCC GTTGTCGTTT	6900
20	CAAACCTCGCA GGAAGACAAT CAGGGAGTCG AGATGGTGGC CTTATCACC GCCCAAGACA	6960
	ACGAGACTCT CCAGGAAGCA CAGTCGAGCA ACCAAGTCCA GGAATGGGAG AGCCATTTCTG	7020
	AGACCACGGC CTACGCGGAC ATCACGGCCA TTGATCAAAA CACGCTCGGC CGAGACTTTA	7080
	CATCCTGGAC CTCTATGTAC GATGGAACGC TTATTGACAA GAGGGAGATG CAGGAATGGC	7140
25	TCGACGATAC TATGCGCACT TTCCTTGACG GTCAAGCAGC TGGCCACGTG CTTGAAATCG	7200
	GTACCGGCAC CGGTATGGTT CTATTCAATC TCGGTCAAGC TGGGCTGAAG AGCTACATTG	7260
	GACTGGAACC TTCCCAATCC GCGGTTCAAT TCGTCAACAA GGCAGCCCAA ACGTTCCAG	7320
30	GGCTTGAGGG AAAGGCCCAA GTACATGTCG GCACGGCGAT GGATACGGGC CGGCTCAGCG	7380
	CTTTGAGCCC GGATCTGATC GTCATCAACT CCGTGGCCCA GTATTTCCCG AGCCGAGAAT	7440
	ACCTCGCCGA GGTGGTTGAG GCCCTGGTCC GGATTCCAGG CGTTCGCCGT ATCTTCTTCG	7500
35	GAGACATGAG AACCTATGCC ACCCACAAAG ACTTCCTTGT TGCACGGGCG GTCCACACAA	7560
	ACGGGAGCAA GGTGACGAGA TCTAAAGTGC AACAGGAGGT GGCCCGGTTA GAGGAACTGG	7620
	AGGAGGAATT GCTTGTGAC CCTGCCTTCT TCACAAGTCT CAAGGAATCT CTATCGGAAG	7680
	AAATAGAGCA TGTGAGATC CTGCCGAAGA ACATGAAGGT GAACAACGAG CTCAGCTCAT	7740
40	ACCGGTACGG CGCGGTTCTG CACATCCGTA ACCACAACCA GAATCAAAGC AGGTCGATTC	7800
	ACAAGATCAA TGCAGAGTCC TGGATCGACT TCGCCTCAAG CCAGATGGAT AGACAGGGTC	7860
	TTGCTAGGCT GTTGAAAGAG AACAAAGATG CCGAAAGTAT CGCTGTGTTC AACATCCCTT	7920
45	ACAGCAAGAC TATCGTGGAA CGGCACATCG CCAAGTCTTT GGCCGATGAC CACGACGGCG	7980
	ATGATACACA TAGCTCAATC GATGGAGTCG CCTGGATCTC AGCCGCGCGC GAGAAGGCGA	8040
	GCCAGTGTC ATCTCTTGAT GTGCATGACC TCGTGCAGTT GGCCGAGGAC GCTGGGTTCC	8100
50	GCGTCGAGGT CAGCTGGGCC CGCCAAAGGT CCCAGAACGG CGCTCTCGAT GTTTTCTTCC	8160
	ATCACTTCCA GCCTACCGAG AACGAAAGCC GCGCGCTCGT CGATTTCCTC ACCGACTACA	8220
	AGGGCCAACA AGCCAGAAGC CTGACGAACC GGCCCTGCA GCGGGTTGAG AGCCGTCGAA	8280

55

	TCGAAGCACA	GGTCCGAGAG	CAGCTCCAAG	TATTGCTCCC	GGCATACATG	ATCCCAGCCC	8340
5	GGATTGTGGT	TCTCCAGAAC	ATGCCGCTGA	ACACGAGCGG	CAAGGTAGAT	CGCAAGGAGC	8400
	TCACCCCTTCG	AGCCAAGGTC	ACCGCCGCAC	GTACGCCGAG	CTCCGAACTC	GTGGCTCCTC	8460
	GTGATTCTAT	TGAAGCCATC	ATCTGCAAGG	AATTCAAGGA	TGTTCTCGGC	GTGGAAGTGG	8520
10	GTATTACAGA	CAACTTCTTT	AATGTCGGAG	GACACTCTCT	TTTGGCCACG	AAGCTCGCAG	8580
	CACGCCCTGAG	CCGACAACCTC	AATGCCCAAG	TCGCAGTCAA	AGACATCTTC	GACCGGCCAG	8640
	TTATCGCCGA	TCTGGCAGCC	ACAATCCAGC	AGGATACCAC	GGAGCACAAC	CCTATCCTAC	8700
15	CGACTTCTTA	TACGGGTCCA	GTGGAACAAT	CGTTCGCCCA	AGGCCGACTC	TGGTTCCTCG	8760
	ATCAACTGAA	TGTCGGCGCC	ACATGGTATC	TCATGCCCTT	CGCAGTCCGG	CTGCGAGGGC	8820
	CTTTGGTTGT	TTCTGCTCTC	GCTGCCGCTC	TTCTGGCCCT	AGAGGAGCGC	CACGAGACAC	8880
20	TGCGAACAAC	CTTTATCGAA	CAGGAAGGCA	TCGGCATGCA	GGTCATCCAT	CCGTTTGCCC	8940
	CTAAGGAACT	GAGGGTGATC	GATGTCTCGG	GCGAGGAAGA	GAGCACTATC	CAGAAGATAC	9000
	TGGAAAAGGA	ACAGACAACA	CCCTTCAATC	TCGCTTCCGA	GCCCGGTTTC	AGACTAGCAT	9060
	TACTGAAGAC	AGGAGAGGAC	GAACACATTC	TCTCGACAGT	AATGCACCAT	GCAATCTCTG	9120
25	ATGGCTGGTC	TGTCGATATC	TTCCAACAAG	AAATCGGCCA	ATTCTACTCG	GCAATCCTCC	9180
	GCGGACACGA	TCCTTTGGCC	CAGATCGCAC	CGCTCTCGAT	CCAGTATCGC	GATTTGCGGA	9240
	CTTGGCAGAG	GCAGATATTC	CAAGTCGCAG	AGCACCGGCG	GCAGCTTGCA	TACTGGACTA	9300
30	AACAGCTTGC	CGATAATAAA	CCAGCCGAGC	TGCTGACCGA	TTTCAAGCGA	CCGCCTATGC	9360
	TCTCCGGCCG	CGCGGGCGAG	ATCCCGGTGG	TCGTCGACGG	CTTGATCTAT	GAGAAGCTTC	9420
	AGGACTTCTG	TCGAATCCGC	CAGGTGACCG	CCTTTACCGT	GTTGCTGGCT	GCTTTCCGCG	9480
35	CAGCGCACTA	TCGTATGACC	GGGACTGAGG	ATGCGACGAT	TGGAACACCT	ATCGCGAACC	9540
	GTAACCGGCC	GGAGCTTGAG	GGCTTGATCG	GCTTCTTCGT	CAACACACAG	TGCATGCGTA	9600
	TCACCGTCGA	TGTAGAGGAT	TCGTTGAAA	CGTTGGTTCA	CCAGGTTCTG	GAAACGACGC	9660
	TGGCTGCACA	TGCCAACCAG	GATGTTCCCT	TCGAACAGAT	TGTCTCAAAC	ATCTTGCCCG	9720
40	GATCGAGCGA	CACTTCTCGG	AATCCGCTGG	TACAGCTCAT	GTTTGCTCTA	CATTCGCAGC	9780
	AGAACCTTGG	CAAGGTCCGC	CTCGAGGGTA	TCGAGGAGGA	GATCATCTCC	ATTGCTGAGA	9840
	CCACGAGATT	TGATATCGAG	TTCCATCTGT	ACCAAGAGGC	TGAGAGGCTG	AACGGTAGTA	9900
45	TCGTCTATGC	AGCTGATCTC	TTCTGTGCCC	AGACTATACA	GAGCGTCATC	ACCATCTTCC	9960
	AAGGCATCCT	ACAGAAAGGC	CTCGGCGAGC	CGGATATGCC	CGTCGCCTCT	ATGGCGCTTG	10020
	ATGGTGGGCT	GGAGTCCCCTC	CGAAGCACAG	GACTGCTGCA	CCCTCAACAA	ACTGATTATC	10080
50	CGTGCGATGC	TTCAAGTGGT	CAGATCTTCA	AACAGCAGGT	GGCAGTCAAC	CCGGATGTCA	10140
	TCGCGGTGAG	AGATGAATCA	ACACGGCTGA	GCTATGCCGA	CTTGATCGG	AAGTCGGATC	10200
	AAGTGGCTTG	CTGGCTATCT	CGGCGAGGTA	TCGCTCCTGA	GACGTTCTGT	GCGATCCTGG	10260
55	CACCACGCTC	GTGCGAGACA	ATCGTGGCCA	TCCTCGGTGT	GTTGAAGGCC	AACCTTGCA	10320

	ATCTGCCTCT	TGATGTCAAT	GTTCTGCGT	CCCGGCTCGA	GGCCATCCTT	TCGGAGGTGT	10380
5	CGGGATCGAT	GTTGGTCCTT	GTGGGCGCAG	AGACCCCGAT	TCCGGAGGGG	ATGGCTGAAG	10440
	CGGAGACGAT	CCGGATCACG	GAGATTCTCG	CCGACGCAAA	GACCGACGAC	ATCAACGGGC	10500
	TGGCCGCGAG	TCAGCCCACT	GCAGCAAGCC	TTGCGTATGT	GATCTTTACG	TCTGGATCGA	10560
10	CTGGTCGACC	AAAGGGCGTC	ATGGTCGAGC	ATCGCGGAAT	CGTTCGTCTT	ACAAAGCAGA	10620
	CCAACATCAC	ATCCAAGCTG	CCAGAGTCTT	TCCACATGGC	CCACATATCG	AATCTTGCCT	10680
	TCGATGCCTC	CGTGTGGGAA	GTGTTACGA	CGCTTCTCAA	TGGAGGCACG	TTGGTGTGTA	10740
15	TCGACTATTT	CACCTCTCTG	GAGAGCACAG	CGCTCGAGAA	GGTCTTCTTC	GACCAACGCG	10800
	TCAATGTTGC	TCTGCTCCCT	CCAGCCTTGC	TGAAACAGTG	CCTTGACAAC	TCACCCGCTC	10860
	TGGTCAAAAC	TCTCAGCGTT	CTCTATATTG	GTGGTGATAG	GCTAGATGCT	TCTGATGCTG	10920
20	CCAAAGCAAG	GGGGCTCGTC	CAGACGCAAG	CTTTCAATGC	GTACGGCCCA	ACGGAACACA	10980
	CAGTCATGAG	CACAATCTAT	CCCATTGCCG	AAGACCCCTT	CATCAATGGT	GTGCCCATCG	11040
	GTCATGCTGT	CAGTAACTCG	GGAGCTTTTG	TCATGGACCA	GAATCAGCAA	ATCACCCCCC	11100
	CTGGTGCAAT	GGGAGAACTC	ATCGTGACTG	GAGACGGTCT	TGCTCGAGGC	TACACTACTT	11160
25	CCTCTCTCAA	CACCTGGTCGA	TTTATCAACG	TTGATATCGA	TGGCGAGCAA	GTCAGGGCAT	11220
	ACCGCACAGG	AGATCGAGTG	CGTACCGAC	CAAAAGACCT	CCAGATCGAA	TTCTTCGGCC	11280
	GTATCGATCA	CCAGGTCAAG	ATCCGCGGCC	ACCGCATCGA	ACCAGCTGAG	GTCGAGTATG	11340
30	CTCTTCTAAG	CCACGACCTG	GTCACTGATG	CGGCAGTCGT	CACCCACTCT	CAAGAAAATC	11400
	AAGACCTGGA	GATGGTTGGA	TTCTGTGGCCG	CCCAGTCGC	TGATGTTAGA	GAGGATGAGT	11460
	CCAGCAACCA	GGTCCAAGAA	TGGCAGACTC	ACTTCGACAG	CATCGCATA	GCAGATATCA	11520
35	CCACAATCGA	TCAGCAAAGC	CTTGGACGGG	ACTTCATGTC	ATGGACCTCC	ATGTACGATG	11580
	GCAGCCTGAT	CAAGAAGAGC	CAGATGCAGG	AGTGGCTCGA	TGACACCATG	CGGTCACTCC	11640
	TGGATTCCCA	GCCCCCTGGT	CACGTACTCG	AAGTTGGTAC	AGGGACTGGC	ATGGTTCTGT	11700
	TCAACCTCGG	CAGAGAAGGG	GGTCTGCAAA	GCTACGTTGG	CCTAGAGCCA	TCGCCATCCG	11760
40	CAACCGCGTT	TGTCAACAAG	GCCGCCAAGT	CATTCCCTGG	GCTTGAGGAT	AGGATCCGGG	11820
	TTGAAGTTGG	AACAGCAACT	GATATCGACC	GGCTTGGAGA	CGATCTGCAC	GCAGGTCTTG	11880
	TCGTCGTCAA	CTCGGTGCT	CAATACTTCC	CGAGTCAAGA	CTATCTCGCC	CAGTTGGTCA	11940
45	GAGATCTTAC	CAAGGTCCCT	GGCGTGGAGC	GTATCTTCTT	TGGTGATATG	AGGTCGCACG	12000
	CCATCAACAG	GGATTTCTTT	GTCGCTCGCG	CAGTTCATGC	ACTGGGCGAT	AAGGCAACAA	12060
	AGGCCGAGAT	TCAACGGGAG	GTTGTTTCGAA	TGGAAGAGTC	TGAAGACGAA	CTGCTCGTTG	12120
50	ATCCGGCCTT	TTTCACCTCC	CTGACGACGC	AAGTAGAGAA	TATCAAGCAC	GTGGAGATTC	12180
	TCCCCAAGAG	AATGCGAGCC	ACGAACGAGC	TGAGCTCGTA	TCGGTATGCT	GCTGTTCTGC	12240
	ACGTCAATGA	TCTGGCGAAA	CCGGCACACA	AAGTCAGTCC	TGGCGCCTGG	GTTGATTTTG	12300

55

CCGCGACGAA GATGGATCGC GATGCCCTGA TCCGTCTGCT CAGGGGCACC AAAATTTCCG 12360  
 5 ACCACATTGC AATCGCCAAT ATTCCCAACA GCAAGACAAT CGTCGAGCGA ACCATCTGCG 12420  
 AATCGGTTTA CGACCTTGGC GGAGACGCCA AAGACTCGAA CGACAGAGTC TCATGGCTTT 12480  
 CGGCTGCTCG ATCGAATGCC GTGAAAGTGG CTTCCCTCTC CGCGATCGAT CTCGTTGATA 12540  
 10 TTGCACAAGA GGCAGGCTTC CGGGTCGAGA TCAGCTGCGC GCGGCAGTGG TCTCAGAATG 12600  
 GCGCGTTGGA CGCCGTATTC CACCACCTTG GCCCATCACC ACAGTCGTCT CATGTGTTGA 12660  
 TTGACTTCTT GACCGACCAC CAAGGTCGAC CAGAAGAAGC CCTGACGAAC CACCCGCTGC 12720  
 ACCGAGCACA GTCTCGACGC GTCGAGAGGC AGATCCGCGA GAGACTCCAG ACTCTCCTGC 12780  
 15 CGGCCATACAT GATCCCGGCC CAGATCATGG TTCTTGACAA GCTACCTCTC AACGCGAATG 12840  
 GAAAGGTCGA CCGGAAGCAG TTGACGCAAC GGGCCCAGAC GGTACCCAAG GCCAAGCAAG 12900  
 TGTCTGCTCC TGTGGCCCCG CGCACAGAGA TCGAAAGGGT GCTCTGCCAG GAGTTCTCCG 12960  
 20 ACGTCTAGG GGTGATATC GGGATAATGG AAAACTTCTT CGATCTCGGT GGCCACTCGC 13020  
 TCATGGCAAC AAAGCTAGCC GCACGCATCA GCCGCCGACT AGAGACTCAC GTCTCCGTCA 13080  
 AGGAGATCTT TGACCATCCG CGAGTCTGCG ATCTTGTTCT CATAGTACAG CAGGGATCAG 13140  
 25 CGCCTCATGA CCCCATCGTT TCGACCAAAT ACACCGGGCC AGTGCTCAG TCGTTTGCCC 13200  
 AGGGTCGTCT TTGGTTCCTC GACCAGCTCA ACTTTGGCGC AACATGGTAT CTCATGCCCC 13260  
 TTGCCGTCCG TCTTCGCGGT GCCATGAACG TTCATGCTCT TACCGCGGCC TTGTTGGCCC 13320  
 TCGAGAGGCG TCACGAGCTC CTCCGCACCA CGTTCTACGA ACAAACGGC GTCGGTATGC 13380  
 30 AAAAGGTCAA TCCAGTTGTC ACCGAGACCC TGAGGATCAT TGATCTCTCC AACGGCGACG 13440  
 GCGACTATCT CCCGACATTG AAGAAGGAGC AACTGCTCC GTTCCACCTG GAAACCGAGC 13500  
 CCGGATGGCG CGTGGCTCTA CTGCGCCTCG GGCCAGGCGA CTACATCTTA TCTGTCGTCA 13560  
 35 TGCATCACAT CATTTCCGAC GGCTGGTCTG TGATGTTCT CTTCCAAGAG CTGGGCCAGT 13620  
 TCTATTCCAC GGCTGTCAA GGCACGATC CCCTATCGCA GACCACACCC CTCCCATCC 13680  
 ATTATCGCGA TTTTGCTCTG TGGCAGAAGA AGCCAACCCA AGAAAGCGAA CACGAGCGTC 13740  
 40 AGCTGCAATA CTGGGTCGAG CAACTTGTAG ATAGTGCCCC GGCCGAGCTA CTCACGGATC 13800  
 TGCCGCGGCC TTCGATCCTC TCTGGTCAGG CTGGGGAGAT GTCGGTCACG ATCGAGGGAG 13860  
 CACTATACAA GAACTTGAG GAATTCTGCC GGTCCATCG CGTTACCTCC TTCGTGGTAC 13920  
 TGCTTGCGGC CCTACGCGCA GCCATTATC GCCTCACAGG TTCCGAAGAC GCAACTATAG 13980  
 45 GGACACCAAT CGCCAATCGT AACCGACCTG AACTTGAGCA GATAATCGGC TTCTTCGTCA 14040  
 ATACGCAATG TATACGCATT ACCGTCAACG AGGACGAGAC CTTTGAGTCA CTAGTGCAGC 14100  
 AGGTCCGGTC AACGGCGACA GCTGCATTCG CCCATCAGGA CGTCCCGTTC GAGAAGATCG 14160  
 50 TCTCTACTCT TTTGCCCGGT TCTCGAGATG CATCCCGAAA CCCACTTGTC CAGCTCATGT 14220  
 TTGCGGTGCA TTCGAGAAG AACCTCGGTG AGCTGAAGCT GGAAACGCT CACAGCGAGG 14280  
 TTGTTCCAC GGAGATCAG ACCCGGTTTC ATTTGGAATT CCACCTGTTC CAGCAAGATG 14340



5	ACAAGCTTGA GGGCTCCATC CTCTATTCAA CCGATCTCTT CGAAGCAGTC TCGGTCCAAA	14400
	GTCTTCTTTC AGTATTCCAG GAAATTCTGC GCCGGGGTTT GAACGGTCCG GACGTGCCCA	14460
	TCAGCACCTT ACCACTTCAG GATGGAATCG TCGACCTACA AAGACAGGGC CTGTTGGATG	14520
	TCCAGAAGAC GGAATATCCT CGTGATTCTT CTGTGGTTGA TGTGTTCCAT GAGCAGGTCT	14580
10	CGATCAACCC CGATTCCATT GCACTGATAC ATGGCTCGGA GAAGCTCAGC TACGCCCAGC	14640
	TCGACAGGGA ATCTGACAGG GTCGCTCGCT GGCTCCGTC ACGTTCTTTC AGCTCCGACA	14700
	CGTTAATCGC GGTGTTGGCG CCACGGTCTT GCGAGACGAT CATCGCGTTC CTCGGAATCC	14760
15	TCAAGGCAAA CCTTGCGTAC CTACCTCTGG ATGTCAAGGC TCCTGCTGCC CGCATTGATG	14820
	CCATTGTATC GTCGCTACCC GGAACAAGC TCATCCTGCT GGGCGCAAAC GTTACGCCGC	14880
	CCAAGCTTCA GGAAGCGGCC ATCGATTTCTG TGCCCATCCG TGATACCTTC ACTACACTCA	14940
	CTGACGGCAC ACTTCAAGAT GGGCTTACCA TCGAGCGACC CTCTGCGCAA AGCCTAGCGT	15000
20	ACGCCATGTT CACGTCTGGT TCTACCGGAC GACCGAAGGG TGTTATGGTC CAGCACCGCA	15060
	ACATCGTCCG CTTGGTGAAG AACAGTAACG TCGTCGCTAA GCAGCCCGCA GCAGCTCGCA	15120
	TAGCACATAT ATCCAATTTG GCGTTTGACG CCTCGTCTTG GGAGATCTAT GCCCCGCTGC	15180
25	TCAACGGCGG CGCAATTGTG TGTGCCGACT ACTTCACAAC GATTGATCCA CAGGCTCTTC	15240
	AAGAAACCTT CCAGGAACAC GAGATCCGCG GTGCTATGCT GCCGCCCTCG CTCCTCAAGC	15300
	AGTGCTGGT TCAGGCCCCA GACATGATCA GCAGGCTTGA CATCTTATTT GCTGCTGGTG	15360
30	ATCGCTTCAG TAGCGTGGAT GCTCTCCAGG CCCAACGTCT CGTTGGCTCG GCGCTCTTCA	15420
	ATGCGTATGG CCCTACGGAG AATACGATTC TGAGCACTAT CTATAACGTT GCTGAAAACG	15480
	ACTCCTTCTG TAACGGCGTT CCCATAGGCA GTGCTGTGAG CAACTCCGGA GCCTACATCA	15540
	TGGATAAGAA CCAGCAGCTC GTGCCAGCTG GAGTTATGGG AGAACTGGTT GTTACTGGTG	15600
35	ACGGTCTCGC CCGCGGCTAT ATGGATCCAA AGCTAGATGC AGACCGCTTT ATCCAACCTGA	15660
	CAGTCAACGG CAGCGAGCAA GTCAGGGCAT ATCGCACCGG CGACCGTGTG CGATACCGAC	15720
	CAAAGGACTT CCAGATCGAG TTCTTCGGTC GTATGGACCA GCAAATCAAG ATCCGCGGCC	15780
40	ACCGTATCGA GCCGGCCGAG GTAGAGCAGG CCTTCCTGAA TGATGGCTTC GTCGAGGACG	15840
	TTGCTATCGT TATTCGGACC CCAGAGAACC AAGAGCCTGA GATGGTCGCC TTTGTTACTG	15900
	CTAAGGGCGA CAACTCCGCG AGAGAAGAAG AGGCTACAAC CCAGATCGAA GGTGCGGAGG	15960
45	CGCATTTCGA GGGTGGTGCG TACGCCAACA TCGAGGAGAT CGAAAGCGAG GCGCTTGGTT	16020
	ACGACTTTAT GGGCTGGACG TCTATGTACG ATGGCACTGA GATCGACAAG GACGAGATGA	16080
	GAGAGTGGCT GAATGACACG ATGCGCTCTC TCCTCGATGG AAAGCCGGCT GGTGAGTTC	16140
	TTGAGGTCGG TACCGGTACC GGTATGATCA TGTTTAACTT TGGCAGGTCA CAAGGGCTCG	16200
50	AAAGGTATAT TGGCCTCGAA CCTGCACCGT CGGCAGCCGA GTTCGTCAAC AACGCTGCAA	16260
	AGTCATTCCC GGGTCTCGCG GGCAGGGCCG AAGTTCACGT CGGCACCGCC GCAGATGTCG	16320

55

5 GTACCCTGCA AGGCCTGACC TCAGATATGG CCGTCATCAA CTCGGTGGCG CAGTACTTCC 16380  
 CAACGCCAGA GTACCTGGCC GAGACGATCA AATCACTTGT CCAAGTCCCG GGCATGAAGC 16440  
 GCATATACCT CGGCGATATG CCGTCCTGGG CCATGAACAG GGACTTTGCT GCCGCTCGCG 16500  
 CCGCCTATTC ACTGGCCGAT AATGCCAGCA AAGACCGCGT GAGACAGAAG ATGATGGAAT 16560  
 10 TGGAGGAGAA GGAGGAAGAA TTACTCGTTG ACCCGGCCCTT CTTCACTGCC TTGGCGAGCC 16620  
 AGCTGCAAGA CAGGATCCAA CACGTGGAGA TCCTACCCAA GCGAATGAAG GCTACAAATG 16680  
 AGCTAAGCTC GTACCGATAT GCCGCCGTGC TGCACATCTC CGACGAGCCC CTTCTATCT 16740  
 15 ACAAGATTGA TCCCGAAGCT TGGATCAACT TTGAGGGGTC TCGATTGACC CGAGAGGCGC 16800  
 TTGCACAAGT ACTCAAGGAG AATGAGAAGC CCGAGAGTGT GGCCATCAGC AACATTCTTT 16860  
 ATAGCAAGAC CGTTGTAGAA CGTCACATTG TGGCGTCGCT TGACCAGGAA GACGCCAATG 16920  
 CCCCTGAGGA ATCGATGGAT GGCAGCGACT GGATCTCGGC CGTGCGCACA AGAGCTCAGC 16980  
 20 AGTGCCACAC TCTCTCCGCA AGTGACCTGT TCGACATTGC AGAAGATGCT GGGTTCCGTG 17040  
 TTGAGGTCAG CTGGGCCCCG CAACATTCGC AGCACGGTGC CCTGGATGCC GTGTTCACC 17100  
 ACCTGAAGCC CGCTACGGAG GACAGTCGCG TTTTGATCAA GTTCCCTACA GATCACCAAG 17160  
 25 GCCGGCCGCT CAAGAGCTTG ACGAATCAAC CGCTCTGCC AGCCCAGAGT CGCCGAGCCG 17220  
 AGCTCTTGAT CCGCGAGGGG CTGCAAACCC TGCTGCCTCC CTACATGATC CCCTCGCAA 17280  
 TCACGCTTAT CGACCGGATG CCACTCAATG CTAACGGCAA AGTCGACCGG AGAGAACTCG 17340  
 30 CCCGTCGGGC CAAATCACA CAGAAGAGCA AGCCGGTTGA GGACATCGTT CCCCTCGGA 17400  
 ACAGCGTCGA GGCTACGGTC TGCAAGGGCT TCACTGACGT GCTGGGCGTT GAAGTTGGGA 17460  
 TAACAGACAA TTTCTTCAAT CTGGGCGGTC ATTCACTGAT GGCAACGAAG TTGGCGGCGC 17520  
 GTCTAGGCCG TCAACTCAAT ACACGTATCT CCGTGAGAGA CGTCTTCGAT CAACCACTCG 17580  
 35 TTGCTGATCT CGCCGCTGTG ATCCAACGCA ACTCGGCACC TCACGAGCCG ATCAAGCCAG 17640  
 CAGACTACAC AGGGCCCGTT CCCAGTCAT TCGCACAGGG CCGCCTTTGG TTCCTCGATC 17700  
 AACTTAATGT CGGGGCGACG TGGTATCTTA TGCCCCCTGG TATCCGCCTT CACGGATCTC 17760  
 40 TCCGGGTTGA TGCCCTCGCT ACCGCGATAT CAGCCCTGGA GCAACGTCAC GAGCCTCTCC 17820  
 GTACGACATT CCACGAGGAA GATGGCGTCG GTGTTCAAGT CGTGCAAGAC CACCGGCCCA 17880  
 AGGATCTGAG AATCATCGAC CTGTCCACTC AGCCAAAGGA CGCCTATCTT GCCGTGTTGA 17940  
 45 AGCATGAGCA GACCACGCTC TTCGACCTCG CAACCGAGCC CGGTTGGCGC GTCGCTCTGA 18000  
 TCAGGCTTGG AGAAGAAGAG CATATACTTT CCATTGTTAT GCACCATATC ATATCTGACG 18060  
 GCTGGTCAGT AGAGGTCTG TTTGATGAGA TGCACCGGTT CTACTCGAGT GCGCTTAGGC 18120  
 AACAGGATCC TATGGAGCAA ATCTTGCTC TACCGATCCA GTACCGCGAC TTTGCAGCAT 18180  
 50 GGCAAAAGAC TGAAGAGCAG GTTGCCGAGC ATCAGCGGCA GTTGACTAC TGGACGGAGC 18240  
 ACCTTGCCGA CAGTACCCCT GCGGAGCTGT TAACTGACCT CCCTCGACCT TCTATCTTGT 18300  
 CCGGCCGCGC CAATGAGCTA CCCCTTACCA TCGAGGGGCG TCTTCATGAT AAATTGCGCG 18360

5 CTTTCTGCCG AGTTCACCAA GCCACGCCGT TCGTCATTCT CCTTGCGGCC CTGAGGGCAG 18420  
 CACATTACCG TCTTACAGGG GCTGAAGATG CCACGCTTGG AACGCCAATT GCTAACCGTA 18480  
 ACCGACCGGA ACTTGAGAAC ATGATCGGCT TCTTTGTAA CACGCAGTGT ATGCGTATTG 18540  
 CTATTGAGGA GAATGATAAC TTCGAGTCCC TCGTCCGCCG AGTACGATCG ACTGCAACAT 18600  
 10 CCGCTTTCGC GAACCAAGAC GTTCCATTG AATCCATTGT CTCGTCTCTT CTGCCTGGAT 18660  
 CCAGGGACGC CTCGCGCAAT CCATTAGTGC AGGTCATTCT GGCTGTTTAC TCTCAGCAGG 18720  
 ATTTGGGTAA ACTCACCTTA GAAGGCCTCA GAGATGAAGC TGTGACTCG GCTATCTCAA 18780  
 15 CCCGCTTCGA TGTGGAGTTT CATCTTTTCG AGCACGCAGA CAGGCTCAGC GGTAGCGTGC 18840  
 TTTACGCAA GGAAGTGTTC AAGCTGCGCA CGATCGAATC AGTGGTCTCC GTTTTCTG 18900  
 AGACTCTGCG GCGGGCTCTC GACCAGCCAC TGACTCCTCT CGCTGTCTTG CCGCTGACTG 18960  
 20 ATGGAGTCGG GGAGATCGCA AGCAAGGGGC TCCTTGATGT GCCCAGGACA GACTATCCAC 19020  
 GAGATGCAAA TATCGTTGAG GTCTTCCAAC AGCACGTTTC CGCTACCCCG GACGCCATCG 19080  
 CCGTCAAGGA CGTACTTCC ATACTGACGT ATGCTCAGCT AGATCAGCAG TCTGATCGAC 19140  
 TTGCTATCTG GTTGAGTCGC CGGCACATGA TGCCCCAAAC GCTGGTGGGT GTCCTTGCGC 19200  
 25 CGCGGTTCATG CGAGACCATT ATCGCAATGT TTGGCATTAT GAAGGCCAAC CTCGCCTACT 19260  
 TGCCTTTGGA TATAAACTCG CCTGTGCTC GACTCCGAG CATTCTCTCA GCCGTAGATG 19320  
 GGAACAAGCT TGTTTTGCTC GGCAGTGGTG TCACAGCCCC CGAGCAAGAG AACCCCGAGG 19380  
 30 TGGAAGCTGT TGGTATTCAA GAGATCTTGG CCGGCACTGG ACTGGACAAG ACACAAGGCA 19440  
 GCAACGCCCG ACCCTCGGCA ACGAGCCTTG CTTATGTTAT CTTACCTCT GGTTCACCG 19500  
 GCAAGCCCAA GGGCGTCATG GTCGAACATC GTAGCGTTAC GAGATTGGCA AAGCCCAGCA 19560  
 35 ACGTTATCTC CAAGCTACCA CAAGGAGCCA GGGTGGCGCA CCTCGCCAAAC ATTGCCTTCG 19620  
 ATGCCTCGAT CTGGGAAATT GCCACAATC TTCTGAATGG AGCCACGCTT GTTTGTCTCG 19680  
 ACTATCACAC CGTTCTCGAC TGCAGGACTC TCAAAGAAGT CTTGAAAGG GAAAGCATT 19740  
 40 CGGTTGTAC ACTGATGCCT GCGTCTCTCA AGCAGTGCCT GGCCGAAATA CCCGAGACCC 19800  
 TCGCACACCT CGACCTCCTG TACACCGGTG GAGATCGAGT GGGTGGTCAC GATGCTATGC 19860  
 GGGCTCGCTC GCTAGTCAAG ATCGGCATGT TCAGCGGTTA CGGCCCTACG GAGAACACCG 19920  
 TCATCAGCAC CATCTACGAA GTTGATGCAG ACGAGATGTT TGTGAATGGT GTGCCTATCG 19980  
 45 GCAAGACTGT AAGCAACTCT GGGGCATATG TTATGGACAG GAATCAGCAG CTGGTGCCTA 20040  
 GTGGCGTGGT AGGTGAGCTT GTGGTCACTG GCGATGGCCT TGCTCGCGGA TACACTGATC 20100  
 CATCCCTAAA CAAGAACCGC TTCATTTACA TCACTGTCAA TGGAGAGAGT ATCAGGGCAT 20160  
 50 ATCGGACTGG CGATCGGGTG AGGTACCGGC CTCATGATCT GCAGATTGAA TTCTTTGGCC 20220  
 GCATGGACCA GCAGGTCAAG ATCCGTGGCC ATCGAATCGA GCCGGGAGAG GTGGAGAGCG 20280  
 CATTGCTCAG TCACAATCG GTACAAGACG CCGCGTCTGT CATTTGCGCG CCAGCAGATC 20340

5	AAGACTCAGG CGCGGAAATG GTGGCATTTC TTGCCGCCCG GAATACCGAA GACGAAGACA	20400
	CCCAGGAGGA AGAAGCAGTC GATCAGGTTT AAGGGTGGGA GACGCACTTC GAAACGGCCG	20460
	CATATTGAGA AGTCAAGGAC ATTCGACAGT CAGAAGTCGG TAACGACTTC ATGGGCTGGA	20520
10	CTTCTATGTA TGACGGCAGC GAGATCGACA AGACAGATAT GCACGAGTGG CTCAACGACA	20580
	CCATGCGTAT GATACTCGAC GCCAGAGAGC CGGGCCACGT ACTGGAGATC GGTACCGGCA	20640
	CCGGCATGGT CATGTTCAAC CTTGCCAAGT GTCCTGGTCT GCAGGGCTAC GTCGGTTTCG	20700
15	AGCCTTCAAA GTCGGCAGCC CAATTCTGTC ATGATGCAGC CCAGTCATT CCGGCTCTGA	20760
	AGGATGGCCG GTCAATAGTC CATGTGGGCA CGGCGACAGA CATCAACAAG GCTGGGCCGA	20820
	TTCAACCACG CCTCGTCGTT ATCAACTCAG TAGCGCAGTA TTTCCCCACG CCAGAGTACC	20880
20	TCTTCAGGGT TGTGGAGGCC CTTGTACAGA TCCCAAGCGT GGAACGCATC GTCTTTGGTG	20940
	ACATGAGAAC CAACGCCATC AACAGAGACT TCGTCGCAAG CCGAGCATTG CACACCCTCG	21000
	GCGAGAAGGC AAACAAGCGC CTGGTCCGCC AGATGATCTA TGAGCTCGAA GCCAACGAAG	21060
25	AGGAACTTCT GACGGACCCT GCATTCTTTA CATCTTTGCG TACGCGCTTG GGTGAGAAGA	21120
	TCAAGCACGT CGAAATTCTC CCCAAGACCA TGAAGGCTAC CAACGAGCTC AGCAAGTACC	21180
	GATATGCCGC AGTACTACAT GTGCGTGGCT CGAGAGAACA ATCAACTATA CACCAAGTCT	21240
30	CTCCCAACGC CTGGATAGAC TTTGCGGCAG ACGGTCTCGA CCGGCAGACC CTCATCAACT	21300
	TGCTGAAGGA GCACAAGGAT GCCGGGACCG TCGCTATCGG TAATATCCCG TACAGCAAGA	21360
	CCATTGTTGA GCGGTTTGTG AACAAAGTCAC TGAGCGAGGA TGATATGGAG GAAGGCCAGA	21420
35	ACTCACTGGA CGGATCAGCT TGGGTTGCAG CCGTCCGGAT GGCCGCTCAA AGCTGCCCAT	21480
	CACTCGATGC AATGGATGTC AAGGAGATTG CTCAGGAGGC GGGATACCAG GTCGAAGTCA	21540
	GTTGGGCGCG TCAATGGTCC CAGAATGGTG CGCTCGATGC CATCTTCCAT CACTTCGAAC	21600
40	CGCCCAAGGA GGGTGCTCGC ACACCTATTG AGTTCCCGAC GGATTACGAA GGCCGGAATG	21660
	TGAACACCTT AACGAACCGT CCCCTGAACA GCATTCAAAG CCGCCGTCTT GGGACGCAGA	21720
	TCCGCGAGAA GCTGCAGACC CTCCTGCCGC CTTACATGAT CCCATCGCGC ATCATGGTCC	21780
45	TTGATCAGAT GCCTGTCAAC AACAAACGGCA AGATTGACCG CAAGGAGCTT GTGCGGAGAG	21840
	CTATCGTGGC CCCGAAGCCA AGGTGAGCGG CTAATCGGGT AGCCCCCGC AATGAGATCG	21900
	AGGCTATTCT GAGAGACGAA TTCGAGGACG TGCTCGGAAC AGAAGTCAGC GTGCTGGATA	21960
50	ACTTCTTTGA TCTCGGCGGG CACTCACTTA TGGCCACGAA GCTCGCCGCC CGCGTTAGCC	22020
	GCCGCCCTGA TGCCCATATT TCCATCAAAG ATGTCTTTGA TCAGCCGGTG CTGGCGGATC	22080
	TTGCGGCGTC CATCCAGAGA GAATCGGCTC CTCATGAACC GATTCCGCAA AGGCCTTACA	22140
55	CCGGGCCGGC TGAACAGTCA TTTGCCCAAG GTCGCCTATG GTTCCTTGAC CAGCTTAACC	22200
	TTGGCGCGAC CTGGTACCTG ATGCCCTTAG CCATCCGTAT CCGTGGCCAG TTGAGGGTAG	22260
	CTGCGTTGTC TGCCGCACTC TTCGCCTTGG AGAGACGACA TGAGACCTTG AGAACCACCT	22320
	TTGAAGAAAG CGACGGCGTT GGCCTGCAAA TTGTTGGAGA GGCTCGCAAC TCAGACCTTC	22380

	GGGTTTCATGA CGTTTCTACC GGAGACGACG GGGAGTACCT TGAGGTACTC AGGAGGGAAC	22440
5	AGACTGTGCC CTTTCGACCTC TCGTCAGAGC CTGGCTGGAG GGTTTGCCCTG GTCAAAACGG	22500
	GCGAAGAGGA TCATGTACTA TCCATCGTCA TGCACCATAT TATTTACGAC GGCTGGTCCG	22560
	TGGACATTCT CCGCGGAGAG TTGGGTCAAT TCTATTCCGC TGCCCTACGC GGCCAGGACC	22620
10	CCTTGCTGCA CGCCAACCCC CTTCTATTTC AATACCGGGA TTTCGCAGCG TGGCAAAGGG	22680
	AGGCAAAACA GGTCGAAGAG CATCAACGTC AACTTGGGTA CTGGTCGAAA CAGCTCGTTG	22740
	ACAGCACTCC AGCTGAGCTC TTGACGGATC TGCCCTGCCC GTCTATCTTG TCCGGTCGTG	22800
	CCGGGTCGGT GGATGTCACG ATCGAAGGCT CTGTTTACGG AGCCCTTCAG TCATTCTGCC	22860
15	GCACGCGTTC GGTAACCACA TTCGTTGTGC TTCTGACTGT GTTCCGGATT GCGCATTTC	22920
	GTCTCACTGC CGTCGATGAC GCGACTATCG GCACGCCTAT CGCAAACCGT AACCGTCCTG	22980
	AGCTGGAGAC GTTGGTTGGC TGCTTTGTAA ACACGCAATG TATGCGTATC AGCATAGCCG	23040
20	ACGACGATAA CTTTGAAGGT CTTGTGCGAC AGGTGCGTAA TGTTGCAACG GCAGCTTACG	23100
	CGAACCAAGA TGTTCTTTC GAACGAATCG TGTCCGCCCT AGTTCAGGG TCGAGAAACA	23160
	CATCCCGCAA CCCCTGGTT CAGCTCATGT TTGCTGTCCA GTCCGTGGAA GATTATGACC	23220
25	AGGTCCGACT CGAGGGCTTG GAGAGTGTCA TGATGCCTGG AGAAGCCTCC ACACGCTTTG	23280
	ATATGGAATT CCACCTCGTC CCCGGCGATC AGAAGCTTAC GGGCAGCGTT CTTTACTCCT	23340
	CAGACCTTTT TGAGCAAGGC ACTATCCAGA ACTTCGTGCA CATCTTCCAA GAATGTCTTC	23400
	GCTCCGTCTT GGACCAGCCA TTGACCCCGA TCTCCGTCTT TCCCTTCAGC AACGCCATTT	23460
30	CAAACCTCGA GAGCTTGAT CTCCTGGAGA TGCCGACCTC AGACTACCCC CGCGATCGGA	23520
	CAGTCGTTGA TCTCTTCCGA GAGCAAGCGG CAATCTGCCC CGACAGCATC GCCGTCAAAG	23580
	ACTCATCGTC GCAACTGACA TATGCTCAAC TGATGAGCA ATCCGACCGT GTTGCCGCTT	23640
35	GGCTGCACGA GCGCCACATG CCGGCGGAGT CTTTGGTCCG TGTACTGTCTG CCACGGTCTG	23700
	GCGAGACTAT CATCGCGTAC TTTGGCATCA TGAAGGCAAA CCTGGCTTAC CTGCCGTTGG	23760
	ATGTTTATGC GCCAGATGCC CGTCTGGCGG CTATCCTGGA TACAGTCGAA GGCGAAAGAC	23820
40	TGCTTCTGTT GGGCGCAGGT GTCCCTCAGC CCGGCATCCA GATCCCTCGC CTGTCAACAG	23880
	CATACATCGC GGAAGCACTG AGCCATGCCA CGACCGTCGA TGTCACCTTC ATCCACAGC	23940
	CCTCGGCCAC CAGCCTTGCG TACGTCAATT TCACTTCGGG ATCTACTGGC AAGCCCAAGG	24000
45	GTGTCATGAT CGAGCATCGC GGCATCGTGC GCCTGGTTAG AGATACCAAC GTCAACGTGT	24060
	TCCCGAATC GGGATCAGCT TTGCCTGTCT CTCACTTCTC CAACCTCGCC TGGGATGCGG	24120
	CGACTTGGGA GATCTACACT GCCGTGCTCA ATGGAGGGAC CGTTGTGTGC ATTGACCGAG	24180
	ACACCATGCT GGACATAGCC GCGTTGAACT CAACATTCCG GAAGGAGAAC GTTCGGGCTG	24240
50	CCTTCTTCAC CCCTGCCTTC CTGAAGCAAT GCCTTGCCGA GACGCCAGAG CTGGTCGCCA	24300
	ACCTAGAGAT CCTTCACACG GCAGGCGATC GTCTCGATCC TGGAGATGCC AACCTGGCTG	24360

55

EP 0 578 616 A2

	GAAAGACAGC CAAGGGTGGT ATCTTCAACG TCCTGGGTCA CACAGAGAAC ACTGCCTATA	24420
5	GTACCTTCTA CCCTGTGGTT GGTGAGGAGA CGTTCGTCAA TGGTGTCCCC GTCGGTCGCG	24480
	GCATCAGCAA CTCCCATGCA TATATCATCG ACCGACACCA GAAGCTCGTA CCCGCAGGTG	24540
	TCATGGGAGA GCTTATTCTC ACTGGCGACG GTGTTGCGCG AGGTACACC GACTCTGCGC	24600
10	TGAACAAGGA TCGATTTCGT TACATCGATA TCAACGGCAA AAGCACATGG TCGTACCGCA	24660
	CAGGCGATAA GGCACGTTAT CGACCAAGGG ACGGCCAGCT GGAATTCTTT GGCCGCATGG	24720
	ACCAAATGGT CAAGATCCGT GGTGTTTCGAA TCGAACCCGG CGAAGTTGAG CTCACCCTGC	24780
	TCGACCATAA GTCCGTCCTG GCCGCGACTG TGGTGGTCAG AAGACCACCC AATGGCGACC	24840
15	CGGAGATGAT TGCCCTTCATC ACCATCGACG CTGAAGACGA CGTGCAAACCT CACAAGGCCA	24900
	TTTACAAGCA CCTCCAGGGT ATCTTGCCCG CGTACATGAT TCCCTCACAC CTTGTATCC	24960
	TTGACCAGAT GCCGGTCACC GACAACGGTA AGGTCGATCG CAAGGATCTC GCACTCAGAG	25020
20	CGCAGACAGT ACAGAAACGC AGGTCTACCG CTGCAAGGGT ACCACCTCGT GACGAGGTGG	25080
	AGGCTGTTCT TTGCGAAGAG TACAGCAACT TACTTGAAGT TGAGGTTGGC ATTACCGACG	25140
	GATTCTTCGA CCTGGGTGGA CATTGCTCC TCGCCACCAA GCTTGGCGCC CGCCTAAGCC	25200
25	GACAACTCAA CACTCGCGTG TCTGTCAAGG ACGTCTTTGA CCAGCCAATA CTCGCTGACC	25260
	TCGCTGATAT CATCCGCCGC GGTTCCTATC GCCACGATCC GATTCTGCC ACTCCATACA	25320
	CGGGCCCTGT CGAACAGTCG TTCGCTCAGG GCCGCCTGTG GTTCTTGGA CAACTGAACC	25380
30	TAGGTGCCAG CTGGTACTTG ATGCCCTTCG CGATCCGGAT GCGTGGGCCC CTCCAGACAA	25440
	AGGCGCTGGC TGTCGCACTG AACGCCCTTG TGCACCGGCA CGAGGCGTTG CGGACGACTT	25500
	TCGAGGACCA CGATGGGGTT GGTGTTTCAG TCATTCAACC AAAGTCAAGC CAAGACCTGC	25560
	GGATCATCGA CCTATCAGAC GCTGTAGATG ATACTGCCTA TCTCGCCGCG CTCAAGAGGG	25620
35	AACAGACAAC AGCCTTCGAC CTGACCTCTG AACCAGGGTG GAGAGTGTCA CTCCTACGCC	25680
	TAGGTGACGA TGATTACATC CTTTCTATCG TTATGCACCA CATTATCTCT GATGGCTGGA	25740
	CTGTTGATGT GCTACGACAA GAACTCGGCC AGTTCTATTC AGCTGCGATC AGGGGTCAGG	25800
40	AGCCTTTATC GCAGGCCAAG TCCCTCCCTA TTCAATACCG CGACTTTGCT GTTTGGCAGA	25860
	GGCAGGAGAA CCAGATCAAG GAGCAAGCGA AGCAGCTCAA GTATTGGTCA CAGCAGCTCG	25920
	CAGATAGCAC CCCCTGCGAG TTCCTAACGG ACCTCCCTCG GCCCTCTATC CTGTCTGGTG	25980
45	AAGCTGACGC CGTTCCTATG GTGATTGATG GCACGGTGTA TCAGCTCCTT ACTGATTTCT	26040
	GCCGGACGCA CCAAGTCACA TCGTTCTCAG TCCTGCTCGC AGCCTTCCGC ACTGCCCCCT	26100
	ACCGCCTTAC CGGGACACTC GACGCGACGG TTGGCACACC AATCGCTAAC CGGAACCGGC	26160
	CAGAGTTGGA AGGTCTGATC GGTTCCTTCG TTAACACGCA GTGTATGAGG ATGGCAATCA	26220
50	GTGAGACTGA AACCTTTGAG TCACTAGTCC AGCAGGTTCT CTTGACTACG ACAGAAGCCT	26280
	TTGCGAACCA AGATGTGCCG TTTGAGCAGA TTGTGTCAAC CCTTCTTCCT GGGTCACGAG	26340
55	ATACGTCAAG GAACCCGCTT GTGCAGGTCA TGTTTGCCCT GCAATCACAG CAAGACCTCG	26400

EP 0 578 616 A2

	GAAGAATCCA GCTGGAAGGT ATGACGGACG AAGCTCTGGA AACGCCGCTG TCGACGAGAC	26460
5	TCGACCTTGA GGTTCACCTC TTCCAGGAGG TTGGAAAGCT GAGCGGCAGC CTCTTGTA	26520
	CCACGGACCT CTTGAGGTC GAGACGATTC GTGGAATCGT TGATGTGTTC CTGGAGATCT	26580
	TGCGCCGCGG CCTTGAGCAA CCCAAGCAGC GACTGATGGC CATGCCAATT ACCGATGGCA	26640
10	TCACAAAGCT ACGCGACCAG GGTCTCCTAA CAGTGGCGAA ACCAGCCTAC CCTCGCGAAT	26700
	CGAGTGTGAT AGATCTGTTC AGACAGCAGG TTGCCGCCGC ACCGGATGCC ATCGCTGTGT	26760
	GGGATTCCCTC CTCAACATTG ACCTATGCCG ACCTCGATGG GCAATCGAAC AAGCTCGCCC	26820
15	ACTGGCTGTG CCAGCGCAAT ATGGCCCCAG AGACCTTGGT AGCTGTATTC GCGCCACGCT	26880
	CATGCCTCAC CATCGTCGCA TTCCTCGGTG TTTTGAAGGC TAATCTGGCC TACCTGCCCT	26940
	TGGATGTCAA TGCGCCTGCT GCTCGTATCG AGGCTATCCT GTCAGCAGTA CCAGGCCACA	27000
	AGCTGGTCCCT GGTGCAGGCT CATGGGCCCCG AGCTTGGCCT GACGATGGCT GATACTGAAC	27060
20	TGGTGCAGAT CGACGAGGCA CTTGCATCCA GTTCATCCGG TGACCATGAG CAGATCCATG	27120
	CGTCCGGCCC TACTGCCACA AGTCTTGCCCT ACGTGATGTT TACGTCAGGG TCTACTGGGA	27180
	AACCAAAGGG TGTCATGATC GACCACCGCA GCATCATTCG ACTTGTCAAG AACAGCGATG	27240
25	TTGTTGCCAC TCTGCCTACG CCAGTCCGGA TGGCGAATGT ATCAAACCTT GCCTTCGACA	27300
	TCTCGGTGCA AGAAATCTAC ACGGCGCTCC TAAACGGTGG CACTCTGGTC TGCTTGGACT	27360
	ATCTGACGCT ATTGGACAGC AAAATTCTTT ATAACGTTTT TGTGGAAGCA CAGGTCAACG	27420
30	CCGCCATGTT CACGCCGGTT CTCCTCAAGC AATGTCTTGG AAACATGCCC GCCATCATCA	27480
	GTCGCCTGAG TGTTCTCTTT AACGTTGGTG ACAGGCTGGA TGCCCACGAT GCTGTGGCTG	27540
	CATCAGGCCT GATCCAAGAC GCCGTATACA ACGCTACGG TCCCACGGAG AACGGCATGC	27600
35	AGAGTACGAT GTACAAGGTC GACGTCAATG AGCCTTTCGT CAACGGCGTC CCGATCGGTC	27660
	GATCCATCAC CAACTCTGGG GCTTACGTCA TGGACGGCAA TCAACAGCTC GTATCTCCTG	27720
	GTGTGATGGG AGAAATTGTC GTTACCGGTG ATGGTCTTGC CCGTGGCTAT ACAGACTCAG	27780
	CCCTAGACGA GGACCGGTTT GTTACGTCA CGATCGATGG TGAGGAAAAT ATCAAGGCAT	27840
40	ACCGAACCAGG TGATCGAGTC CGCTACCGGC CCAAGGACTT TGAGATTGAA TTCTTCGGCC	27900
	GTATGGATCA ACAGGTGAAG ATTCTGTGTC ACCGCATTGA GCCAGCAGAA GTGGAACATG	27960
	CACTGCTCGG CCACGACTTG GTTACGATG CAGCTGTCTG GCTTCGAAAG CCAGCAAATC	28020
45	AAGAACCAGA GATGATTGCT TTCATCACC AACCAGGAAGA CGAGACTATC GAGCAGCATG	28080
	AGTCAAACAA GCAGGTCCAA GGCTGGGGAG AGCATTTTCA CGTAAGCAGG TATGCTGATA	28140
	TCAAGGATCT CGACACTTCT ACCTTTGGTC ACGACTTTTT GGGATGGACA TCTATGTATG	28200
50	ACGGAGTTGA CATTCCTGTC AACGAGATGA AAGAGTGGCT TGATGAAACT ACGGCCTCCC	28260
	TCCTAGACAA CCGCCACCT GGTCAATACC TCGAGATCGG AGCCGGAAT GGCATGATTC	28320
	TATCTAACCT GGGCAAAGTC GACGGCCTAC AGAAGTATGT CGGTCTTGAC CCGGCTCCCT	28380

55

	CAGCCGCAAT CTTGTCAAC GAAGCCGTCA AGTCTCTGCC AAGTCTAGCC GGTAAGGCCC	28440
5	GGGTACTTGT TGGAACTGCC CTGGATATCG GTTCTCTGGA CAAGAATGAG ATCCAACCTG	28500
	AGCTTGTGGT TATCAACTCC GTGGCCCAGT ACTTCCCCAC ATCAGAGTAC TTGATCAAGG	28560
	TGGTCAAAGC TGTGTGGAA GTGCCCAGCG TCAAGCGTGT TTTCTTTGGC GATATCAGAT	28620
10	CCCAGGCCCT TAACAGGGAC TTCCTTGCG CTCGTGCCGT TCGTGCGTTG GGTGACAATG	28680
	CTAGCAAAGA GCAGATCCGG GAAAAGATCG CAGAGCTCGA AGAGAGCGAA GAAGAACTTC	28740
	TCGTGGACCC AGCCTTCTTC GTGAGCTTGA GAAGCCAGCT GCCCAACATC AAGCACGTTG	28800
	AGGTCTCGCC CAAGCTGATG AAGGCCACCA ACGAGCTGAG CTCGTACAGA TATGCTGCGG	28860
15	TTCTACACAT CAGCCACAAC GAAGAGGAGC AGCTGCTCAT ACAGGATATC GATCCCACAG	28920
	CATGGGTGA CTTTGAGCA ACGCAAAAGG ACTCTCAAGG TCTGAGAAAC CTTCTACAAC	28980
	AAGGACGAGA TGATGTGATG ATCGCGGTCG GGAACATCCC GTACAGCAAG ACCATAGTGG	29040
20	AGCGACACAT TATGAACTCT CTTGACCAAG ATCACGTCAA CTCACTCGAC GGGACATCCT	29100
	GGATCTCAGA TGCTCGATCA GCCGCTGCAA TCTGCACTTC GTTCGACGCA CCCGCCCTCA	29160
	CGCAGTTGGC CAAGGAGGAG GGATTCCGGG TAGAGTTGAG CTGGGCGCGA CAGAGATCTC	29220
25	AAAACGGCGC CCTCGATGCC GTTTTCCACC GTCTTGCAAC CGATGCAAAT TCGGAGCGCA	29280
	GTCGTGTCTT GGTACACTTC CCTACCGACC ATCAAGGTCG ACAACTTCGA ACCCTGACGA	29340
	ACCGGCCACT CCAGCGAGCT CAGAGCCGCC GTATCGAGTC ACAAGTCTTC GAGGCACTGC	29400
	AGACAGCACT GCCGGCCTAC ATGATCCCAT CGCGCATTAT CGTGCTCCCG CAGATGCCGA	29460
30	CCAACGCCAA CGGCAAAGTG GACAGGAAAC AGCTCGCTCG CCGCGCGCAG GTTGTGGCCA	29520
	AGAGAAAGGC AGTGTAGCG CGCGTTGCGC CTCGTAATGA CACCGAGATA GTTCTTTGCG	29580
	AGGAATACGC AGATATCCTA GGAAGTGAAG TTGGCATCAC GGACAACTTC TTCGACATGG	29640
35	GCGGGCATT CACTATGGCT ACGAAGCTCG CAGCCCGACT AAGCCGGCGA CTAGATACCC	29700
	GGGTTACGGT CAAGGAGGTG TTCGATAAAC CCGTCCTGGC TGACCTCGCT GCTTCGATCG	29760
	AACAGGGCTC GACACCTCAT CTGCCTATTG CCTCATCGGT GTATTCCGGA CCGGTGGAGC	29820
40	AGTCGTACGC CCAAGGTCGC TTGTGGTTCT TGGATCAGTT CAACCTCAAC GCGACGTGGT	29880
	ATCACATGTC GCTGGCGATG AGGCTGCTCG GGCCGCTCAA CATGGACGCG CTGGACGTGG	29940
	CCTTACGGGC GCTGGAGCAG CGACACGAGA CGCTTCGCAC AACCTTTGAG GCTCAAAAGG	30000
45	ACATCGGCGT CCAGGTCGTT CATGAGGCCG GAATGAAGAG GCTCAAGGTC CTTGACCTAT	30060
	CAGACAAGAA CGAGAAGGAG CACATGGCCG TGCTAGAGAA TGAACAGATG AGACCGTTCA	30120
	CTCTTGCTTC AGAGCCAGGC TGAAGGGTC ATCTTGCTCG CCTTGGCCCC ACGGAGTATA	30180
	TCCTCTCCCT CGTCATGCAT CACATGTTCT CAGACGGCTG GTCCGTTGAT ATCCTGAGAC	30240
50	AGGAGCTCGG TCAATTCTAC TCAGCCGCTT TACGTGGCAG GGATCCGTTA TCTCAGGTCA	30300
	AGCCCTCCC AATACAATAT CGTGACTTTG CGGCTTGGCA GAAGGAAGCT GCCCAAGTTG	30360
	CCGAGCATGA GAGGCAGCTC GCGTACTGGG AGAACCAGTT AGCTGACAGT ACTCCCGGTG	30420
55		



5	AGCTTCTGAC CGACTTTCCC CGCCACAGT TCCTGAGTGG GAAGGCTGGT GTCATCCCGG	30480
	TCACCATTGA GGGGCCGGTC TACGAGAAGC TTCTGAAGTT CTCCAAGGAG CGCCAGGTAA	30540
	CTCTGTTCTC GGTGCTATTA ACAGCGTTCC GGGCCACACA CTTTCGTCTC ACTGGTGCAG	30600
10	AGGATGCTAC GATCGGTACC CCAATTGCAA ATCGCAACCG GCCAGAACTC GAGCATATCA	30660
	TTGGATTCTT CGTCAACACC CAATGCATGC GTCTTCTCCT CGATACCGGC AGCACATTCG	30720
	AATCCCTAGT CCAGCATGTT CGGTCCGTGG CTACAGATGC CTATTCCAAT CAGGATATTC	30780
15	CCTTCGAACG GATCGTCTCG GCACTTCTCC CTGGCTCGAG AGATGCCTCA CGAAGCCCAC	30840
	TAATCCAGCT TATGTTTGCC TTGCACTCAC AGCCAGATCT CGGGAACATT ACTCTCGAAG	30900
	GACTCGAGCA TGAGCGCCTG CCAACAAGCG TCGCAACACG TTTCGACATG GAGTTCCACC	30960
20	TGTTCCAAGA GCCTAACAAAG CTGAGTGGTT CAATACTCTT TGCCGATGAG CTCTTCCAGC	31020
	CTGAAACAAT CAACAGCGTC GTGACTGTGT TCCAGGAGAT ACTCCGACGC GGCCTCGACC	31080
	AACCCCAAGT CTCCATTCTT ACTATGCCCC TGACTGATGG GTTGATTGAT CTCGAGAAAC	31140
25	TGGGCTTGCT GGAAATCGAG AGCAGCAACT TCCCTCGCGA CTACTCGGTT GTCGACGTCT	31200
	TCCGACAGCA GGTGGCTGCC AATCCAAATG CGCCCGCTGT CGTGGATTCTG GAGACATCCA	31260
	TGAGCTACAC CTCGCTAGAT CAGAAGTCTG AGCAGATTGC TGCCTGGTTA CACGCTCAAG	31320
30	GCCTCCGCCC TGAGTCATTG ATCTGCGTGA TGGCGCCACG ATCTTTCGAA ACGATCGTCT	31380
	CCTTATTCGG TATCTTGAAG GCTGGCTACG CCTACCTGCC TCTGGATGTG AATCCCCTG	31440
	CAGCTCGAAT CCAACCGATC CTATCCGAGG TTGAAGGAAA AAGACTGGTA CTGCTAGGAT	31500
35	CAGGGATAGA CATGCCTCAA AGCGACCGAA TGGATGTTGA AACCGCTCGA ATTCAGGACA	31560
	TCCTAACGAA CACAAAGGTC GAGAGATCTG ATCCCATGAG CAGGCCATCG GCAACTAGCC	31620
	TTGCTATGT CATCTTACC TCCGGGTCAA CTGGCCGTCC CAAGGGCGTG ATGATCGAGC	31680
40	ATCGCAATAT TCTGCGCCTT GTCAAGCAGT CTAATGTTAC GTCTCAGCTG CCGCAGGATC	31740
	TGCGCATGGC ACATATCTCC AACCTAGCCT TTGACGCGTC CATCTGGGAG ATATTCACGG	31800
	CAATTTTGAA TGGCGGCGCC CTTATTTGCA TTGATTACTT CACTTTGCTG GATAGTCAAG	31860
45	CCCTCCGGAC GACATTGCAA AAAGCCAGGG TCAATGCTAC CCTATTCGCG CCGGCCTTGC	31920
	TCAAAGAATG CCTCAATCAC GCGCCGACCT TGTTTGAGGA TCTCAAAGTG CTCTATATCG	31980
	GTGGCGACCG ACTCGATGCC ACCGACGCGG CCAAATACA AGCCCTTGTG AAGGGCACGG	32040
50	TCTACAACGC GTACGGGCCG ACAGAGAACA CAGTCATGAG CACGATCTAC AGGCTCACAG	32100
	ATGGAGAGTC TTATGCTAAC GGTGTGCCAA TCGGCAATGC TGTGAGCAGC TCTGGCGCTT	32160
	ATATCATGGA CAAAAGCAG CGCCTCGTTC CTCCCGGTGT TATGGGAGAG CTCGTTGTGA	32220
55	GCGGCGATGG CCTCGCCCGT GGCTACACCA ACTCGACCCT CAATGCTGAT CGTTTCGTG	32280
	ATATTGTCAT CAACGATCAA AAAGCCCGCG CATACCGGAC CGGAGATCGC ACTCGTTACC	32340
	GGCCCAAGGA TGGTAGCATC GAGTTCTTCG GCCGTATGGA TCAGCAAGTT AAAATCCGTG	32400

	GTCATCGAGT	TGAGCCGGCC	GAGGTCGAGC	AAGCCATGCT	CGGCAATAAG	GCTATCCATG	32460
5	ATGCAGCAGT	TGTTGTTTCAG	GCGGTGGATG	GCCAGGAAAC	GGAGATGATC	GGCTTTGTTT	32520
	CCATGGCCAG	CGACAGATTC	AGCGAAGGGG	AGGAGGAGAT	CACCAACCAA	GTCCAGGAGT	32580
	GGGAAGACCA	CTTCGAAAGC	ACCGCCTACG	CTGGCATTGA	GGCCATCGAC	CAGGCTACCC	32640
10	TGGGACGCGA	TTTCACTTCA	TGGACCTCGA	TGTACAACGG	CAACTTGATT	GACAAAGCCG	32700
	AAATGGAGGA	GTGGCTTGAC	GATACAATGC	AATCCCTCCT	TGATAAGGAG	GATGCCAGGC	32760
	CGTGTGCTGA	GATCGGAACA	GGTACCGGCA	TGGTTCTATT	CAATTTGCCC	AAGAACGATG	32820
15	GCCTTGAGAG	CTATGTCGGT	ATAGAGCCTT	CACGGTCTGC	AGCCTTGTTT	GTCGACAAAG	32880
	CAGCCCAAGA	TTTCCCAGGT	CTGCAAGGAA	AGACGCAAAT	CCTTGTCGGC	ACAGCCGAGG	32940
	ACATCAAGCT	GGTCAAGGAC	TTCCACCCTG	ACGTGGTTGT	CATTAACTCG	GTAGCCCAAT	33000
	ATTTCCCGAG	CCGGAGCTAC	CTTGACAGA	TAGCGAGCGA	ACTGATTAC	ATGACCAGCG	33060
20	TCAAGACGAT	CTTCTTTGGA	GATATGCGAT	CCTGGGCCAC	CAACAGGGAT	TTCCTCGTGT	33120
	CCCGAGCTCT	TTACACGCTA	GGTGACAAGG	CTACAAAGGA	TCAGATTCGC	CAGGAGGTTG	33180
	CCCGACTTGA	GGAGAAATGAA	GACGAGTTGC	TTGTTGACCC	AGCATTCTTC	ACCTCTTTGA	33240
25	CCAGCCAATG	GCCCGGCAAG	GTCAAGCATG	TTGAGATCTT	GCCGAAGCGG	ATGAGGACGA	33300
	GCAATGAACT	AAGCTCGTAC	CGATATGCTG	CGGTGCTACA	CATCTGCAGG	GATGGGGAGG	33360
	GTAGGAACAG	ATATGGCAGG	CGTGCTCACT	CAGTGAAGA	GAACGCCTGG	ATCGACTTCG	33420
30	CGTCGTCTGG	CATGGATCGT	CACGCCCTCG	TTCAGATGCT	CGATGAACGT	AGAGACGCCA	33480
	AGACTGTGCG	CATCGGCAAC	ATCCCTCACA	GCAACACGAT	CAACGAGCGA	CACCTTACGA	33540
	CATCCCTGGA	TACTGAGGGA	GAAGGCATTG	CCCAAGATTC	ACTGGATGGA	TCCGCCTGGC	33600
35	AATCGGCTAC	GAAGGCAATG	GCCGCGCGCT	GTCCTTGCCCT	TTCCGTCACC	GAAGTGGTCG	33660
	AGATCGGCCA	AGCGGCAGGA	TTCAGGGTCG	AGGTCAGCTG	GGCTCGTCAA	CGATCCCAAC	33720
	ATGGTGCCT	GGACGTCGTC	TTCCATCATC	TTGAAGATGA	CAGAGTAGGC	CGCGTCTTGA	33780
	TCAACTTCCC	CACAGACTTC	GAGCGTCTAC	CCCCTAGCAC	CGGCCTGACC	AGTCGGCCGC	33840
40	TGCAGCGCAT	CCAGAACCGT	CGGTTGAGT	CGCAGATCCG	CGAACAGCTG	CAAACACTGC	33900
	TGCCACCTTA	TATGGTTCCA	TCACGGATCG	TCGTGTTGGA	GCGGATGCCT	CTCAACGCAA	33960
	ACAGCAAAGT	CGACCGTAAA	GAATTGGCAA	GGAAGGCGAG	GACCCTACAA	ACCATCAAGC	34020
45	CTTCTGCAAC	GCGCGTGGCT	CCTCGCAACG	ATATTGAAGC	CGTCTTGTGC	GACGAGTTCC	34080
	AGGCAGTTCT	TGGTGTTACA	GTCGGAGTCA	TGGATAACTT	TTTCGAGTTG	GGCGGACACT	34140
	CCCTGATGGC	TACGAAACTG	GCCGCCCGTC	TCAGTCGCCG	CCTCGACACC	CGCGTCTCTG	34200
50	TGAAGGATAT	CTTCAACCAA	CCAATCCTTC	AAGATCTCGC	GGACGTGGTC	CAGACTGGCT	34260
	CCGCTCCTCA	TGAAGCTATT	CCCTCCACGC	CCTACTCTGG	TCCCCTGGAG	CAATCCTTCT	34320
	CTCAGGGCCG	TCTATGGTTC	TTGGATCAGC	TGAATCTCAA	TGCATCGTGG	TACCACATGC	34380
55	CATTAGCGAG	TCGCTTGCGA	GGCCCGCTTC	GGATCGAGGC	GCTGCAGTCA	GCCCTGGCTA	34440

	CGATTGAGGC GCGGCACGAG TCCCTGCGCA CCACATTCGA GGAGCAAGAT GGTGTTCCCG	34500
5	TTCAGATTGT ACGCGCTGCG CGCAACAAGC AGCTGAGGAT CATCGACGTG TCGGGCACCG	34560
	AGGATGCGTA TCTCGCAGCA TTGAAGCAAG AGCAAGACGC CGCATTCGAT CTGACTGCTG	34620
	AGCCAGGCTG GCGAGTAGCA CTGTTGCGCT TGGGACCGGA TGATCATGTC CTGTCTATCG	34680
10	TCATGCACCA CATCATATCT GACGGATGGT CGGTTGATAT CCTGCGACAA GAACTCGGGC	34740
	AGCTCTACTC GAATGCCTCA TCGCAGCCCG CTCCTCTTCC GATTCAATAC CGAGATTTCG	34800
	CCATCTGGCA GAAGCAGGAT AGTCAGATCG CTGAGCACCA AAAGCAGCTG AACTACTGGA	34860
15	AGAGACAAC TGTCAACAGC AAGCCGGCTG AGCTCCTGGC GGACTTCACT CGTCCGAAGG	34920
	CGTTATCTGG CGATGCTGAT GTCATACCGA TAGAGATTGA TGACCAGGTA TATCAGAACC	34980
	TCCGCTCGTT TTGTCGCGCT CGGCATGTCA CCAGCTTTGT TGCACCTTTA GCAGCTTTCC	35040
20	GGGCTGCTCA CTACCGCCTA ACTGGGGCCG AAGATGCAAC TATCGGCTCT CCAATCGCCA	35100
	ACAGAAATCG ACCTGAGCTT GAAGGCCTCA TTGGATGCTT TGTTAACACC CAGTGTCTCC	35160
	GAATTCCTGT TAAGAGCGAG GACACATTTG ACACGTTGGT TAAACAGGCA CGAGAAACGG	35220
	CGACCGAGGC CCAGGACAAC CAAGATGTCC CGTTCGAGAG GATCGTTTCT TCCATGGTTG	35280
25	CTAGCTCGCG AGATACCTCG CGAAATCCAC TCGTTCAGGT CATGTTTGCT GTGCACTCTC	35340
	AGCACGACCT TGGTAACATT CGTCTCGAAG GTGTTGAGGG GAAGCCCGTT TCGATGGCAG	35400
	CGTCCACACG CTTTGACGCG GAAATGCACC TATTTGAGGA CCAAGGGATG CTCGGCGGCA	35460
30	ACGTGCTCTT TTCGAAGGAT CTGTTGGAAT CCGAGACGAT CCGCAGTGTT GTGGCCGTGT	35520
	TCCAGGAGAC CCTGAGGCGT GGCCTAGCCA ATCCTCACGC AAATCTCGCA AACTTCCTTC	35580
	TTACCGATGG ATTGCCCAGT CTTCGAAGCC TGTGTCTTCA AGTCAATCAG CCTGACTACC	35640
35	CCCGAGATGC CTCCGTGATC GACGTTTTCA GAGAGCAGGT AGCATCGATA CCCAAGTCTA	35700
	TCGCCGTTAT CGATGCTTCT TCACAGCTCA CCTACACCGA GCTCGACGAG AGATCTAGCC	35760
	AGCTCGCCAC GTGGCTACGC CGACAAGTCA CAGTCCCTGA GGAGCTGGTC GCGCTCCTCG	35820
40	CTCCACGGTC CTGTGAGACA ATCATCGCTT TCCTCGGCAT CATCAAAGCG AATCTCGCCT	35880
	ATCTGCCACT TGACGTCAAC GCACCCGCTG GTCGGATCGA GACAATCCTG TCATCTCTAC	35940
	CAGGAAACAG GCTTATTTTA CTGGATCAG ATACGCAGGC GGTCAAGCTT CACGCAAACA	36000
	GCGTTCGATT CACCCGGATC AGCGACGCCC TCGTCGAGAG CGGCAGTCCC CCTACCGAAG	36060
45	AACTTTCCAC ACGCCCGACT GCACAAAGCC TTGCCTATGT CATGTTTACA TCAGGCTCAA	36120
	CTGGCGTCCC GAAGGGTGTC ATGGTAGAGC ACCGGGGTAT CACACGTCTC GTGAAAAACA	36180
	GCAACGTGGT CGCAAAGCAA CCGGCAGCAG CTGCTATCGC TCATCTTTTCG AACATTGCTT	36240
50	TCGACGCCTC TTCCTGGGAG ATATACGCTC CTCCTCTTAA CGGCGGTACA GTCGTCTGCA	36300
	TTGATTACTA CACCACGATC GATATCAAAG CCCTCGAGGC GGTATTCAA CAGCACCACA	36360
	TCCGCGGAGC AATGCTTCCA CCAGCACTTC TCAAACAGTG TCTGGTCTCT GCCCCTACTA	36420

55

	TGATCAGCTC	TCTGGAGATA	CTTTTCGCCG	CCGGCGATCG	GTTGAGCAGC	CAAGATGCCA	36480
5	TCCTGGCGCG	ACGTGCCGTT	GGTTCGGGCG	TTTACAACGC	TTACGGCCCT	ACTGAGAACA	36540
	CGGTCCTGAG	TACGATACAC	AACATCGGCG	AGAATGAGGC	ATTTTCGAAT	GGCGTTCCCA	36600
	TTGGAAACGC	TGTCAGTAAC	TCCGGTGCCT	TTGTCAATGA	TCAAAATCAG	CAGCTGGTCT	36660
10	CCGCCGGTGT	GATCGGAGAG	CTTGTGTGA	CCGGAGATGG	CCTTGCCCGC	GGATACACAG	36720
	ATTCTAAGCT	TAGGGTGGAT	CGATTCACT	ATATTACCCT	TGACGGGAAC	CGGGTCAGAG	36780
	CTTACCGCAC	GGGCGACCGT	GTCAGGCACC	GGCCTAAGGA	TGGGCAAATT	GAGTTCTTCG	36840
	GGCGAATGGA	TCAGCAGATC	AAGATCCGTG	GTCATCGCAT	CGAGCCAGCA	GAGGTGGAGC	36900
15	AGGCTCTCGC	CCGTGACCCG	GCCATCAGCG	ATTTCGGTGT	TATCACTCAG	CTCACGGATG	36960
	AAGAGGAGCC	GGAAGTGGTG	GCTTTCTTCT	CATTGAAGGG	GAATGCCAAC	GGCACCACCG	37020
	GTGTCAACGG	TGTGAGCGAT	CAAGAGAAGA	TCGACGGCGA	TGAGCAACAT	GCTCTGCTGA	37080
20	TGGAGAACAA	GATCCGTCAC	AACCTACAGG	CGCTGCTGCC	CACTTACATG	ATCCCCTCGC	37140
	GGATCATCCA	TGTCGATCAG	CTGCCGGTCA	ATGCCAACGG	TAAGATTGAC	CGCAATGAGC	37200
	TGGCTGTTCG	AGCCCAGGCA	ACGCCAAGGA	CCAGTTCAGT	GTCAACCTAC	GTGGCCCCTC	37260
25	GCAACGATAT	CGAAACCATC	ATCTGTAAGG	AATTCGCAGA	TATCCTCAGC	GTTTCGAGTCG	37320
	GAATCACAGA	CAACTTCTTC	GACCTGGGTG	GACACTCACT	TATAGCCACC	AAGCTAGCCG	37380
	CCCGCCTTAG	CCGTCGACTA	GATACTCGCG	TGTCTGTTAG	GGACGTCTTT	GACACTCCCG	37440
30	TGGTAGGCCA	ATTGGCGGCT	TCTATCCAGC	AAGGCTCGAC	CCCTCATGAA	GCTATTCCGG	37500
	CGTTATCACA	CTCGGGACCT	GTGCAACAGT	CCTTTGCTCA	AGGCCGTCTT	TGTTTCCTGG	37560
	ACCGTTTCAA	TCTCAACGCT	GCCTGGTACA	TCATGCCATT	CGGCGTTCGT	CTTCGCGGAC	37620
	CTCTCCGAGT	CGATGCACTT	CAGACTGCAT	TGAGGGCTCT	CGAAGAACGG	CACGAGTTGC	37680
35	TACGCACCAC	GTTCAAGAA	CAGGATGGCG	TTGGTATGCA	AATCGTTCAC	TCGCCCCGAA	37740
	TGAGGGACAT	CTGCGTCGTA	GACATCTCTG	GCGCCAATGA	GGATCTTGCG	AAGCTGAAGG	37800
	AGGAGCAGCA	AGCTCCTTTC	AATCTCTCTA	CTGAAGTCGC	TTGGAGGGTA	GCACTCTTCA	37860
40	AGGCTGGAGA	GAACCACCAC	ATCCTCTCTA	TCGTCAATGA	TCACATAATT	TCAGATGGCT	37920
	GGTCAGTTGA	CATCTTCCAG	CAGGAGCTTG	CCCAATTCTA	CTCGGTAGCT	GTACGAGGGC	37980
	ATGACCCCTT	TTCCAGGTC	AAACCGCTCC	CCATTCACTA	CCGCGATTTT	GCTGTCTGGC	38040
45	AGAGACAAGA	TAAGCAAGTT	GCCGTTACAG	AAAGCCAACT	TCAGTACTGG	ATAGAGCAGC	38100
	TCGCGGATAG	CACGCCAGCC	GAGATCCTAT	CTGATTTTAA	CCGACCGGAG	GTCTTGTCCTG	38160
	GCGAAGCTGG	TACAGTTCCC	ATCGTGATCG	AGGACGAGGT	TTATGAGAAG	CTCTCCCTCT	38220
50	TCTGCCGCAA	TCATCAGGTC	ACCAGCTTCG	TCGTCCTTCT	GGCTGCTTTC	CGCGTCGCAC	38280
	ATTATCGCCT	AACTGGGGCA	GAGGATGCGA	CTATCGGTAC	ACCAATTGCG	AACCGCAACC	38340
	GCCCCGAAC	TGAGGACTTG	ATCGGTTTCT	TTGTCAATAC	ACAATGCATG	AGAATCGCGC	38400
55	TCGAAGAACA	CGATAATTTT	CTATCAGTAG	TGCGAAGAGT	TCGCTCAACA	GCGGCAAGCG	38460

	CCTTCGAAAA	CCAGGATGTG	CCATTTCGAGC	GCCTTGTATC	TGCACTTCTG	CCCGGCTCTA	38520
5	GAGATGCCTC	CCGGAATCCC	CTCGTTCAAC	TCATGTTTGT	CGTCCACTCC	CAGCGAAATC	38580
	TCGGTAAACT	GCAACTGGAG	GGCTTGGAAG	GCGAACCAAC	CCCGTACACC	GCGACGACCC	38640
	GCTTCGATGT	TGAGTTCCAC	CTCTTCGAAC	AAGACAAAGG	CCTCGCCGGA	AATGTTGTCT	38700
10	TCGCAGCAGA	CTTGTTTCGAG	GCTGCCACTA	TCCGCAGCGT	TGTTGAAGTC	TTCCACGAGA	38760
	TCCTCCGTCG	TGGTCTCGAC	CAGCCAGATA	TCGCAATTTC	CACCATGCCA	CTTGTCGATG	38820
	GCCTGGCGGC	GCTCAACAGC	CGTAACTTAC	CCGCAGTTGA	AGACATCGAA	CCTGACTTCG	38880
15	CCACCGAGGC	CTCGGTGGTT	GATGCTTCC	AGACACAAGT	GGTCGCTAAC	CCAGATGCCC	38940
	TGGCTGTGAC	CGACACATCC	ACAAAGCTTA	CATATGCGGA	GCTGGATCAA	CAATCCGATC	39000
	ATGTCGCGGC	TTGGCTGTCC	AAACAGAAGC	TACCAGCAGA	GAGCATCGTC	GTTGTTCTTG	39060
20	CGCCACGATC	CTCTGAGACT	ATCGTAGCAT	GCATTGGCAT	CCTCAAAGCG	AACCTCGCAT	39120
	ATCTCCCAT	GGATTCCAAC	GTCCCGAAG	CCCGTCGCCA	AGCAATTCTT	TCGGAGATTC	39180
	CAGGGGAGAA	GTTCTTTTG	CTTGAGCAG	GAGTGCCAT	TCCTGACAAC	AAGACAGCTG	39240
	ATGTCAGGAT	GGTCTTCATC	AGCGATATCG	TCGCCAGCAA	GACAGACAAG	TCCTACTCAC	39300
25	CCGGCACTCG	GCCATCTGCA	TCAAGCCTTG	CCTATGTTAT	CTTCACATCA	GGCTCGACAG	39360
	GTCGGCCAAA	GGGTGTCATG	GTGAGCATC	GGGTGTTAT	TTCTTTGGTG	AAGCAGAACG	39420
	CTTCAAGAA	ACCACAAAGT	CTGCGGATGG	CACATGTTTC	CAATCTCGCA	TTGATGCTT	39480
30	CCGTGTGGGA	GATATTCACC	ACGTGCTCA	ATGGAGGAAC	GCTTTTCTGT	ATCAGCTACT	39540
	TTACTGTCTT	GGACAGCAAA	GCACTTTCTG	CCGCTTTCTC	CGATCATCGC	ATTAACATCA	39600
	CCCTGCTCCC	ACCGGCCCTTG	CTCAAGCAAT	GTCTTGCAAG	CGCGCCATCT	GTCTGAGCT	39660
35	CCCTCGAGTC	TCTGTACATT	GGAGGCGACC	GCCTTGATGG	AGCTGATGCA	ACCAAGGTGA	39720
	AGGACCTCGT	CAAAGGCAAG	GCCTACAATG	CCTACGGTCC	CACCGAGAAT	TCCGTCATGA	39780
	GCACGATCTA	TACCATCGAA	CACGAGACTT	TTGCGAATGG	CGTTCCCATC	GGCACATCTT	39840
40	TAGGCCCCAA	GTCCAAGGCC	TACATTATGG	ACCAGGATCA	GCAGCTCGTA	CCAGCAGGCG	39900
	TGATGGGAGA	GCTTGTGCTT	GCTGGCGATG	GTCTCGCACG	AGGGTATACC	GATCCATCAC	39960
	TGAACACGGG	CCGTTTCATC	CACATCACGA	TCGATGGCAA	ACAAGTTCAG	GCATACCGGA	40020
	CCGGCGATCG	AGTCAGATAC	CGACCTAGGG	ACTACCAAAT	CGAGTTCTTT	GGCCGTTTAG	40080
45	ATCAGCAGAT	CAAGATTTCG	GGTCATCGCA	TCGAGCCAGC	TGAAGTGGAG	CAGGCTCTTC	40140
	TCAGCGACTC	ATCGATCAAC	GATGCCGTTG	TTGTGTCGGC	ACAAAACAAG	GAGGGACTCG	40200
	AAATGGTTGG	TTACATCACG	ACCCAGGCTG	CACAATCCGT	CGACAAGGAG	GAAGCCAGCA	40260
50	ACAAGGTGCA	GGAGTGGGAG	GCTCATTTTCG	ACTCAACTGC	ATATGCCAAC	ATCGGGGGTA	40320
	TTGATCGCGA	TGCCCTCGGA	CAGGACTTCT	TATCCTGGAC	ATCTATGTAC	GACGGCTCAT	40380
	TGATTCCCCG	TGAAGAGATG	CAGGAATGGC	TCAACGACAC	TATGCGCTCA	CTCCTCGACA	40440

55

	ACCAACCACC	CGGAAAAGTG	CTCGAGATCG	GAAGTGGTAC	CGGTATGGTG	CTGTTCAATC	40500
5	TCGGCAAGGT	TGAGGGACTA	CAGAGCTATG	CCGGTCTTGA	GCCCTCGCGC	TCCGTCACCG	40560
	CCTGGGTAA	CAAGGCAATC	GAAACTTTCC	CAAGCCTGGC	AGGAAGCGCC	CGAGTCCACG	40620
	TTGGAACCGC	CGAGGATATC	AGCTCCATTG	ATGGACTTCG	TTCCGATCTC	GTTGTGATCA	40680
10	ACTCAGTCGC	CCAATACTTC	CCAAGTCGAG	AATATCTCGC	TGAGCTGACG	GCCAACTTGA	40740
	TTCGACTGCC	CGGCGTTAAG	CGTATTTTCT	TCGGTGACAT	GAGAACGTAT	GCTACCAATA	40800
	AGGACTTCTT	GGTGGCACGA	GCAGTCCATA	CCCTAGGGTC	CAATGCATCG	AAGGCCATGG	40860
	TTCGACAACA	AGTGGCCAAG	CTTGAAGATG	ACGAGGAAGA	GTTGCTTGTT	GACCCTGCCT	40920
15	TCTTCACCAG	CCTGAGCGAC	CAGTTCCTTG	ACGAAATCAA	GCATGTCGAA	ATTCTGCCAA	40980
	AGAGGATGGC	CGCGACCAAC	GAAGTCTCAGT	CTTACAGATA	TGCTGCTGTC	ATTCATGTGG	41040
	GAGGCCACCA	GATGCCGAAT	GGGGAGGATG	AGGATAAGCA	ATGGGCTGTC	AAGGATATCA	41100
20	ATCCGAAGGC	CTGGGTGGAC	TTTGCTGGCA	CGAGGATGGA	CCGTCAGGCT	CTCTTGCAGC	41160
	TCCTTCAGGA	CCGCCAACGT	GGCGATGACG	TTGTTGCCGT	CAGTAACATC	CCATACAGCA	41220
	AGACCATCAT	GGAGCGCCAT	CTGTCTCAGT	CACTTGATGA	TGACGAGGAC	GGCACTTCAG	41280
25	CGGTAGACGG	AACGGCCTGG	ATATCGCGTA	CGCAATCACG	GGCGAAGGAA	TGCCCTGCTC	41340
	TCTCAGTGGC	CGACCTGATT	GAGATTGGTA	AGGGGATCGG	CTTCGAAGTT	GAGGCCAGCT	41400
	GGGCTCGACA	ACACTCCCAG	CGCGGCGGAC	TCGATGCTGT	TTTCCACCGA	TTCGAACCAC	41460
30	CAAGACACTC	AGGTCATGTC	ATGTTTCAGT	TCCCGACTGA	ACACAAGGGC	CGGTCTTCGA	41520
	GCAGTCTCAC	GAATCGCCCG	CTACACCTGC	TTCAGAGCCG	CCGACTGGAG	GCAAAGGTCC	41580
	GCGAGCGGCT	GCAATCACTG	CTTCCACCGT	ACATGATTCC	GTCTCGGATC	ACGTTGCTCG	41640
	ATCAGATGCC	TCTCACGTCC	AACGGCAAGG	TGGATCGCAA	GAAGCTTGCT	CGACAAGCCC	41700
35	GGGTCAATCC	AAGAAGTGCG	GCAAGCACGT	TGGACTTTGT	GGCGCCACGC	ACGGAAATCG	41760
	AAGTCGTCTT	CTGCGAAGAA	TTTACCGATC	TACTAGGCGT	CAAGGTTGGC	ATCACAGACA	41820
	ACTTCTTCGA	GTTGGGCGGC	CATTGCTGTC	TGGCCACGAA	ACTGAGCGCA	CGTCTAAGTC	41880
40	GCAGACTGGA	CGCCGGTATC	ACTGTGAAGC	AGGTCTTTGA	CCAGCCAGTA	CTTGCTGATC	41940
	TTGCTGCTTC	TATTCTTCAA	GGCTCGTCTC	GTCACAGGTC	TATCCCGTCT	TTACCCTACG	42000
	AAGGACCCGT	GGAGCAGTCC	TTTGCCGAGG	GGCGCCTGTG	GTTCTCTGAC	CAGTTCAACA	42060
45	TCGATGCCTT	GTGGTACCTT	ATTCCATTTG	CACTCCGCAT	GCGCGGGCCG	CTGCAAGTTG	42120
	ACGCCCTCGC	TGCTGCCCTG	GTGGCACTTG	AAGAGCGTCA	TGAATCTCTG	CGCACAACGT	42180
	TTGAGGAACG	AGACGGAGTC	GGCATCCAAG	TGGTGCAACC	CCTCCGCACG	ACCAAGGATA	42240
50	TCCGGATCAT	CGACGTGTCA	GGCATGCGAG	ACGACGACGC	CTACCTCGAG	CCATTGCAGA	42300
	AAGAACAGCA	GACTCCTTTC	GACCTTGCTT	CAGAGCCTGG	CTGGAGGGTA	GCACTGCTGA	42360
	AGCTTGGAAG	GGATGACCAC	ATCCTCTCTA	TTGTCATGCA	CCACATCATC	TCTGACGGGT	42420
55	GGTCTACTGA	AGTCTTGCAA	AGGGAACCTG	GTCAATTCTA	CTTGGCAGCG	AAATCCGGGA	42480

5 AAGCCCCCTT ATCGCAGGTT GCCCCGCTTC CTATTCAGTA TCGCGATTTT GCTGTTTGGC 42540  
 AGAGACAAGA GGAACAGGTC GCTGAGAGTC AAAGGCAGCT CGACTACTGG AAGAAGCAGC 42600  
 TTGCGGACAG TAGCCCGGCT GAGCTCTTGG CTGACTACAC CAGGCCGAAC GTACTGTCTG 42660  
 GAGAGGCAGG CAGCGTGTCT TTCGTGATCA ACGATTCGGT TTACAAGAGC CTCGTCTCCT 42720  
 10 TCTGCCGGTC TCGCCAAGTA ACCACCTTTA CGACTTTACT GGCAGCGTTT CGCGCCGCTC 42780  
 ACTATCGAAT GACCGGGTCA GACGACGCAA CTATTGGCAC GCCAATTGCC AATCGCAACA 42840  
 GGCCTGAGCT TGAAAACCTG ATCGGCTGCT TCGTCAATAC CCAGTGCATG CGTATCACTA 42900  
 15 TCGGCGACGA TGAGACGTTT GAATCACTGG TACAACAGGT ACGGTCTACC ACCGCGACAG 42960  
 CCTTCGAGAA TCAAGACGTT CCGTTTGAAC GAATCGTTTC CACCCTCAGT GCCGGGTCCA 43020  
 GGGATACGTC CCGAAACCCC CTAGTACAGC TTCTCTTTGC GGTTCATTCT CAACAAGGCC 43080  
 TGGGCAGGAT CCAGCTCGAC GGTGTCGTCG ATGAGCCGGT TCTGTCGACC GTTTCGACTC 43140  
 20 GGTTCGATCT CGAATTCCAC GCCTTCCAAG AGGCCGACCG GCTCAATGGA AGTGTCATGT 43200  
 TTGCCACGGA CCTGTTCCAG CCCGAGACCA TCCAAGGTTT CGTTGCGGTT GTCGAAGAGG 43260  
 TTCTACAGCG TGGCCTGGAG CAGCCGCAGA GTCCCATCGC AACCATGCCG CTGGCCGAAG 43320  
 25 GCATCGCTCA GCTCCGAGAT GCCGGCGCGC TGCAGATGCC AAAGTCTGAT TACCCTCGCA 43380  
 ACGCGTCCCT CGTCGATGTC TTCCAGCAGC AGGCTATGGC CAGCCCGTCA ACTGTCGCCG 43440  
 TCACTGACTC GACCTCCAAG CTGACGTATG CCGAGCTGGA TCGACTCTCC GATCAAGCTG 43500  
 30 CTTCTATCT GCGTCGGCAG CAACTCCCGG CGGAGACAAAT GGTGGCCGTT CTCGCACCGC 43560  
 GCTCTTGTA GACCATCATC GCGTTCCTAG CTATTCTCAA AGCAAATCTT GCCTACATGC 43620  
 CTCTCGACGT CAACACGCCA TCTGCTCGCA TGAAGCCAT CATATCGTCC GTCCAGGGC 43680  
 GTAGGCTCAT CTTGGTTGGC TCGGGCGTCC GCCATGCTGA TATCAACGTA CCGAACGCAA 43740  
 35 AGACGATGCT GATCAGCGAC ACGGTTACCG GGAATGATGC TATTGGCACT CCCGAACCTC 43800  
 TGGTTGTCCG ACCCAGTGCT ACAAGTCTCG CATATGTCAT CTTCACTTCA GGGTCAACGG 43860  
 GCAAGCCAAA GGGTGTCATG GTGGAGCACC GTGCTATCAT GCGCCTTG TG AAGGACAGTA 43920  
 40 ACGTCGTGAC TCACATGCCA CCAGCGACAC GGATGGCCCA CGTCACGAAT ATCGCATTCG 43980  
 ACGTTTCACT GTTCGAGATG TGCGCAACGC TCCTCAACGG CGGAACCTTA GTCTGCATTG 44040  
 ACTACCTGAC CCTTCTTGAC AGCACCATGC TCCGGGAGAC GTTTGAGCGT GAGCAGGTTT 44100  
 45 GCGCAGCCAT CTTCCCGCCA GCACTCCTGC GACAGTGCTT GGTCAACATG CCCGATGCGA 44160  
 TCGGCATGTT AGAGGCTGTT TACGTTGCOG GTGATCGCTT CCACTCCCGC GACGCCCGCG 44220  
 CAACCCAGGC ACTGGCCGGG CCTCGTGTGT ACAACGCGTA TGGCCCAACT GAGAACGCAA 44280  
 TCCTTAGCAC GATATATAAC ATCGATAAGC ACGATCCGTA TGTGAACGGT GTTCTATCG 44340  
 50 GTAGCGCTGT CAGCAATTCA GGGGCCTATG TCATGGATCG GAACCAGCAG CTTCTCCCTC 44400  
 CCGGTGTGAT GGGAGAGCTG GTTGTTACAG GAGAGGGTGT AGCTCGCGGC TATACCGACG 44460

55

CAAGTCTCGA TACGGACCGC TTCGTCACCG TCACGATCGA TGGCCAGCGC CAGAGGGCGT 44520  
 5 ACCGCACGGG TGACCGGGTG CGATATCGAC CAAAGGGATT CCAGATAGAG TTCTTCGGCC 44580  
 GCCTGGACCA GCAGGCCAAG ATTCGCGGCC ACCGTGTTGA ACTGGGCGAG GTCGAACATG 44640  
 CTCTGCTCAG CGAGAATTCA GTCACGGATG CGGCTGTCGT ACTCCGCACC ATGGAAGAGG 44700  
 10 AGGACCCGCA ACTGGTTGCC TTTGTGACTA CTGATCACGA ATATCGCTCG GGTTTCGAGCA 44760  
 ACGAAGAGGA GGATCCGTAC GCCACACAGG CAGCAGGCGA TATGCGCAAG CGACTCCGGT 44820  
 CGCTTCTGCC ATACTACATG GTCCCGTCCC GGGTCACAAT ACTCAGGCAA ATGCCTCTCA 44880  
 15 ACGCCAACGG CAAGGTGGAC CGAAAAGACC TCGCTCGGCG GGCCAGATG ACTCCGACAG 44940  
 CAAGCAGCTC GGGCCCCGTG CATGTGGCTC CTCGCAACGA GACTGAGGCA GCAATTTGCG 45000  
 ACGAGTTCGA GACTATACTC GGAGTCAAGG TGGGAATCAC AGACAACTTC TTCGAAC TAG 45060  
 GCGGGCACTC ACTCCTGGCC ACCAACTCG CTGCTCGGCT CAGCCGCCGG ATGGGCCTTC 45120  
 20 GCATATCCGT CAAGGATCTG TTTGACGATC CTGTTCCGTG TTCTCTCGCC GGCAAGCTGG 45180  
 AACACAGCA GGGGTTCTCG GGAGAAGATG AAAGCTCGAC AGTTGGTATT GTCCCTTCC 45240  
 AACTCTCCC CGCGGAAATG TCGAGAGAGA TCATCCAGCG CGATGTTGTA CCTCAGATTG 45300  
 25 AGAACGGTCA CAGCACACCC CTGGACATGT ATCCAGCCAC GCAGACGCAG ATCTTCTTCC 45360  
 TGCACGACAA AGCGACGGGC CACCCAGCCA CGCCGCCACT GTTCTCCTTG GACTTCCCCG 45420  
 AGACCGCCGA CTGCCGTCGT CTGGCAAGCG CCTGCGCCGC TCTCGTCCAG CACTTTGACA 45480  
 30 TATTCAGAAC CGTGTTCTGT TCAAGAGGCG GCCGCTTCTA CCAAGTTGTT CTTGCTCATC 45540  
 TCGATGTACC TGTCGAGGTC ATCGAGACCG AGCAAGAGTT GGATGAGGTT GCTCTCGCGC 45600  
 TGCATGAAGC AGACAAGCAG CAGCCCCTAC GTCTGGGACG TGCGATGCTG CGGATCGCCA 45660  
 TCCTCAAGAG ACCGGGAGCC AAGATGCGAC TTGTCTCCG AATGTCTCAT TCCCTGTACG 45720  
 35 ACGGCTTGAG TCTTGAACAC ATCGTCAACG CTCTACATGC CTTGTACAGT GATAAGCACC 45780  
 TTGCGCAAGC ACCCAAGTTT GGTCTCTACA TGCATCACAT GGCTAGCCGA CGTGCAGAGG 45840  
 GCTACAATTT CTGGCGATCT ATTCTTCAGG GCTCTTCAAT GACATCCCTG AAGCGCTCTG 45900  
 40 TCGGCGCCCT CGAGGCCATG ACGCCGTCTG CCGGTACATG GCAGACGTCA AAGTCCATCA 45960  
 GGATCCCTCC TGCGGCACTC AAGAACGGCA TTACGAGGC GACCTCTTC ACCGCGCCG 46020  
 TCTCTCTCTT GCTCGCCAAG CATACCAAGT CGACAGACGT CGTCTTCGGC CGCGTCGTAT 46080  
 45 CTGGACGACA GGATCTCTCC ATAACTGCC AAGACATCGT GGGACCTTGC ATCAACGAGG 46140  
 TGCCTGTGCG CGTTCGGATC GACGAGGGCG ACGACATGGG TGGTCTGCTG CGCGCCATTC 46200  
 AAGACCAGTA CACCAGCAGC TTCCGGCAGC AGACCTTGGG CTTGCAAGAA GTGAAGGAGA 46260  
 ACTGCACGGA CTGGACTGAT GCGACCAAGG AGTTCAGTTG CTGCATTGCC TTCCAGAACC 46320  
 50 TCAACCTGCA TCCTGAGGCC GAGATTGAAG GGCAGCAGAT TCGCCTGGAG GGTTTGCCAG 46380  
 CAAAGGATCA AGCACGCCAG GCCAATGGTC ATGCCCAAA TGGCAGAAC GGCACGAATG 46440  
 GCACGAATGG CACGAATGGC GCGAACGGCA CGAATGGCAC GAATGGCAGC AATGGTACCC 46500



5 ATGCCAACGG TATCAATGGT AGCAACGGTG TCAATGGCCG CGATAGCAAC GTGGTTTCAG 46560  
 CCGCTGGCGA TCAAGCTCCT GTTCACGATC TGGACATTGT TGGGATTCCG GAGCCCGACG 46620  
 GCAGCGTCAA GATTGGCATT GGTGCGAGCC GGCAGATCCT TGGAGAGAAG GTCGTGGGCA 46680  
 GCATGCTCAA TGAACTTTGC GAGACCATGC TCGCTTTGAG CAGAACATAG CAGCTTTTCC 46740  
 10 AGGGAGATTG GTTGGATGGA CAAGATTCTC TTCAATTATG GAGGTTGGCA TGAGGCAACA 46800  
 GGAGGACTAC TGACTTTTCA TGTTTTTTGG GGTTTTTTGG GGTTCCTTTT TTCCTTTCAT 46860  
 CTTTACTTGA TGC GCGATGT CTGCTTTCCT CTAGAATTC 46899

## (2) INFORMATION FOR SEQ ID NO: 2:

15 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 15281 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: unknown  
 20 (ii) MOLECULE TYPE: protein  
 (iii) HYPOTHETICAL: NO  
 (iii) ANTI-SENSE: NO  
 25 (vi) ORIGINAL SOURCE:  
 (A) ORGANISM: *Tolypocladium niveum*  
 (B) STRAIN: ATCC 34921  
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:  
 30 Met Gly Ala Ile Gly Gln Asp Met Ala Tyr Asp Arg Leu Ala Asn Pro  
 1 5 10 15  
 Ser Arg Ala Ser Ser Ile Ser Ser Asn Arg Tyr Ser Glu Pro Val Glu  
 20 25 30  
 35 Gln Ser Phe Ala Gln Gly Arg Leu Trp Phe Leu His Gln Leu Lys Leu  
 35 40 45  
 Gly Ala Ser Trp Asp Ile Thr Pro Ala Ala Ile Arg Leu Arg Gly His  
 50 55 60  
 40 Leu Asp Ile Asp Ala Leu Asn Ala Ala Ser Arg Ala Leu Thr Gln Arg  
 65 70 75 80  
 His Glu Thr Leu Arg Thr Thr Phe Lys Glu Gln Asp Gly Val Gly Val  
 85 90 95  
 45 Gln Val Val His Ala Ser Gly Leu Glu Arg Gly Leu Arg Ile Val Asp  
 100 105 110  
 Ala Ser Ser Arg Asp Leu Ala Gln Leu Leu Ala Glu Glu Gln Thr Met  
 115 120 125  
 Lys Phe Asp Leu Glu Ser Glu Pro Ala Trp Arg Val Ala Leu Leu Lys  
 130 135 140  
 50 Val Ala Glu Asp His His Ile Leu Ser Ile Val Val His His Ile Ile  
 145 150 155 160  
 Ser Asp Ser Arg Ser Leu Asp Ile Ile Gln Gln Glu Leu Gly Glu Leu

55

EP 0 578 616 A2

		165		170		175
		Tyr Thr Ala Ala Ser Gln Gly Lys Ser Ile Ser Ala Cys Pro Leu Gly				
		180		185		190
5		Pro Ile Pro Ile Gln Tyr Arg Asp Leu Thr Thr Trp Gln Asn Gln Asp				
		195		200		205
		Glu Gln Val Ala Glu Gln Glu Arg Gln Leu Gly Tyr Trp Ile Glu Gln				
		210		215		220
10		Leu Asp Asn Asn Thr Pro Ala Glu Leu Leu Thr Glu Leu Pro Arg Pro				
		225		230		235
		Ala Ile Pro Ser Gly Glu Thr Gly Lys Ile Ser Phe Gln Ile Asp Gly				
		245		250		255
15		Ser Val His Lys Glu Leu Leu Ala Phe Cys Arg Ser Gln Gln Val Thr				
		260		265		270
		Ala Tyr Ala Val Leu Leu Ala Ala Phe Arg Val Ala His Phe Arg Leu				
		275		280		285
20		Thr Gly Ala Glu Asp Ala Thr Ile Gly Ala Pro Val Ala Asn Arg Asp				
		290		295		300
		Arg Pro Glu Leu Glu Asn Met Val Ala Pro Leu Ala Thr Leu Gln Cys				
		305		310		315
25		Met Arg Val Val Leu Asp Glu Asp Asp Thr Phe Glu Ser Val Leu Arg				
		325		330		335
		Gln Ile Met Ser Val Met Thr Glu Ala His Ala Asn Arg Asp Val Pro				
		340		345		350
30		Phe Glu Arg Ile Val Ser Ala Leu Leu Pro Gly Ser Thr Asp Thr Ser				
		355		360		365
		Arg His Pro Leu Val Gln Leu Met Phe Ala Leu His Pro Ala Gln Asp				
		370		375		380
35		Thr Gly Arg Ala Arg Trp Gly Phe Leu Glu Ala Glu Thr Leu Gln Ser				
		385		390		395
		Ala Ala Pro Thr Arg Phe Asp Met Glu Met His Leu Phe Glu Gly Asp				
		405		410		415
40		Asp Arg Phe Asp Ala Asn Val Leu Phe Ser Thr Gly Leu Phe Asp Ala				
		420		425		430
		Glu Ala Ile Arg Ser Val Val Ser Ile Phe Arg Glu Val Leu Arg Arg				
		435		440		445
45		Gly Ile Ser Glu Pro Ala Val His Val Lys Thr Met Pro Leu Thr Asp				
		450		455		460
		Gly Leu Ala Ala Ile Arg Asp Met Gly Leu Leu Asp Ile Gly Thr Thr				
		465		470		475
		Asp Tyr Pro Arg Glu Ala Ser Val Val Asp Met Phe Gln Glu Gln Val				
		485		490		495
50		Ala Leu Asn Pro Ser Ala Thr Ala Val Ala Asp Ala Ser Ser Arg Leu				
		500		505		510
		Ser Tyr Ser Glu Leu Asp His Lys Ser Asp Gln Leu Ala Ala Trp Leu				
		515		520		525
55						

EP 0 578 616 A2

	Arg	Arg	Arg	Gln	Leu	Lys	Pro	Glu	Thr	Leu	Ile	Gly	Val	Leu	Ser	Pro
	530						535					540				
5	Pro	Ser	Cys	Glu	Thr	Met	Val	Ser	Phe	Leu	Gly	Ile	Leu	Lys	Ala	His
	545					550					555					560
	Leu	Ala	Tyr	Leu	Pro	Leu	Asp	Ile	Asn	Val	Pro	Leu	Ala	Arg	Ile	Glu
					565					570					575	
10	Ser	Ile	Leu	Ser	Ala	Val	Asp	Gly	His	Lys	Leu	Val	Leu	Leu	Gly	Ser
				580					585						590	
	Asn	Val	Pro	Gln	Pro	Lys	Val	Asp	Val	Pro	Asp	Val	Glu	Leu	Leu	Arg
			595					600					605			
15	Ile	Ser	Asp	Ala	Leu	Asn	Gly	Ser	Gln	Val	Asn	Gly	Leu	Ala	Gly	Lys
	610						615					620				
	Gln	Ala	Thr	Ala	Lys	Pro	Ser	Ala	Thr	Asp	Leu	Ala	Tyr	Val	Ile	Phe
	625					630					635					640
20	Thr	Ser	Gly	Ser	Thr	Gly	Lys	Pro	Lys	Gly	Val	Met	Ile	Glu	His	Arg
					645					650					655	
	Gly	Ile	Val	Arg	Leu	Val	Lys	Gly	Thr	Asn	Ile	Ile	Ser	Pro	Ala	Gln
				660					665					670		
25	Ala	Ala	Val	Pro	Thr	Ala	His	Leu	Ala	Asn	Ile	Ala	Phe	Asp	Leu	Ser
			675					680					685			
	Thr	Trp	Glu	Ile	Tyr	Thr	Pro	Ile	Leu	Asn	Gly	Gly	Thr	Leu	Val	Cys
	690						695					700				
30	Ile	Glu	His	Ser	Val	Thr	Leu	Asp	Ser	Lys	Ala	Leu	Glu	Ala	Val	Phe
	705					710					715					720
	Thr	Lys	Glu	Gly	Ile	Arg	Val	Ala	Phe	Leu	Ala	Pro	Ala	Leu	Ile	Lys
					725					730					735	
35	Gln	Cys	Leu	Ala	Asp	Arg	Pro	Ala	Ile	Phe	Ala	Gly	Leu	Asp	Ser	Leu
				740					745					750		
	Tyr	Ala	Ile	Gly	Asp	Arg	Phe	Asp	Arg	Arg	Asp	Ala	Leu	His	Ala	Lys
			755					760					765			
40	Ser	Leu	Val	Lys	His	Gly	Val	Tyr	Asn	Ala	Tyr	Gly	Pro	Thr	Glu	Asn
	770						775					780				
	Ser	Val	Val	Ser	Thr	Ile	Tyr	Ser	Val	Ser	Glu	Ala	Ser	Pro	Phe	Val
	785					790					795					800
45	Thr	Gly	Val	Pro	Val	Gly	Arg	Ala	Ile	Ser	Asn	Ser	Gly	Ala	Tyr	Val
					805					810					815	
	Met	Asp	Gln	Asp	Gln	Gln	Leu	Val	Ser	Pro	Gly	Val	Met	Gly	Glu	Leu
				820					825					830		
50	Val	Val	Ser	Gly	Asp	Gly	Leu	Ala	Arg	Gly	Tyr	Thr	Asp	Ser	Ala	Leu
				835				840					845			
	Asp	Lys	Asn	Arg	Phe	Val	Val	Val	Gln	Ile	Asp	Gly	Glu	Ser	Ile	Arg
	850						855					860				
55	Gly	Tyr	Arg	Thr	Gly	Asp	Arg	Ala	Arg	Tyr	Ser	Leu	Lys	Gly	Gly	Gln
	865					870					875					880

EP 0 578 616 A2

Ile Glu Phe Phe Gly Arg Met Asp Gln Gln Val Lys Ile Arg Gly His  
885 890 895

Arg Ile Glu Pro Ala Glu Val Glu His Ala Leu Leu Asn Ser Asp Gln  
900 905 910

Val Arg Asp Ala Ala Val Val Ile Arg Arg Gln Glu Glu Glu Glu Pro  
915 920 925

Ala Met Ile Ala Phe Val Thr Thr Gln Gly Thr Leu Pro Asp His Leu  
930 935 940

Val Asn Ile Asn Gly Asn Gly His Val Pro Asp Gly Asn Gly Ser Lys  
945 950 955 960

Asn Asp Gln Phe Ala Val His Val Glu Ser Glu Leu Arg Arg Arg Leu  
965 970 975

Gln Met Leu Leu Pro Ser Tyr Met Met Pro Ala Arg Ile Val Val Leu  
980 985 990

Asp His Leu Pro Leu Asn Pro Asn Gly Lys Val Asp Arg Lys Ala Leu  
995 1000 1005

Gly Gln Ser Ala Lys Thr Val Gln Lys Ser Lys Leu Val Ser Gln Arg  
1010 1015 1020

Val Ala Pro Arg Asn Glu Ile Glu Ala Val Leu Cys Glu Glu Tyr Arg  
1025 1030 1035 1040

Ser Val Leu Gly Val Glu Val Gly Ile Thr Asp Asn Phe Phe Asp Leu  
1045 1050 1055

Gly Gly His Ser Leu Thr Ala Met Lys Leu Ala Ala Arg Ile Ser Gln  
1060 1065 1070

Arg Leu Asp Ile Gln Ala Ser Val Ala Thr Val Phe Glu Gln Pro Met  
1075 1080 1085

Leu Ala Asp Leu Ala Ala Thr Ile Gln Arg Gly Ser Thr Leu Tyr Ser  
1090 1095 1100

Val Ile Pro Thr Thr Glu Tyr Thr Gly Pro Val Glu Gln Ser Phe Ala  
1105 1110 1115 1120

Gln Gly Arg Leu Trp Phe Leu Glu Gln Leu Asn Thr Gly Ala Ser Trp  
1125 1130 1135

Tyr Asn Val Met Leu Thr Val Arg Leu Arg Gly His Leu Asp Val Asp  
1140 1145 1150

Ala Leu Gly Thr Ala Leu Leu Ala Leu Glu Lys Arg His Glu Thr Leu  
1155 1160 1165

Arg Thr Thr Phe Glu Glu Arg Asp Gly Val Gly Met Gln Val Val His  
1170 1175 1180

Ser Ser Leu Met Gly Glu Leu Arg Leu Ile Asp Ile Ser Glu Lys Ser  
1185 1190 1195 1200

Gly Thr Ala Ala His Glu Ala Leu Met Lys Glu Gln Ser Thr Arg Phe  
1205 1210 1215

Asp Leu Thr Arg Glu Pro Gly Trp Arg Val Ala Leu Leu Lys Leu Ala  
1220 1225 1230

Asp His His Ile Phe Ser Ile Val Met His His Ile Val Ser Asp Gly

EP 0 578 616 A2

	1235	1240	1245
	Trp Ser Leu Asp Leu Leu Arg His Glu Leu Gly Gln Leu Tyr Ser Ala 1250 1255 1260		
5	Ala Leu Arg Gly Gln Asp Pro Leu Ser Arg Leu Glu Pro Leu Pro Ile 1265 1270 1275 1280		
	Gln Tyr Arg Asp Phe Ala Val Trp Gln Lys Gln Asp Ser Gln Gln Lys 1285 1290 1295		
10	Ala Ala His Gln Arg Gln Leu Glu Tyr Trp Thr Lys Gln Leu Ala Asp 1300 1305 1310		
	Ser Thr Pro Ala Glu Leu Leu Thr Asp Phe Pro Arg Pro Ser Ile Leu 1315 1320 1325		
15	Ser Gly Lys Ala Gly Lys Val Pro Val Ala Ile Glu Gly Ser Leu Tyr 1330 1335 1340		
	Asp Thr Leu Gln Val Phe Ser Arg Thr His Gln Val Thr Ser Phe Ala 1345 1350 1355 1360		
20	Val Leu Leu Ala Ala Phe Arg Ala Ala His Phe Arg Leu Thr Gly Ser 1365 1370 1375		
	Asp Asn Ala Thr Ile Gly Val Pro Ser Ala Asn Arg Asn Arg Pro Glu 1380 1385 1390		
25	Leu Glu Asn Val Ile Gly Phe Phe Val Asn Thr Gln Cys Ile Arg Ile 1395 1400 1405		
	Thr Ile Asp Glu Asn Asp Asn Phe Glu Ser Leu Val Arg Gln Val Arg 1410 1415 1420		
30	Ser Thr Thr Thr Ala Ala Gln Asp Asn Gln Asp Val Pro Phe Glu Gln 1425 1430 1435 1440		
	Val Val Ser Ser Leu Met Pro Ser Ser Ser Arg Asp Ala Ser Arg Asn 1445 1450 1455		
35	Pro Leu Val Gln Leu Met Phe Ala Leu His Gly Gln Gln Asp Leu Phe 1460 1465 1470		
	Lys Ile Gln Leu Glu Gly Thr Glu Glu Glu Val Ile Pro Thr Glu Glu 1475 1480 1485		
40	Val Thr Arg Phe Asp Ile Glu Phe His Leu Tyr Gln Gly Ala Ser Lys 1490 1495 1500		
	Leu Ser Gly Asp Ile Ile Phe Ala Ala Asp Leu Phe Glu Ala Glu Thr 1505 1510 1515 1520		
45	Ile Arg Gly Val Val Ser Val Phe Gln Glu Val Leu Arg Arg Gly Leu 1525 1530 1535		
	Gln Gln Pro Gln Thr Pro Ile Met Thr Met Pro Leu Thr Asp Gly Ile 1540 1545 1550		
50	Pro Glu Leu Glu Arg Met Gly Leu Leu His Met Val Lys Thr Asp Tyr 1555 1560 1565		
	Pro Arg Asn Met Ser Val Val Asp Val Phe Gln Gln Gln Val Arg Leu 1570 1575 1580		
55	Ser Ala Glu Ala Thr Ala Val Ile Asp Ser Ser Ser Arg Met Ser Tyr 1585 1590 1595 1600		

EP 0 578 616 A2

	Ala Glu Leu Asp Gln Arg Ser Asp Gln Val Ala Ala Trp Leu Arg Gln	1605	1610	1615
5	Arg Gln Leu Pro Ala Glu Thr Phe Val Ala Val Leu Ala Pro Arg Ser	1620	1625	1630
	Cys Glu Ala Val Ile Ala Leu Phe Gly Ile Leu Lys Ala Gly His Ala	1635	1640	1645
10	Tyr Leu Pro Leu Asp Val Asn Val Pro Ala Ala Arg Leu Arg Ala Ile	1650	1655	1660
	Leu Ala Glu Val Lys Gly Glu Lys Leu Val Leu Leu Gly Ala Gly Glu	1665	1670	1675
15	Pro Ser Pro Glu Gly Gln Ser Pro Glu Val Ser Ile Val Arg Ile Ala	1685	1690	1695
	Asp Ala Thr Ser Pro Ala Gly His Ala Ser Leu Arg Asp Gly Lys Ser	1700	1705	1710
20	Lys Pro Thr Ala Gly Ser Leu Ala Tyr Val Ile Phe Thr Ser Gly Ser	1715	1720	1725
	Thr Gly Lys Pro Lys Gly Val Met Ile Glu His Arg Gly Val Leu Arg	1730	1735	1740
25	Leu Val Lys Gln Thr Asn Ile Leu Ser Ser Leu Pro Pro Ala Gln Thr	1745	1750	1755
	Phe Arg Met Ala His Met Ser Asn Leu Ala Phe Asp Ala Ser Ile Trp	1765	1770	1775
30	Glu Val Phe Thr Ala Leu Leu Asn Gly Gly Ser Leu Val Cys Ile Asp	1780	1785	1790
	Arg Phe Thr Ile Leu Asp Ala Gln Ala Leu Glu Ala Leu Phe Leu Arg	1795	1800	1805
35	Glu His Ile Asn Ile Ala Leu Phe Pro Pro Ala Leu Leu Lys Gln Cys	1810	1815	1820
	Leu Thr Asp Ala Ala Ala Thr Ile Lys Ser Leu Asp Leu Leu Tyr Val	1825	1830	1835
40	Gly Gly Asp Arg Leu Asp Thr Ala Asp Ala Ala Leu Ala Lys Ala Leu	1845	1850	1855
	Val Lys Ser Glu Val Tyr Asn Ala Tyr Gly Pro Thr Glu Asn Thr Val	1860	1865	1870
45	Met Ser Thr Leu Tyr Ser Ile Ala Asp Thr Glu Arg Phe Val Asn Gly	1875	1880	1885
	Val Pro Ile Gly Arg Ala Val Ser Asn Ser Gly Val Tyr Val Met Asp	1890	1895	1900
50	Gln Asn Gln Gln Leu Val Pro Leu Gly Val Met Gly Glu Leu Val Val	1905	1910	1915
	Thr Gly Asp Gly Leu Ala Arg Gly Tyr Thr Asn Pro Ala Leu Asp Ser	1925	1930	1935
55	Asp Arg Phe Val Asp Val Ile Ala Arg Gly Gln Leu Leu Arg Ala Tyr	1940	1945	1950

Arg Thr Gly Asp Arg Ala Arg Tyr Arg Pro Lys Asp Gly Gln Val Glu  
 1955 1960 1965  
 5 Phe Phe Gly Arg Met Asp His Gln Val Lys Val Arg Gly His Arg Ile  
 1970 1975 1980  
 Glu Leu Ala Glu Val Glu His Ala Leu Leu Ser Ser Ala Gly Val His  
 1985 1990 1995 2000  
 10 Asp Ala Val Val Val Ser Asn Ser Gln Glu Asp Asn Gln Gly Val Glu  
 2005 2010 2015  
 Met Val Ala Phe Ile Thr Ala Gln Asp Asn Glu Thr Leu Gln Glu Ala  
 2020 2025 2030  
 15 Gln Ser Ser Asn Gln Val Gln Glu Trp Glu Ser His Phe Glu Thr Thr  
 2035 2040 2045  
 Ala Tyr Ala Asp Ile Thr Ala Ile Asp Gln Asn Thr Leu Gly Arg Asp  
 2050 2055 2060  
 20 Phe Thr Ser Trp Thr Ser Met Tyr Asp Gly Thr Leu Ile Asp Lys Arg  
 2065 2070 2075 2080  
 Glu Met Gln Glu Trp Leu Asp Asp Thr Met Arg Thr Phe Leu Asp Gly  
 2085 2090 2095  
 25 Gln Ala Ala Gly His Val Leu Glu Ile Gly Thr Gly Thr Gly Met Val  
 2100 2105 2110  
 Leu Phe Asn Leu Gly Gln Ala Gly Leu Lys Ser Tyr Ile Gly Leu Glu  
 2115 2120 2125  
 30 Pro Ser Gln Ser Ala Val Gln Phe Val Asn Lys Ala Ala Gln Thr Phe  
 2130 2135 2140  
 Pro Gly Leu Glu Gly Lys Ala Gln Val His Val Gly Thr Ala Met Asp  
 2145 2150 2155 2160  
 35 Thr Gly Arg Leu Ser Ala Leu Ser Pro Asp Leu Ile Val Ile Asn Ser  
 2165 2170 2175  
 Val Ala Gln Tyr Phe Pro Ser Arg Glu Tyr Leu Ala Glu Val Val Glu  
 2180 2185 2190  
 40 Ala Leu Val Arg Ile Pro Gly Val Arg Arg Ile Phe Phe Gly Asp Met  
 2195 2200 2205  
 Arg Thr Tyr Ala Thr His Lys Asp Phe Leu Val Ala Arg Ala Val His  
 2210 2215 2220  
 45 Thr Asn Gly Ser Lys Val Thr Arg Ser Lys Val Gln Gln Glu Val Ala  
 2225 2230 2235 2240  
 Arg Leu Glu Glu Leu Glu Glu Glu Leu Leu Val Asp Pro Ala Phe Phe  
 2245 2250 2255  
 50 Thr Ser Leu Lys Glu Ser Leu Ser Glu Glu Ile Glu His Val Glu Ile  
 2260 2265 2270  
 Leu Pro Lys Asn Met Lys Val Asn Asn Glu Leu Ser Ser Tyr Arg Tyr  
 2275 2280 2285  
 55 Gly Ala Val Leu His Ile Arg Asn His Asn Gln Asn Gln Ser Arg Ser  
 2290 2295 2300  
 Ile His Lys Ile Asn Ala Glu Ser Trp Ile Asp Ph Ala Ser Ser Gln

EP 0 578 616 A2

	2305	2310	2315	2320
	Met Asp Arg Gln Gly Leu Ala Arg Leu Leu Lys Glu Asn Lys Asp Ala			
		2325	2330	2335
5	Glu Ser Ile Ala Val Phe Asn Ile Pro Tyr Ser Lys Thr Ile Val Glu			
		2340	2345	2350
	Arg His Ile Ala Lys Ser Leu Ala Asp Asp His Asp Gly Asp Asp Thr			
		2355	2360	2365
10	His Ser Ser Ile Asp Gly Val Ala Trp Ile Ser Ala Ala Arg Glu Lys			
		2370	2375	2380
	Ala Ser Gln Cys Pro Ser Leu Asp Val His Asp Leu Val Gln Leu Ala			
		2385	2390	2395
15	Glu Asp Ala Gly Phe Arg Val Glu Val Ser Trp Ala Arg Gln Arg Ser			
		2405	2410	2415
	Gln Asn Gly Ala Leu Asp Val Phe Phe His His Phe Gln Pro Thr Glu			
		2420	2425	2430
20	Asn Glu Ser Arg Ala Leu Val Asp Phe Pro Thr Asp Tyr Lys Gly Gln			
		2435	2440	2445
	Gln Ala Arg Ser Leu Thr Asn Arg Pro Leu Gln Arg Val Glu Ser Arg			
		2450	2455	2460
25	Arg Ile Glu Ala Gln Val Arg Glu Gln Leu Gln Val Leu Leu Pro Ala			
		2465	2470	2475
	Tyr Met Ile Pro Ala Arg Ile Val Val Leu Gln Asn Met Pro Leu Asn			
		2485	2490	2495
30	Thr Ser Gly Lys Val Asp Arg Lys Glu Leu Thr Leu Arg Ala Lys Val			
		2500	2505	2510
	Thr Ala Ala Arg Thr Pro Ser Ser Glu Leu Val Ala Pro Arg Asp Ser			
		2515	2520	2525
35	Ile Glu Ala Ile Ile Cys Lys Glu Phe Lys Asp Val Leu Gly Val Glu			
		2530	2535	2540
	Val Gly Ile Thr Asp Asn Phe Phe Asn Val Gly Gly His Ser Leu Leu			
		2545	2550	2555
40	Ala Thr Lys Leu Ala Ala Arg Leu Ser Arg Gln Leu Asn Ala Gln Ile			
		2565	2570	2575
	Ala Val Lys Asp Ile Phe Asp Arg Pro Val Ile Ala Asp Leu Ala Ala			
		2580	2585	2590
45	Thr Ile Gln Gln Asp Thr Thr Glu His Asn Pro Ile Leu Pro Thr Ser			
		2595	2600	2605
	Tyr Thr Gly Pro Val Glu Gln Ser Phe Ala Gln Gly Arg Leu Trp Phe			
		2610	2615	2620
50	Leu Asp Gln Leu Asn Val Gly Ala Thr Trp Tyr Leu Met Pro Phe Ala			
		2625	2630	2635
	Val Arg Leu Arg Gly Pro Leu Val Val Ser Ala Leu Ala Ala Ala Leu			
		2645	2650	2655
55	Leu Ala Leu Glu Glu Arg His Glu Thr Leu Arg Thr Thr Phe Ile Glu			
		2660	2665	2670



EP 0 578 616 A2

Gln Glu Gly Ile Gly Met Gln Val Ile His Pro Phe Ala Pro Lys Glu  
 2675 2680 2685  
 5 Leu Arg Val Ile Asp Val Ser Gly Glu Glu Glu Ser Thr Ile Gln Lys  
 2690 2695 2700  
 Ile Leu Glu Lys Glu Gln Thr Thr Pro Phe Asn Leu Ala Ser Glu Pro  
 2705 2710 2715 2720  
 10 Gly Phe Arg Leu Ala Leu Leu Lys Thr Gly Glu Asp Glu His Ile Leu  
 2725 2730 2735  
 Ser Thr Val Met His His Ala Ile Ser Asp Gly Trp Ser Val Asp Ile  
 2740 2745 2750  
 15 Phe Gln Gln Glu Ile Gly Gln Phe Tyr Ser Ala Ile Leu Arg Gly His  
 2755 2760 2765  
 Asp Pro Leu Ala Gln Ile Ala Pro Leu Ser Ile Gln Tyr Arg Asp Phe  
 2770 2775 2780  
 20 Ala Thr Trp Gln Arg Gln Ile Phe Gln Val Ala Glu His Arg Arg Gln  
 2785 2790 2795 2800  
 Leu Ala Tyr Trp Thr Lys Gln Leu Ala Asp Asn Lys Pro Ala Glu Leu  
 2805 2810 2815  
 25 Leu Thr Asp Phe Lys Arg Pro Pro Met Leu Ser Gly Arg Ala Gly Glu  
 2820 2825 2830  
 Ile Pro Val Val Val Asp Gly Leu Ile Tyr Glu Lys Leu Gln Asp Phe  
 2835 2840 2845  
 30 Cys Arg Ile Arg Gln Val Thr Ala Phe Thr Val Leu Leu Ala Ala Phe  
 2850 2855 2860  
 Arg Ala Ala His Tyr Arg Met Thr Gly Thr Glu Asp Ala Thr Ile Gly  
 2865 2870 2875 2880  
 35 Thr Pro Ile Ala Asn Arg Asn Arg Pro Glu Leu Glu Gly Leu Ile Gly  
 2885 2890 2895  
 Phe Phe Val Asn Thr Gln Cys Met Arg Ile Thr Val Asp Val Glu Asp  
 2900 2905 2910  
 40 Ser Phe Glu Thr Leu Val His Gln Val Arg Glu Thr Thr Leu Ala Ala  
 2915 2920 2925  
 His Ala Asn Gln Asp Val Pro Phe Glu Gln Ile Val Ser Asn Ile Leu  
 2930 2935 2940  
 45 Pro Gly Ser Ser Asp Thr Ser Arg Asn Pro Leu Val Gln Leu Met Phe  
 2945 2950 2955 2960  
 Ala Leu His Ser Gln Gln Asn Leu Gly Lys Val Arg Leu Glu Gly Ile  
 2965 2970 2975  
 50 Glu Glu Glu Ile Ile Ser Ile Ala Glu Thr Thr Arg Phe Asp Ile Glu  
 2980 2985 2990  
 Phe His Leu Tyr Gln Glu Ala Glu Arg Leu Asn Gly Ser Ile Val Tyr  
 2995 3000 3005  
 55 Ala Ala Asp Leu Phe Val Pro Glu Thr Ile Gln Ser Val Ile Thr Ile  
 3010 3015 3020

EP 0 578 616 A2

Phe Gln Gly Ile Leu Gln Lys Gly Leu Gly Glu Pro Asp Met Pro Val  
 3025 3030 3035 3040  
 5 Ala Ser Met Ala Leu Asp Gly Gly Leu Glu Ser Leu Arg Ser Thr Gly  
 3045 3050 3055  
 Leu Leu His Pro Gln Gln Thr Asp Tyr Pro Cys Asp Ala Ser Val Val  
 3060 3065 3070  
 10 Gln Ile Phe Lys Gln Gln Val Ala Val Asn Pro Asp Val Ile Ala Val  
 3075 3080 3085  
 Arg Asp Glu Ser Thr Arg Leu Ser Tyr Ala Asp Leu Asp Arg Lys Ser  
 3090 3095 3100  
 15 Asp Gln Val Ala Cys Trp Leu Ser Arg Arg Gly Ile Ala Pro Glu Thr  
 3105 3110 3115 3120  
 Phe Val Ala Ile Leu Ala Pro Arg Ser Cys Glu Thr Ile Val Ala Ile  
 3125 3130 3135  
 20 Leu Gly Val Leu Lys Ala Asn Leu Ala Tyr Leu Pro Leu Asp Val Asn  
 3140 3145 3150  
 Val Pro Ala Ser Arg Leu Glu Ala Ile Leu Ser Glu Val Ser Gly Ser  
 3155 3160 3165  
 25 Met Leu Val Leu Val Gly Ala Glu Thr Pro Ile Pro Glu Gly Met Ala  
 3170 3175 3180  
 Glu Ala Glu Thr Ile Arg Ile Thr Glu Ile Leu Ala Asp Ala Lys Thr  
 3185 3190 3195 3200  
 30 Asp Asp Ile Asn Gly Leu Ala Ala Ser Gln Pro Thr Ala Ala Ser Leu  
 3205 3210 3215  
 Ala Tyr Val Ile Phe Thr Ser Gly Ser Thr Gly Arg Pro Lys Gly Val  
 3220 3225 3230  
 35 Met Val Glu His Arg Gly Ile Val Arg Leu Thr Lys Gln Thr Asn Ile  
 3235 3240 3245  
 Thr Ser Lys Leu Pro Glu Ser Phe His Met Ala His Ile Ser Asn Leu  
 3250 3255 3260  
 40 Ala Phe Asp Ala Ser Val Trp Glu Val Phe Thr Thr Leu Leu Asn Gly  
 3265 3270 3275 3280  
 Gly Thr Leu Val Cys Ile Asp Tyr Phe Thr Leu Leu Glu Ser Thr Ala  
 3285 3290 3295  
 45 Leu Glu Lys Val Phe Phe Asp Gln Arg Val Asn Val Ala Leu Leu Pro  
 3300 3305 3310  
 Pro Ala Leu Leu Lys Gln Cys Leu Asp Asn Ser Pro Ala Leu Val Lys  
 3315 3320 3325  
 50 Thr Leu Ser Val Leu Tyr Ile Gly Gly Asp Arg Leu Asp Ala Ser Asp  
 3330 3335 3340  
 Ala Ala Lys Ala Arg Gly Leu Val Gln Thr Gln Ala Phe Asn Ala Tyr  
 3345 3350 3355 3360  
 Gly Pro Thr Glu Asn Thr Val Met Ser Thr Ile Tyr Pro Ile Ala Glu  
 3365 3370 3375  
 55 Asp Pro Phe Ile Asn Gly Val Pro Ile Gly His Ala Val Ser Asn Ser

EP 0 578 616 A2

	3380	3385	3390
	Gly Ala Phe Val Met Asp Gln Asn Gln Gln Ile Thr Pro Pro Gly Ala 3395 3400 3405		
5	Met Gly Glu Leu Ile Val Thr Gly Asp Gly Leu Ala Arg Gly Tyr Thr 3410 3415 3420		
	Thr Ser Ser Leu Asn Thr Gly Arg Phe Ile Asn Val Asp Ile Asp Gly 3425 3430 3435 3440		
10	Glu Gln Val Arg Ala Tyr Arg Thr Gly Asp Arg Val Arg Tyr Arg Pro 3445 3450 3455		
	Lys Asp Leu Gln Ile Glu Phe Phe Gly Arg Ile Asp His Gln Val Lys 3460 3465 3470		
15	Ile Arg Gly His Arg Ile Glu Pro Ala Glu Val Glu Tyr Ala Leu Leu 3475 3480 3485		
	Ser His Asp Leu Val Thr Asp Ala Ala Val Val Thr His Ser Gln Glu 3490 3495 3500		
20	Asn Gln Asp Leu Glu Met Val Gly Phe Val Ala Ala Arg Val Ala Asp 3505 3510 3515 3520		
	Val Arg Glu Asp Glu Ser Ser Asn Gln Val Gln Glu Trp Gln Thr His 3525 3530 3535		
25	Phe Asp Ser Ile Ala Tyr Ala Asp Ile Thr Thr Ile Asp Gln Gln Ser 3540 3545 3550		
	Leu Gly Arg Asp Phe Met Ser Trp Thr Ser Met Tyr Asp Gly Ser Leu 3555 3560 3565		
30	Ile Lys Lys Ser Gln Met Gln Glu Trp Leu Asp Asp Thr Met Arg Ser 3570 3575 3580		
	Leu Leu Asp Ser Gln Pro Pro Gly His Val Leu Glu Val Gly Thr Gly 3585 3590 3595 3600		
35	Thr Gly Met Val Leu Phe Asn Leu Gly Arg Glu Gly Gly Leu Gln Ser 3605 3610 3615		
	Tyr Val Gly Leu Glu Pro Ser Pro Ser Ala Thr Ala Phe Val Asn Lys 3620 3625 3630		
40	Ala Ala Lys Ser Phe Pro Gly Leu Glu Asp Arg Ile Arg Val Glu Val 3635 3640 3645		
	Gly Thr Ala Thr Asp Ile Asp Arg Leu Gly Asp Asp Leu His Ala Gly 3650 3655 3660		
45	Leu Val Val Val Asn Ser Val Ala Gln Tyr Phe Pro Ser Gln Asp Tyr 3665 3670 3675 3680		
	Leu Ala Gln Leu Val Arg Asp Leu Thr Lys Val Pro Gly Val Glu Arg 3685 3690 3695		
50	Ile Phe Phe Gly Asp Met Arg Ser His Ala Ile Asn Arg Asp Phe Leu 3700 3705 3710		
	Val Ala Arg Ala Val His Ala Leu Gly Asp Lys Ala Thr Lys Ala Glu 3715 3720 3725		
55	Ile Gln Arg Glu Val Val Arg Met Glu Glu Ser Glu Asp Glu Leu Leu 3730 3735 3740		

EP 0 578 616 A2

	Val Asp Pro Ala Phe Phe Thr Ser Leu Thr Thr Gln Val Glu Asn Ile	3745	3750	3755	3760
5	Lys His Val Glu Ile Leu Pro Lys Arg Met Arg Ala Thr Asn Glu Leu	3765	3770	3775	
	Ser Ser Tyr Arg Tyr Ala Ala Val Leu His Val Asn Asp Leu Ala Lys	3780	3785	3790	
10	Pro Ala His Lys Val Ser Pro Gly Ala Trp Val Asp Phe Ala Ala Thr	3795	3800	3805	
	Lys Met Asp Arg Asp Ala Leu Ile Arg Leu Leu Arg Gly Thr Lys Ile	3810	3815	3820	
15	Ser Asp His Ile Ala Ile Ala Asn Ile Pro Asn Ser Lys Thr Ile Val	3825	3830	3835	3840
	Glu Arg Thr Ile Cys Glu Ser Val Tyr Asp Leu Gly Gly Asp Ala Lys	3845	3850	3855	
20	Asp Ser Asn Asp Arg Val Ser Trp Leu Ser Ala Ala Arg Ser Asn Ala	3860	3865	3870	
	Val Lys Val Ala Ser Leu Ser Ala Ile Asp Leu Val Asp Ile Ala Gln	3875	3880	3885	
25	Glu Ala Gly Phe Arg Val Glu Ile Ser Cys Ala Arg Gln Trp Ser Gln	3890	3895	3900	
	Asn Gly Ala Leu Asp Ala Val Phe His His Leu Gly Pro Ser Pro Gln	3905	3910	3915	3920
30	Ser Ser His Val Leu Ile Asp Phe Leu Thr Asp His Gln Gly Arg Pro	3925	3930	3935	
	Glu Glu Ala Leu Thr Asn His Pro Leu His Arg Ala Gln Ser Arg Arg	3940	3945	3950	
35	Val Glu Arg Gln Ile Arg Glu Arg Leu Gln Thr Leu Leu Pro Ala Tyr	3955	3960	3965	
	Met Ile Pro Ala Gln Ile Met Val Leu Asp Lys Leu Pro Leu Asn Ala	3970	3975	3980	
40	Asn Gly Lys Val Asp Arg Lys Gln Leu Thr Gln Arg Ala Gln Thr Val	3985	3990	3995	4000
	Pro Lys Ala Lys Gln Val Ser Ala Pro Val Ala Pro Arg Thr Glu Ile	4005	4010	4015	
45	Glu Arg Val Leu Cys Gln Glu Phe Ser Asp Val Leu Gly Val Asp Ile	4020	4025	4030	
	Gly Ile Met Glu Asn Phe Phe Asp Leu Gly Gly His Ser Leu Met Ala	4035	4040	4045	
50	Thr Lys Leu Ala Ala Arg Ile Ser Arg Arg Leu Glu Thr His Val Ser	4050	4055	4060	
	Val Lys Glu Ile Phe Asp His Pro Arg Val Cys Asp Leu Val Leu Ile	4065	4070	4075	4080
55	Val Gln Gln Gly Ser Ala Pro His Asp Pro Ile Val Ser Thr Lys Tyr	4085	4090	4095	

EP 0 578 616 A2

Thr Gly Pro Val Pro Gln Ser Phe Ala Gln Gly Arg Leu Trp Phe Leu  
4100 4105 4110

5 Asp Gln Leu Asn Phe Gly Ala Thr Trp Tyr Leu Met Pro Leu Ala Val  
4115 4120 4125

Arg Leu Arg Gly Ala Met Asn Val His Ala Leu Thr Ala Ala Leu Leu  
4130 4135 4140

10 Ala Leu Glu Arg Arg His Glu Leu Leu Arg Thr Thr Phe Tyr Glu Gln  
4145 4150 4155 4160

Asn Gly Val Gly Met Gln Lys Val Asn Pro Val Val Thr Glu Thr Leu  
4165 4170 4175

15 Arg Ile Ile Asp Leu Ser Asn Gly Asp Gly Asp Tyr Leu Pro Thr Leu  
4180 4185 4190

Lys Lys Glu Gln Thr Ala Pro Phe His Leu Glu Thr Glu Pro Gly Trp  
4195 4200 4205

20 Arg Val Ala Leu Leu Arg Leu Gly Pro Gly Asp Tyr Ile Leu Ser Val  
4210 4215 4220

Val Met His His Ile Ile Ser Asp Gly Trp Ser Val Asp Val Leu Phe  
4225 4230 4235 4240

25 Gln Glu Leu Gly Gln Phe Tyr Ser Thr Ala Val Lys Gly His Asp Pro  
4245 4250 4255

Leu Ser Gln Thr Thr Pro Leu Pro Ile His Tyr Arg Asp Phe Ala Leu  
4260 4265 4270

30 Trp Gln Lys Lys Pro Thr Gln Glu Ser Glu His Glu Arg Gln Leu Gln  
4275 4280 4285

Tyr Trp Val Glu Gln Leu Val Asp Ser Ala Pro Ala Glu Leu Leu Thr  
4290 4295 4300

35 Asp Leu Pro Arg Pro Ser Ile Leu Ser Gly Gln Ala Gly Glu Met Ser  
4305 4310 4315 4320

Val Thr Ile Glu Gly Ala Leu Tyr Lys Asn Leu Glu Glu Phe Cys Arg  
4325 4330 4335

Val His Arg Val Thr Ser Phe Val Val Leu Leu Ala Ala Leu Arg Ala  
4340 4345 4350

40 Ala His Tyr Arg Leu Thr Gly Ser Glu Asp Ala Thr Ile Gly Thr Pro  
4355 4360 4365

Ile Ala Asn Arg Asn Arg Pro Glu Leu Glu Gln Ile Ile Gly Phe Phe  
4370 4375 4380

45 Val Asn Thr Gln Cys Ile Arg Ile Thr Val Asn Glu Asp Glu Thr Phe  
4385 4390 4395 4400

Glu Ser Leu Val Gln Gln Val Arg Ser Thr Ala Thr Ala Ala Phe Ala  
4405 4410 4415

50 His Gln Asp Val Pro Phe Glu Lys Ile Val Ser Thr Leu Leu Pro Gly  
4420 4425 4430

Ser Arg Asp Ala Ser Arg Asn Pro Leu Val Gln Leu Met Phe Ala Val  
4435 4440 4445

55 His Ser Gln Lys Asn Leu Gly Glu Leu Lys Leu Glu Asn Ala His Ser

EP 0 578 616 A2

	4450	4455	4460
	Glu Val Val Pro Thr Glu Ile Thr Thr Arg Phe Asp Leu Glu Phe His		
	4465	4470	4475 4480
5	Leu Phe Gln Gln Asp Asp Lys Leu Glu Gly Ser Ile Leu Tyr Ser Thr		
		4485	4490 4495
	Asp Leu Phe Glu Ala Val Ser Val Gln Ser Leu Leu Ser Val Phe Gln		
		4500	4505 4510
10	Glu Ile Leu Arg Arg Gly Leu Asn Gly Pro Asp Val Pro Ile Ser Thr		
		4515	4520 4525
	Leu Pro Leu Gln Asp Gly Ile Val Asp Leu Gln Arg Gln Gly Leu Leu		
		4530	4535 4540
15	Asp Val Gln Lys Thr Glu Tyr Pro Arg Asp Ser Ser Val Val Asp Val		
		4545	4550 4555 4560
	Phe His Glu Gln Val Ser Ile Asn Pro Asp Ser Ile Ala Leu Ile His		
		4565	4570 4575
20	Gly Ser Glu Lys Leu Ser Tyr Ala Gln Leu Asp Arg Glu Ser Asp Arg		
		4580	4585 4590
	Val Ala Arg Trp Leu Arg His Arg Ser Phe Ser Ser Asp Thr Leu Ile		
		4595	4600 4605
25	Ala Val Leu Ala Pro Arg Ser Cys Glu Thr Ile Ile Ala Phe Leu Gly		
		4610	4615 4620
	Ile Leu Lys Ala Asn Leu Ala Tyr Leu Pro Leu Asp Val Lys Ala Pro		
		4625	4630 4635 4640
30	Ala Ala Arg Ile Asp Ala Ile Val Ser Ser Leu Pro Gly Asn Lys Leu		
		4645	4650 4655
	Ile Leu Leu Gly Ala Asn Val Thr Pro Pro Lys Leu Gln Glu Ala Ala		
		4660	4665 4670
35	Ile Asp Phe Val Pro Ile Arg Asp Thr Phe Thr Thr Leu Thr Asp Gly		
		4675	4680 4685
	Thr Leu Gln Asp Gly Pro Thr Ile Glu Arg Pro Ser Ala Gln Ser Leu		
		4690	4695 4700
40	Ala Tyr Ala Met Phe Thr Ser Gly Ser Thr Gly Arg Pro Lys Gly Val		
		4705	4710 4715 4720
	Met Val Gln His Arg Asn Ile Val Arg Leu Val Lys Asn Ser Asn Val		
		4725	4730 4735
45	Val Ala Lys Gln Pro Ala Ala Ala Arg Ile Ala His Ile Ser Asn Leu		
		4740	4745 4750
	Ala Phe Asp Ala Ser Ser Trp Glu Ile Tyr Ala Pro Leu Leu Asn Gly		
		4755	4760 4765
50	Gly Ala Ile Val Cys Ala Asp Tyr Phe Thr Thr Ile Asp Pro Gln Ala		
		4770	4775 4780
	Leu Gln Glu Thr Phe Gln Glu His Glu Ile Arg Gly Ala Met Leu Pro		
		4785	4790 4795 4800
55	Pro Ser Leu Leu Lys Gln Cys Leu Val Gln Ala Pro Asp Met Ile Ser		
		4805	4810 4815

EP 0 578 616 A2

	Arg	Leu	Asp	Ile	Leu	Phe	Ala	Ala	Gly	Asp	Arg	Phe	Ser	Ser	Val	Asp	
				4820					4825						4830		
5	Ala	Leu	Gln	Ala	Gln	Arg	Leu	Val	Gly	Ser	Gly	Val	Phe	Asn	Ala	Tyr	
			4835					4840					4845				
	Gly	Pro	Thr	Glu	Asn	Thr	Ile	Leu	Ser	Thr	Ile	Tyr	Asn	Val	Ala	Glu	
			4850				4855					4860					
10	Asn	Asp	Ser	Phe	Val	Asn	Gly	Val	Pro	Ile	Gly	Ser	Ala	Val	Ser	Asn	
		4865				4870					4875					4880	
	Ser	Gly	Ala	Tyr	Ile	Met	Asp	Lys	Asn	Gln	Gln	Leu	Val	Pro	Ala	Gly	
				4885						4890					4895		
15	Val	Met	Gly	Glu	Leu	Val	Val	Thr	Gly	Asp	Gly	Leu	Ala	Arg	Gly	Tyr	
			4900						4905					4910			
	Met	Asp	Pro	Lys	Leu	Asp	Ala	Asp	Arg	Phe	Ile	Gln	Leu	Thr	Val	Asn	
			4915					4920						4925			
20	Gly	Ser	Glu	Gln	Val	Arg	Ala	Tyr	Arg	Thr	Gly	Asp	Arg	Val	Arg	Tyr	
			4930				4935					4940					
	Arg	Pro	Lys	Asp	Phe	Gln	Ile	Glu	Phe	Phe	Gly	Arg	Met	Asp	Gln	Gln	
		4945				4950					4955					4960	
25	Ile	Lys	Ile	Arg	Gly	His	Arg	Ile	Glu	Pro	Ala	Glu	Val	Glu	Gln	Ala	
				4965					4970						4975		
	Phe	Leu	Asn	Asp	Gly	Phe	Val	Glu	Asp	Val	Ala	Ile	Val	Ile	Arg	Thr	
			4980						4985					4990			
30	Pro	Glu	Asn	Gln	Glu	Pro	Glu	Met	Val	Ala	Phe	Val	Thr	Ala	Lys	Gly	
			4995					5000						5005			
	Asp	Asn	Ser	Ala	Arg	Glu	Glu	Glu	Ala	Thr	Thr	Gln	Ile	Glu	Gly	Trp	
		5010					5015					5020					
35	Glu	Ala	His	Phe	Glu	Gly	Gly	Ala	Tyr	Ala	Asn	Ile	Glu	Glu	Ile	Glu	
		5025				5030					5035					5040	
	Ser	Glu	Ala	Leu	Gly	Tyr	Asp	Phe	Met	Gly	Trp	Thr	Ser	Met	Tyr	Asp	
				5045						5050					5055		
40	Gly	Thr	Glu	Ile	Asp	Lys	Asp	Glu	Met	Arg	Glu	Trp	Leu	Asn	Asp	Thr	
			5060						5065					5070			
	Met	Arg	Ser	Leu	Leu	Asp	Gly	Lys	Pro	Ala	Gly	Arg	Val	Leu	Glu	Val	
			5075					5080					5085				
45	Gly	Thr	Gly	Thr	Gly	Met	Ile	Met	Phe	Asn	Leu	Gly	Arg	Ser	Gln	Gly	
		5090				5095						5100					
	Leu	Glu	Arg	Tyr	Ile	Gly	Leu	Glu	Pro	Ala	Pro	Ser	Ala	Ala	Glu	Phe	
		5105				5110					5115					5120	
50	Val	Asn	Asn	Ala	Ala	Lys	Ser	Phe	Pro	Gly	Leu	Ala	Gly	Arg	Ala	Glu	
				5125						5130					5135		
	Val	His	Val	Gly	Thr	Ala	Ala	Asp	Val	Gly	Thr	Leu	Gln	Gly	Leu	Thr	
				5140					5145					5150			
55	Ser	Asp	Met	Ala	Val	Ile	Asn	Ser	Val	Ala	Gln	Tyr	Phe	Pro	Thr	Pro	
			5155					5160					5165				

EP 0 578 616 A2

	Glu Tyr Leu Ala Glu Thr Ile Lys Ser Leu Val Gln Val Pro Gly Met	
	5170 5175 5180	
5	Lys Arg Ile Tyr Leu Gly Asp Met Arg Ser Trp Ala Met Asn Arg Asp	
	5185 5190 5195 5200	
	Phe Ala Ala Ala Arg Ala Ala Tyr Ser Leu Ala Asp Asn Ala Ser Lys	
	5205 5210 5215	
10	Asp Arg Val Arg Gln Lys Met Met Glu Leu Glu Glu Lys Glu Glu Glu	
	5220 5225 5230	
	Leu Leu Val Asp Pro Ala Phe Phe Thr Ala Leu Ala Ser Gln Leu Gln	
	5235 5240 5245	
15	Asp Arg Ile Gln His Val Glu Ile Leu Pro Lys Arg Met Lys Ala Thr	
	5250 5255 5260	
	Asn Glu Leu Ser Ser Tyr Arg Tyr Ala Ala Val Leu His Ile Ser Asp	
	5265 5270 5275 5280	
20	Glu Pro Leu Pro Ile Tyr Lys Ile Asp Pro Glu Ala Trp Ile Asn Phe	
	5285 5290 5295	
	Glu Gly Ser Arg Leu Thr Arg Glu Ala Leu Ala Gln Val Leu Lys Glu	
	5300 5305 5310	
25	Asn Glu Asn Ala Glu Ser Val Ala Ile Ser Asn Ile Pro Tyr Ser Lys	
	5315 5320 5325	
	Thr Val Val Glu Arg His Ile Val Arg Ser Leu Asp Gln Glu Asp Ala	
	5330 5335 5340	
30	Asn Ala Pro Glu Glu Ser Met Asp Gly Ser Asp Trp Ile Ser Ala Val	
	5345 5350 5355 5360	
	Arg Thr Arg Ala Gln Gln Cys His Thr Leu Ser Ala Ser Asp Leu Phe	
	5365 5370 5375	
35	Asp Ile Ala Glu Asp Ala Gly Phe Arg Val Glu Val Ser Trp Ala Arg	
	5380 5385 5390	
	Gln His Ser Gln His Gly Ala Leu Asp Ala Val Phe His His Leu Lys	
	5395 5400 5405	
40	Pro Ala Thr Glu Asp Ser Arg Val Leu Ile Lys Phe Pro Thr Asp His	
	5410 5415 5420	
	Gln Gly Arg Pro Leu Lys Ser Leu Thr Asn Gln Pro Leu Leu Pro Ala	
	5425 5430 5435 5440	
45	Gln Ser Arg Arg Ala Glu Leu Leu Ile Arg Glu Gly Leu Gln Thr Leu	
	5445 5450 5455	
	Leu Pro Pro Tyr Met Ile Pro Ser Gln Ile Thr Leu Ile Asp Arg Met	
	5460 5465 5470	
	Pro Leu Asn Ala Asn Gly Lys Val Asp Arg Arg Glu Leu Ala Arg Arg	
	5475 5480 5485	
50	Ala Lys Ile Thr Gln Lys Ser Lys Pro Val Glu Asp Ile Val Pro Pro	
	5490 5495 5500	
	Arg Asn Ser Val Glu Ala Thr Val Cys Lys Gly Phe Thr Asp Val Leu	
	5505 5510 5515 5520	
55	Gly Val Glu Val Gly Ile Thr Asp Asn Phe Phe Asn Leu Gly Gly His	



EP 0 578 616 A2

	5525	5530	5535
	Ser Leu Met Ala Thr Lys Leu Ala	Ala Arg Leu Gly Arg Gln Leu Asn	
	5540	5545	5550
5	Thr Arg Ile Ser Val Arg Asp Val Phe Asp Gln Pro Val Val Ala Asp		
	5555	5560	5565
	Leu Ala Ala Val Ile Gln Arg Asn Ser Ala Pro His Glu Pro Ile Lys		
	5570	5575	5580
10	Pro Ala Asp Tyr Thr Gly Pro Val Pro Gln Ser Phe Ala Gln Gly Arg		
	5585	5590	5595
	Leu Trp Phe Leu Asp Gln Leu Asn Val Gly Ala Thr Trp Tyr Leu Met		
	5605	5610	5615
15	Pro Leu Gly Ile Arg Leu His Gly Ser Leu Arg Val Asp Ala Leu Ala		
	5620	5625	5630
	Thr Ala Ile Ser Ala Leu Glu Gln Arg His Glu Pro Leu Arg Thr Thr		
	5635	5640	5645
20	Phe His Glu Glu Asp Gly Val Gly Val Gln Val Val Gln Asp His Arg		
	5650	5655	5660
	Pro Lys Asp Leu Arg Ile Ile Asp Leu Ser Thr Gln Pro Lys Asp Ala		
	5665	5670	5675
25	Tyr Leu Ala Val Leu Lys His Glu Gln Thr Thr Leu Phe Asp Leu Ala		
	5685	5690	5695
	Thr Glu Pro Gly Trp Arg Val Ala Leu Ile Arg Leu Gly Glu Glu Glu		
	5700	5705	5710
30	His Ile Leu Ser Ile Val Met His His Ile Ile Ser Asp Gly Trp Ser		
	5715	5720	5725
	Val Glu Val Leu Phe Asp Glu Met His Arg Phe Tyr Ser Ser Ala Leu		
	5730	5735	5740
35	Arg Gln Gln Asp Pro Met Glu Gln Ile Leu Pro Leu Pro Ile Gln Tyr		
	5745	5750	5755
	Arg Asp Phe Ala Ala Trp Gln Lys Thr Glu Glu Gln Val Ala Glu His		
	5765	5770	5775
40	Gln Arg Gln Leu Asp Tyr Trp Thr Glu His Leu Ala Asp Ser Thr Pro		
	5780	5785	5790
	Ala Glu Leu Leu Thr Asp Leu Pro Arg Pro Ser Ile Leu Ser Gly Arg		
	5795	5800	5805
45	Ala Asn Glu Leu Pro Leu Thr Ile Glu Gly Arg Leu His Asp Lys Leu		
	5810	5815	5820
	Arg Ala Phe Cys Arg Val His Gln Ala Thr Pro Phe Val Ile Leu Leu		
	5825	5830	5835
50	Ala Ala Leu Arg Ala Ala His Tyr Arg Leu Thr Gly Ala Glu Asp Ala		
	5845	5850	5855
	Thr Leu Gly Thr Pro Ile Ala Asn Arg Asn Arg Pro Glu Leu Glu Asn		
	5860	5865	5870
55	Met Ile Gly Phe Phe Val Asn Thr Gln Cys Met Arg Ile Ala Ile Glu		
	5875	5880	5885

Glu Asn Asp Asn Phe Glu Ser Leu Val Arg Arg Val Arg Ser Thr Ala  
 5890 5895 5900  
 5 Thr Ser Ala Phe Ala Asn Gln Asp Val Pro Phe Glu Ser Ile Val Ser  
 5905 5910 5915 5920  
 Ser Leu Leu Pro Gly Ser Arg Asp Ala Ser Arg Asn Pro Leu Val Gln  
 5925 5930 5935  
 10 Val Ile Leu Ala Val His Ser Gln Gln Asp Leu Gly Lys Leu Thr Leu  
 5940 5945 5950  
 Glu Gly Leu Arg Asp Glu Ala Val Asp Ser Ala Ile Ser Thr Arg Phe  
 5955 5960 5965  
 15 Asp Val Glu Phe His Leu Phe Glu His Ala Asp Arg Leu Ser Gly Ser  
 5970 5975 5980  
 Val Leu Tyr Ala Lys Glu Leu Phe Lys Leu Arg Thr Ile Glu Ser Val  
 5985 5990 5995 6000  
 20 Val Ser Val Phe Leu Glu Thr Leu Arg Arg Ala Leu Asp Gln Pro Leu  
 6005 6010 6015  
 Thr Pro Leu Ala Val Leu Pro Leu Thr Asp Gly Val Gly Glu Ile Ala  
 6020 6025 6030  
 25 Ser Lys Gly Leu Leu Asp Val Pro Arg Thr Asp Tyr Pro Arg Asp Ala  
 6035 6040 6045  
 Asn Ile Val Glu Val Phe Gln Gln His Val Arg Ala Thr Pro Asp Ala  
 6050 6055 6060  
 30 Ile Ala Val Lys Asp Ala Thr Ser Ile Leu Thr Tyr Ala Gln Leu Asp  
 6065 6070 6075 6080  
 Gln Gln Ser Asp Arg Leu Ala Ile Trp Leu Ser Arg Arg His Met Met  
 6085 6090 6095  
 35 Pro Glu Thr Leu Val Gly Val Leu Ala Pro Arg Ser Cys Glu Thr Ile  
 6100 6105 6110  
 Ile Ala Met Phe Gly Ile Met Lys Ala Asn Leu Ala Tyr Leu Pro Leu  
 6115 6120 6125  
 40 Asp Ile Asn Ser Pro Ala Ala Arg Leu Arg Ser Ile Leu Ser Ala Val  
 6130 6135 6140  
 Asp Gly Asn Lys Leu Val Leu Leu Gly Ser Gly Val Thr Ala Pro Glu  
 6145 6150 6155 6160  
 45 Gln Glu Asn Pro Glu Val Glu Ala Val Gly Ile Gln Glu Ile Leu Ala  
 6165 6170 6175  
 Gly Thr Gly Leu Asp Lys Thr Gln Gly Ser Asn Ala Arg Pro Ser Ala  
 6180 6185 6190  
 50 Thr Ser Leu Ala Tyr Val Ile Phe Thr Ser Gly Ser Thr Gly Lys Pro  
 6195 6200 6205  
 Lys Gly Val Met Val Glu His Arg Ser Val Thr Arg Leu Ala Lys Pro  
 6210 6215 6220  
 55 Ser Asn Val Ile Ser Lys Leu Pro Gln Gly Ala Arg Val Ala His Leu  
 6225 6230 6235 6240

EP 0 578 616 A2

Ala Asn Ile Ala Phe Asp Ala Ser Ile Trp Glu Ile Ala Thr Thr Leu  
6245 6250 6255

5 Leu Asn Gly Ala Thr Leu Val Cys Leu Asp Tyr His Thr Val Leu Asp  
6260 6265 6270

Cys Arg Thr Leu Lys Glu Val Phe Glu Arg Glu Ser Ile Thr Val Val  
6275 6280 6285

10 Thr Leu Met Pro Ala Leu Leu Lys Gln Cys Val Ala Glu Ile Pro Glu  
6290 6295 6300

Thr Leu Ala His Leu Asp Leu Leu Tyr Thr Gly Gly Asp Arg Val Gly  
6305 6310 6315 6320

15 Gly His Asp Ala Met Arg Ala Arg Ser Leu Val Lys Ile Gly Met Phe  
6325 6330 6335

Ser Gly Tyr Gly Pro Thr Glu Asn Thr Val Ile Ser Thr Ile Tyr Glu  
6340 6345 6350

20 Val Asp Ala Asp Glu Met Phe Val Asn Gly Val Pro Ile Gly Lys Thr  
6355 6360 6365

Val Ser Asn Ser Gly Ala Tyr Val Met Asp Arg Asn Gln Gln Leu Val  
6370 6375 6380

25 Pro Ser Gly Val Val Gly Glu Leu Val Val Thr Gly Asp Gly Leu Ala  
6385 6390 6395 6400

Arg Gly Tyr Thr Asp Pro Ser Leu Asn Lys Asn Arg Phe Ile Tyr Ile  
6405 6410 6415

30 Thr Val Asn Gly Glu Ser Ile Arg Ala Tyr Arg Thr Gly Asp Arg Val  
6420 6425 6430

Arg Tyr Arg Pro His Asp Leu Gln Ile Glu Phe Phe Gly Arg Met Asp  
6435 6440 6445

35 Gln Gln Val Lys Ile Arg Gly His Arg Ile Glu Pro Gly Glu Val Glu  
6450 6455 6460

Ser Ala Leu Leu Ser His Asn Ser Val Gln Asp Ala Ala Val Val Ile  
6465 6470 6475 6480

40 Cys Ala Pro Ala Asp Gln Asp Ser Gly Ala Glu Met Val Ala Phe Val  
6485 6490 6495

Ala Ala Arg Asn Thr Glu Asp Glu Asp Thr Gln Glu Glu Ala Val  
6500 6505 6510

45 Asp Gln Val Gln Gly Trp Glu Thr His Phe Glu Thr Ala Ala Tyr Ser  
6515 6520 6525

Glu Val Lys Asp Ile Arg Gln Ser Glu Val Gly Asn Asp Phe Met Gly  
6530 6535 6540

50 Trp Thr Ser Met Tyr Asp Gly Ser Glu Ile Asp Lys Thr Asp Met His  
6545 6550 6555 6560

Glu Trp Leu Asn Asp Thr Met Arg Met Ile Leu Asp Ala Arg Glu Pro  
6565 6570 6575

Gly His Val Leu Glu Ile Gly Thr Gly Thr Gly Met Val Met Phe Asn  
6580 6585 6590

55 Leu Ala Lys Cys Pro Gly Leu Gln Gly Tyr Val Gly Phe Glu Pro Ser

EP 0 578 616 A2

	6595	6600	6605
5	Lys Ser Ala Ala Gln Phe 6610	Val Asn Asp Ala Ala 6615	Gln Ser Phe Pro Ala 6620
	Leu Lys Asp Gly Arg Ser Ile Val His Val 6625	Gly Thr Ala Thr Asp Ile 6630	
10	Asn Lys Ala Gly Pro Ile Gln Pro Arg Leu Val Val Ile Asn Ser Val 6645		6650
	Ala Gln Tyr Phe Pro Thr Pro Glu Tyr Leu Phe Arg Val Val Glu Ala 6660		6665
15	Leu Val Gln Ile Pro Ser Val Glu Arg Ile Val Phe Gly Asp Met Arg 6675		6680
	Thr Asn Ala Ile Asn Arg Asp Phe Val Ala Ser Arg Ala Leu His Thr 6690		6695
20	Leu Gly Glu Lys Ala Asn Lys Arg Leu Val Arg Gln Met Ile Tyr Glu 6705		6710
	Leu Glu Ala Asn Glu Glu Glu Leu Leu Thr Asp Pro Ala Phe Phe Thr 6725		6730
25	Ser Leu Arg Thr Arg Leu Gly Glu Lys Ile Lys His Val Glu Ile Leu 6740		6745
	Pro Lys Thr Met Lys Ala Thr Asn Glu Leu Ser Lys Tyr Arg Tyr Ala 6755		6760
30	Ala Val Leu His Val Arg Gly Ser Arg Glu Gln Ser Thr Ile His Gln 6770		6775
	Val Ser Pro Asn Ala Trp Ile Asp Phe Ala Ala Asp Gly Leu Asp Arg 6785		6790
35	Gln Thr Leu Ile Asn Leu Leu Lys Glu His Lys Asp Ala Gly Thr Val 6805		6810
	Ala Ile Gly Asn Ile Pro Tyr Ser Lys Thr Ile Val Glu Arg Phe Val 6820		6825
40	Asn Lys Ser Leu Ser Glu Asp Asp Met Glu Glu Gly Gln Asn Ser Leu 6835		6840
	Asp Gly Ser Ala Trp Val Ala Ala Val Arg Met Ala Ala Gln Ser Cys 6850		6855
45	Pro Ser Leu Asp Ala Met Asp Val Lys Glu Ile Ala Gln Glu Ala Gly 6865		6870
	Tyr Gln Val Glu Val Ser Trp Ala Arg Gln Trp Ser Gln Asn Gly Ala 6885		6890
50	Leu Asp Ala Ile Phe His His Phe Glu Pro Pro Lys Glu Gly Ala Arg 6900		6905
	Thr Leu Ile Glu Phe Pro Thr Asp Tyr Glu Gly Arg Asn Val Asn Thr 6915		6920
55	Leu Thr Asn Arg Pro Leu Asn Ser Ile Gln Ser Arg Arg Leu Gly Thr 6930		6935
	Gln Ile Arg Glu Lys Leu Gln Thr Leu Leu Pro Pro Tyr Met Ile Pro 6945		6950
			6955
			6960

Ser Arg Ile Met Val Leu Asp Gln Met Pro Val Asn Asn Asn Gly Lys  
 6965 6970 6975  
 5 Ile Asp Arg Lys Glu Leu Val Arg Arg Ala Ile Val Ala Pro Lys Pro  
 6980 6985 6990  
 Arg Ser Ala Ala Thr Arg Val Ala Pro Arg Asn Glu Ile Glu Ala Ile  
 6995 7000 7005  
 10 Leu Arg Asp Glu Phe Glu Asp Val Leu Gly Thr Glu Val Ser Val Leu  
 7010 7015 7020  
 Asp Asn Phe Phe Asp Leu Gly Gly His Ser Leu Met Ala Thr Lys Leu  
 7025 7030 7035 7040  
 15 Ala Ala Arg Val Ser Arg Arg Leu Asp Ala His Ile Ser Ile Lys Asp  
 7045 7050 7055  
 Val Phe Asp Gln Pro Val Leu Ala Asp Leu Ala Ala Ser Ile Gln Arg  
 7060 7065 7070  
 20 Glu Ser Ala Pro His Glu Pro Ile Pro Gln Arg Pro Tyr Thr Gly Pro  
 7075 7080 7085  
 Ala Glu Gln Ser Phe Ala Gln Gly Arg Leu Trp Phe Leu Asp Gln Leu  
 7090 7095 7100  
 25 Asn Leu Gly Ala Thr Trp Tyr Leu Met Pro Leu Ala Ile Arg Ile Arg  
 7105 7110 7115 7120  
 Gly Gln Leu Arg Val Ala Ala Leu Ser Ala Ala Leu Phe Ala Leu Glu  
 7125 7130 7135  
 30 Arg Arg His Glu Thr Leu Arg Thr Thr Phe Glu Glu Ser Asp Gly Val  
 7140 7145 7150  
 Gly Val Gln Ile Val Gly Glu Ala Arg Asn Ser Asp Leu Arg Val His  
 7155 7160 7165  
 35 Asp Val Ser Thr Gly Asp Asp Gly Glu Tyr Leu Glu Val Leu Arg Arg  
 7170 7175 7180  
 Glu Gln Thr Val Pro Phe Asp Leu Ser Ser Glu Pro Gly Trp Arg Val  
 7185 7190 7195 7200  
 40 Cys Leu Val Lys Thr Gly Glu Glu Asp His Val Leu Ser Ile Val Met  
 7205 7210 7215  
 His His Ile Ile Tyr Asp Gly Trp Ser Val Asp Ile Leu Arg Gly Glu  
 7220 7225 7230  
 45 Leu Gly Gln Phe Tyr Ser Ala Ala Leu Arg Gly Gln Asp Pro Leu Leu  
 7235 7240 7245  
 His Ala Asn Pro Leu Pro Ile Gln Tyr Arg Asp Phe Ala Ala Trp Gln  
 7250 7255 7260  
 50 Arg Glu Ala Lys Gln Val Glu Glu His Gln Arg Gln Leu Gly Tyr Trp  
 7265 7270 7275 7280  
 Ser Lys Gln Leu Val Asp Ser Thr Pro Ala Glu Leu Leu Thr Asp Leu  
 7285 7290 7295  
 55 Pro Arg Pro Ser Ile Leu Ser Gly Arg Ala Gly Ser Val Asp Val Thr  
 7300 7305 7310

EP 0 578 616 A2

Ile Glu Gly Ser Val Tyr Gly Ala Leu Gln Ser Phe Cys Arg Thr Arg  
7315 7320 7325

5 Ser Val Thr Thr Phe Val Val Leu Leu Thr Val Phe Arg Ile Ala His  
7330 7335 7340

Phe Arg Leu Thr Ala Val Asp Asp Ala Thr Ile Gly Thr Pro Ile Ala  
7345 7350 7355 7360

10 Asn Arg Asn Arg Pro Glu Leu Glu Thr Leu Val Gly Cys Phe Val Asn  
7365 7370 7375

Thr Gln Cys Met Arg Ile Ser Ile Ala Asp Asp Asp Asn Phe Glu Gly  
7380 7385 7390

15 Leu Val Arg Gln Val Arg Asn Val Ala Thr Ala Ala Tyr Ala Asn Gln  
7395 7400 7405

Asp Val Pro Phe Glu Arg Ile Val Ser Ala Leu Val Pro Gly Ser Arg  
7410 7415 7420

20 Asn Thr Ser Arg Asn Pro Leu Val Gln Leu Met Phe Ala Val Gln Ser  
7425 7430 7435 7440

Val Glu Asp Tyr Asp Gln Val Arg Leu Glu Gly Leu Glu Ser Val Met  
7445 7450 7455

25 Met Pro Gly Glu Ala Ser Thr Arg Phe Asp Met Glu Phe His Leu Val  
7460 7465 7470

Pro Gly Asp Gln Lys Leu Thr Gly Ser Val Leu Tyr Ser Ser Asp Leu  
7475 7480 7485

30 Phe Glu Gln Gly Thr Ile Gln Asn Phe Val Asp Ile Phe Gln Glu Cys  
7490 7495 7500

Leu Arg Ser Val Leu Asp Gln Pro Leu Thr Pro Ile Ser Val Leu Pro  
7505 7510 7515 7520

35 Phe Ser Asn Ala Ile Ser Asn Leu Glu Ser Leu Asp Leu Leu Glu Met  
7525 7530 7535

Pro Thr Ser Asp Tyr Pro Arg Asp Arg Thr Val Val Asp Leu Phe Arg  
7540 7545 7550

40 Glu Gln Ala Ala Ile Cys Pro Asp Ser Ile Ala Val Lys Asp Ser Ser  
7555 7560 7565

Ser Gln Leu Thr Tyr Ala Gln Leu Asp Glu Gln Ser Asp Arg Val Ala  
7570 7575 7580

45 Ala Trp Leu His Glu Arg His Met Pro Ala Glu Ser Leu Val Gly Val  
7585 7590 7595 7600

Leu Ser Pro Arg Ser Cys Glu Thr Ile Ile Ala Tyr Phe Gly Ile Met  
7605 7610 7615

Lys Ala Asn Leu Ala Tyr Leu Pro Leu Asp Val Tyr Ala Pro Asp Ala  
7620 7625 7630

50 Arg Leu Ala Ala Ile Leu Asp Thr Val Glu Gly Glu Arg Leu Leu Leu  
7635 7640 7645

Leu Gly Ala Gly Val Pro Gln Pro Gly Ile Gln Ile Pro Arg Leu Ser  
7650 7655 7660

55 Thr Ala Tyr Ile Ala Glu Ala Leu Ser His Ala Thr Thr Val Asp Val

EP 0 578 616 A2

	7665		7670		7675		7680
	Thr Ser Ile Pro Gln Pro Ser Ala Thr Ser Leu Ala Tyr Val Ile Phe						
		7685			7690		7695
5	Thr Ser Gly Ser Thr Gly Lys Pro Lys Gly Val Met Ile Glu His Arg						
		7700			7705		7710
	Gly Ile Val Arg Leu Val Arg Asp Thr Asn Val Asn Val Phe Pro Glu						
		7715			7720		7725
10	Ser Gly Ser Ala Leu Pro Val Ser His Phe Ser Asn Leu Ala Trp Asp						
		7730			7735		7740
	Ala Ala Thr Trp Glu Ile Tyr Thr Ala Val Leu Asn Gly Gly Thr Val						
		7745			7750		7755
15	Val Cys Ile Asp Arg Asp Thr Met Leu Asp Ile Ala Ala Leu Asn Ser						
		7765			7770		7775
	Thr Phe Arg Lys Glu Asn Val Arg Ala Ala Phe Phe Thr Pro Ala Phe						
		7780			7785		7790
20	Leu Lys Gln Cys Leu Ala Glu Thr Pro Glu Leu Val Ala Asn Leu Glu						
		7795			7800		7805
	Ile Leu His Thr Ala Gly Asp Arg Leu Asp Pro Gly Asp Ala Asn Leu						
		7810			7815		7820
25	Ala Gly Lys Thr Ala Lys Gly Gly Ile Phe Asn Val Leu Gly His Thr						
		7825			7830		7835
	Glu Asn Thr Ala Tyr Ser Thr Phe Tyr Pro Val Val Gly Glu Glu Thr						
		7845			7850		7855
30	Phe Val Asn Gly Val Pro Val Gly Arg Gly Ile Ser Asn Ser His Ala						
		7860			7865		7870
	Tyr Ile Ile Asp Arg His Gln Lys Leu Val Pro Ala Gly Val Met Gly						
		7875			7880		7885
35	Glu Leu Ile Leu Thr Gly Asp Gly Val Ala Arg Gly Tyr Thr Asp Ser						
		7890			7895		7900
	Ala Leu Asn Lys Asp Arg Phe Val Tyr Ile Asp Ile Asn Gly Lys Ser						
		7905			7910		7915
40	Thr Trp Ser Tyr Arg Thr Gly Asp Lys Ala Arg Tyr Arg Pro Arg Asp						
		7925			7930		7935
	Gly Gln Leu Glu Phe Phe Gly Arg Met Asp Gln Met Val Lys Ile Arg						
		7940			7945		7950
45	Gly Val Arg Ile Glu Pro Gly Glu Val Glu Leu Thr Leu Leu Asp His						
		7955			7960		7965
	Lys Ser Val Leu Ala Ala Thr Val Val Val Arg Arg Pro Pro Asn Gly						
		7970			7975		7980
50	Asp Pro Glu Met Ile Ala Phe Ile Thr Ile Asp Ala Glu Asp Asp Val						
		7985			7990		7995
	Gln Thr His Lys Ala Ile Tyr Lys His Leu Gln Gly Ile Leu Pro Ala						
		8005			8010		8015
55	Tyr Met Ile Pro Ser His Leu Val Ile Leu Asp Gln Met Pro Val Thr						
		8020			8025		8030

EP 0 578 616 A2

Asp Asn Gly Lys Val Asp Arg Lys Asp Leu Ala Leu Arg Ala Gln Thr  
 8035 8040 8045  
 5 Val Gln Lys Arg Arg Ser Thr Ala Ala Arg Val Pro Pro Arg Asp Glu  
 8050 8055 8060  
 Val Glu Ala Val Leu Cys Glu Glu Tyr Ser Asn Leu Leu Glu Val Glu  
 8065 8070 8075 8080  
 10 Val Gly Ile Thr Asp Gly Phe Phe Asp Leu Gly Gly His Ser Leu Leu  
 8085 8090 8095  
 Ala Thr Lys Leu Ala Ala Arg Leu Ser Arg Gln Leu Asn Thr Arg Val  
 8100 8105 8110  
 15 Ser Val Lys Asp Val Phe Asp Gln Pro Ile Leu Ala Asp Leu Ala Asp  
 8115 8120 8125  
 Ile Ile Arg Arg Gly Ser His Arg His Asp Pro Ile Pro Ala Thr Pro  
 8130 8135 8140  
 20 Tyr Thr Gly Pro Val Glu Gln Ser Phe Ala Gln Gly Arg Leu Trp Phe  
 8145 8150 8155 8160  
 Leu Glu Gln Leu Asn Leu Gly Ala Ser Trp Tyr Leu Met Pro Phe Ala  
 8165 8170 8175  
 25 Ile Arg Met Arg Gly Pro Leu Gln Thr Lys Ala Leu Ala Val Ala Leu  
 8180 8185 8190  
 Asn Ala Leu Val His Arg His Glu Ala Leu Arg Thr Thr Phe Glu Asp  
 8195 8200 8205  
 30 His Asp Gly Val Gly Val Gln Val Ile Gln Pro Lys Ser Ser Gln Asp  
 8210 8215 8220  
 Leu Arg Ile Ile Asp Leu Ser Asp Ala Val Asp Asp Thr Ala Tyr Leu  
 8225 8230 8235 8240  
 35 Ala Ala Leu Lys Arg Glu Gln Thr Thr Ala Phe Asp Leu Thr Ser Glu  
 8245 8250 8255  
 Pro Gly Trp Arg Val Ser Leu Leu Arg Leu Gly Asp Asp Asp Tyr Ile  
 8260 8265 8270  
 40 Leu Ser Ile Val Met His His Ile Ile Ser Asp Gly Trp Thr Val Asp  
 8275 8280 8285  
 Val Leu Arg Gln Glu Leu Gly Gln Phe Tyr Ser Ala Ala Ile Arg Gly  
 8290 8295 8300  
 45 Gln Glu Pro Leu Ser Gln Ala Lys Ser Leu Pro Ile Gln Tyr Arg Asp  
 8305 8310 8315 8320  
 Phe Ala Val Trp Gln Arg Gln Glu Asn Gln Ile Lys Glu Gln Ala Lys  
 8325 8330 8335  
 50 Gln Leu Lys Tyr Trp Ser Gln Gln Leu Ala Asp Ser Thr Pro Cys Glu  
 8340 8345 8350  
 Phe Leu Thr Asp Leu Pro Arg Pro Ser Ile Leu Ser Gly Glu Ala Asp  
 8355 8360 8365  
 55 Ala Val Pro Met Val Ile Asp Gly Thr Val Tyr Gln Leu Leu Thr Asp  
 8370 8375 8380



Phe Cys Arg Thr His Gln Val Thr Ser Phe Ser Val Leu Leu Ala Ala  
 8385 8390 8395 8400  
 5 Phe Arg Thr Ala His Tyr Arg Leu Thr Gly Thr Leu Asp Ala Thr Val  
 8405 8410 8415  
 Gly Thr Pro Ile Ala Asn Arg Asn Arg Pro Glu Leu Glu Gly Leu Ile  
 8420 8425 8430  
 10 Gly Phe Phe Val Asn Thr Gln Cys Met Arg Met Ala Ile Ser Glu Thr  
 8435 8440 8445  
 Glu Thr Phe Glu Ser Leu Val Gln Gln Val Arg Leu Thr Thr Thr Glu  
 8450 8455 8460  
 15 Ala Phe Ala Asn Gln Asp Val Pro Phe Glu Gln Ile Val Ser Thr Leu  
 8465 8470 8475 8480  
 Leu Pro Gly Ser Arg Asp Thr Ser Arg Asn Pro Leu Val Gln Val Met  
 8485 8490 8495  
 20 Phe Ala Leu Gln Ser Gln Gln Asp Leu Gly Arg Ile Gln Leu Glu Gly  
 8500 8505 8510  
 Met Thr Asp Glu Ala Leu Glu Thr Pro Leu Ser Thr Arg Leu Asp Leu  
 8515 8520 8525  
 25 Glu Val His Leu Phe Gln Glu Val Gly Lys Leu Ser Gly Ser Leu Leu  
 8530 8535 8540  
 Tyr Ser Thr Asp Leu Phe Glu Val Glu Thr Ile Arg Gly Ile Val Asp  
 8545 8550 8555 8560  
 30 Val Phe Leu Glu Ile Leu Arg Arg Gly Leu Glu Gln Pro Lys Gln Arg  
 8565 8570 8575  
 Leu Met Ala Met Pro Ile Thr Asp Gly Ile Thr Lys Leu Arg Asp Gln  
 8580 8585 8590  
 35 Gly Leu Leu Thr Val Ala Lys Pro Ala Tyr Pro Arg Glu Ser Ser Val  
 8595 8600 8605  
 Ile Asp Leu Phe Arg Gln Gln Val Ala Ala Ala Pro Asp Ala Ile Ala  
 8610 8615 8620  
 40 Val Trp Asp Ser Ser Ser Thr Leu Thr Tyr Ala Asp Leu Asp Gly Gln  
 8625 8630 8635 8640  
 Ser Asn Lys Leu Ala His Trp Leu Cys Gln Arg Asn Met Ala Pro Glu  
 8645 8650 8655  
 45 Thr Leu Val Ala Val Phe Ala Pro Arg Ser Cys Leu Thr Ile Val Ala  
 8660 8665 8670  
 Phe Leu Gly Val Leu Lys Ala Asn Leu Ala Tyr Leu Pro Leu Asp Val  
 8675 8680 8685  
 50 Asn Ala Pro Ala Ala Arg Ile Glu Ala Ile Leu Ser Ala Val Pro Gly  
 8690 8695 8700  
 His Lys Leu Val Leu Val Gln Ala His Gly Pro Glu Leu Gly Leu Thr  
 8705 8710 8715 8720  
 55 Met Ala Asp Thr Glu Leu Val Gln Ile Asp Glu Ala Leu Ala Ser Ser  
 8725 8730 8735  
 Ser Ser Gly Asp His Glu Gln Ile His Ala Ser Gly Pro Thr Ala Thr

EP 0 578 616 A2

	8740	8745	8750
	Ser Leu Ala Tyr Val Met Phe Thr Ser Gly Ser Thr Gly Lys Pro Lys		
	8755	8760	8765
5	Gly Val Met Ile Asp His Arg Ser Ile Ile Arg Leu Val Lys Asn Ser		
	8770	8775	8780
	Asp Val Val Ala Thr Leu Pro Thr Pro Val Arg Met Ala Asn Val Ser		
	8785	8790	8795 8800
10	Asn Leu Ala Phe Asp Ile Ser Val Gln Glu Ile Tyr Thr Ala Leu Leu		
	8805	8810	8815
	Asn Gly Gly Thr Leu Val Cys Leu Asp Tyr Leu Thr Leu Leu Asp Ser		
	8820	8825	8830
15	Lys Ile Leu Tyr Asn Val Phe Val Glu Ala Gln Val Asn Ala Ala Met		
	8835	8840	8845
	Phe Thr Pro Val Leu Leu Lys Gln Cys Leu Gly Asn Met Pro Ala Ile		
	8850	8855	8860
20	Ile Ser Arg Leu Ser Val Leu Phe Asn Val Gly Asp Arg Leu Asp Ala		
	8865	8870	8875 8880
	His Asp Ala Val Ala Ala Ser Gly Leu Ile Gln Asp Ala Val Tyr Asn		
	8885	8890	8895
25	Ala Tyr Gly Pro Thr Glu Asn Gly Met Gln Ser Thr Met Tyr Lys Val		
	8900	8905	8910
	Asp Val Asn Glu Pro Phe Val Asn Gly Val Pro Ile Gly Arg Ser Ile		
	8915	8920	8925
30	Thr Asn Ser Gly Ala Tyr Val Met Asp Gly Asn Gln Gln Leu Val Ser		
	8930	8935	8940
	Pro Gly Val Met Gly Glu Ile Val Val Thr Gly Asp Gly Leu Ala Arg		
	8945	8950	8955 8960
35	Gly Tyr Thr Asp Ser Ala Leu Asp Glu Asp Arg Phe Val His Val Thr		
	8965	8970	8975
	Ile Asp Gly Glu Glu Asn Ile Lys Ala Tyr Arg Thr Gly Asp Arg Val		
	8980	8985	8990
40	Arg Tyr Arg Pro Lys Asp Phe Glu Ile Glu Phe Phe Gly Arg Met Asp		
	8995	9000	9005
	Gln Gln Val Lys Ile Arg Gly His Arg Ile Glu Pro Ala Glu Val Glu		
	9010	9015	9020
45	His Ala Leu Leu Gly His Asp Leu Val His Asp Ala Ala Val Val Leu		
	9025	9030	9035 9040
	Arg Lys Pro Ala Asn Gln Glu Pro Glu Met Ile Ala Phe Ile Thr Ser		
	9045	9050	9055
50	Gln Glu Asp Glu Thr Ile Glu Gln His Glu Ser Asn Lys Gln Val Gln		
	9060	9065	9070
	Gly Trp Gly Glu His Phe Asp Val Ser Arg Tyr Ala Asp Ile Lys Asp		
	9075	9080	9085
55	Leu Asp Thr Ser Thr Phe Gly His Asp Phe Leu Gly Trp Thr Ser Met		
	9090	9095	9100

EP 0 578 616 A2

	Tyr Asp Gly Val Asp Ile Pro Val Asn Glu Met Lys Glu Trp Leu Asp	9105	9110	9115	9120
5	Glu Thr Thr Ala Ser Leu Leu Asp Asn Arg Pro Pro Gly His Ile Leu	9125	9130	9135	
	Glu Ile Gly Ala Gly Thr Gly Met Ile Leu Ser Asn Leu Gly Lys Val	9140	9145	9150	
10	Asp Gly Leu Gln Lys Tyr Val Gly Leu Asp Pro Ala Pro Ser Ala Ala	9155	9160	9165	
	Ile Phe Val Asn Glu Ala Val Lys Ser Leu Pro Ser Leu Ala Gly Lys	9170	9175	9180	
15	Ala Arg Val Leu Val Gly Thr Ala Leu Asp Ile Gly Ser Leu Asp Lys	9185	9190	9195	9200
	Asn Glu Ile Gln Pro Glu Leu Val Val Ile Asn Ser Val Ala Gln Tyr	9205	9210	9215	
20	Phe Pro Thr Ser Glu Tyr Leu Ile Lys Val Val Lys Ala Val Val Glu	9220	9225	9230	
	Val Pro Ser Val Lys Arg Val Phe Phe Gly Asp Ile Arg Ser Gln Ala	9235	9240	9245	
25	Leu Asn Arg Asp Phe Leu Ala Ala Arg Ala Val Arg Ala Leu Gly Asp	9250	9255	9260	
	Asn Ala Ser Lys Glu Gln Ile Arg Glu Lys Ile Ala Glu Leu Glu Glu	9265	9270	9275	9280
30	Ser Glu Glu Glu Leu Leu Val Asp Pro Ala Phe Phe Val Ser Leu Arg	9285	9290	9295	
	Ser Gln Leu Pro Asn Ile Lys His Val Glu Val Leu Pro Lys Leu Met	9300	9305	9310	
35	Lys Ala Thr Asn Glu Leu Ser Ser Tyr Arg Tyr Ala Ala Val Leu His	9315	9320	9325	
	Ile Ser His Asn Glu Glu Glu Gln Leu Leu Ile Gln Asp Ile Asp Pro	9330	9335	9340	
40	Thr Ala Trp Val Asp Phe Ala Ala Thr Gln Lys Asp Ser Gln Gly Leu	9345	9350	9355	9360
	Arg Asn Leu Leu Gln Gln Gly Arg Asp Asp Val Met Ile Ala Val Gly	9365	9370	9375	
45	Asn Ile Pro Tyr Ser Lys Thr Ile Val Glu Arg His Ile Met Asn Ser	9380	9385	9390	
	Leu Asp Gln Asp His Val Asn Ser Leu Asp Gly Thr Ser Trp Ile Ser	9395	9400	9405	
50	Asp Ala Arg Ser Ala Ala Ala Ile Cys Thr Ser Phe Asp Ala Pro Ala	9410	9415	9420	
	Leu Thr Gln Leu Ala Lys Glu Glu Gly Phe Arg Val Glu Leu Ser Trp	9425	9430	9435	9440
55	Ala Arg Gln Arg Ser Gln Asn Gly Ala Leu Asp Ala Val Phe His Arg	9445	9450	9455	

EP 0 578 616 A2

Leu Ala Thr Asp Ala Asn Cys Glu Arg Ser Arg Val Leu Val His Phe  
 9460 9465 9470  
 5 Pro Thr Asp His Gln Gly Arg Gln Leu Arg Thr Leu Thr Asn Arg Pro  
 9475 9480 9485  
 Leu Gln Arg Ala Gln Ser Arg Arg Ile Glu Ser Gln Val Phe Glu Ala  
 9490 9495 9500  
 10 Leu Gln Thr Ala Leu Pro Ala Tyr Met Ile Pro Ser Arg Ile Ile Val  
 9505 9510 9515 9520  
 Leu Pro Gln Met Pro Thr Asn Ala Asn Gly Lys Val Asp Arg Lys Gln  
 9525 9530 9535  
 15 Leu Ala Arg Arg Ala Gln Val Val Ala Lys Arg Lys Ala Val Ser Ala  
 9540 9545 9550  
 Arg Val Ala Pro Arg Asn Asp Thr Glu Ile Val Leu Cys Glu Glu Tyr  
 9555 9560 9565  
 20 Ala Asp Ile Leu Gly Thr Glu Val Gly Ile Thr Asp Asn Phe Phe Asp  
 9570 9575 9580  
 Met Gly Gly His Ser Leu Met Ala Thr Lys Leu Ala Ala Arg Leu Ser  
 9585 9590 9595 9600  
 25 Arg Arg Leu Asp Thr Arg Val Thr Val Lys Glu Val Phe Asp Lys Pro  
 9605 9610 9615  
 Val Leu Ala Asp Leu Ala Ala Ser Ile Glu Gln Gly Ser Thr Pro His  
 9620 9625 9630  
 30 Leu Pro Ile Ala Ser Ser Val Tyr Ser Gly Pro Val Glu Gln Ser Tyr  
 9635 9640 9645  
 Ala Gln Gly Arg Leu Trp Phe Leu Asp Gln Phe Asn Leu Asn Ala Thr  
 9650 9655 9660  
 35 Trp Tyr His Met Ser Leu Ala Met Arg Leu Leu Gly Pro Leu Asn Met  
 9665 9670 9675 9680  
 Asp Ala Leu Asp Val Ala Leu Arg Ala Leu Glu Gln Arg His Glu Thr  
 9685 9690 9695  
 40 Leu Arg Thr Thr Phe Glu Ala Gln Lys Asp Ile Gly Val Gln Val Val  
 9700 9705 9710  
 His Glu Ala Gly Met Lys Arg Leu Lys Val Leu Asp Leu Ser Asp Lys  
 9715 9720 9725  
 45 Asn Glu Lys Glu His Met Ala Val Leu Glu Asn Glu Gln Met Arg Pro  
 9730 9735 9740  
 Phe Thr Leu Ala Ser Glu Pro Gly Trp Lys Gly His Leu Ala Arg Leu  
 9745 9750 9755 9760  
 Gly Pro Thr Glu Tyr Ile Leu Ser Leu Val Met His His Met Phe Ser  
 9765 9770 9775  
 50 Asp Gly Trp Ser Val Asp Ile Leu Arg Gln Glu Leu Gly Gln Phe Tyr  
 9780 9785 9790  
 Ser Ala Ala Leu Arg Gly Arg Asp Pro Leu Ser Gln Val Lys Pro Leu  
 9795 9800 9805  
 55 Pro Ile Gln Tyr Arg Asp Phe Ala Ala Trp Gln Lys Glu Ala Ala Gln

EP 0 578 616 A2

	9810	9815	9820
	Val Ala Glu His Glu Arg Gln Leu Ala Tyr Trp Glu Asn Gln Leu Ala		
	9825	9830	9835 9840
5	Asp Ser Thr Pro Gly Glu Leu Leu Thr Asp Phe Pro Arg Pro Gln Phe		
		9845	9850 9855
	Leu Ser Gly Lys Ala Gly Val Ile Pro Val Thr Ile Glu Gly Pro Val		
		9860	9865 9870
10	Tyr Glu Lys Leu Leu Lys Phe Ser Lys Glu Arg Gln Val Thr Leu Phe		
		9875	9880 9885
	Ser Val Leu Leu Thr Ala Phe Arg Ala Thr His Phe Arg Leu Thr Gly		
		9890	9895 9900
15	Ala Glu Asp Ala Thr Ile Gly Thr Pro Ile Ala Asn Arg Asn Arg Pro		
		9905	9910 9915 9920
	Glu Leu Glu His Ile Ile Gly Phe Phe Val Asn Thr Gln Cys Met Arg		
		9925	9930 9935
20	Leu Leu Leu Asp Thr Gly Ser Thr Phe Glu Ser Leu Val Gln His Val		
		9940	9945 9950
	Arg Ser Val Ala Thr Asp Ala Tyr Ser Asn Gln Asp Ile Pro Phe Glu		
		9955	9960 9965
25	Arg Ile Val Ser Ala Leu Leu Pro Gly Ser Arg Asp Ala Ser Arg Ser		
		9970	9975 9980
	Pro Leu Ile Gln Leu Met Phe Ala Leu His Ser Gln Pro Asp Leu Gly		
		9985	9990 9995 10000
30	Asn Ile Thr Leu Glu Gly Leu Glu His Glu Arg Leu Pro Thr Ser Val		
		10005	10010 10015
	Ala Thr Arg Phe Asp Met Glu Phe His Leu Phe Gln Glu Pro Asn Lys		
		10020	10025 10030
35	Leu Ser Gly Ser Ile Leu Phe Ala Asp Glu Leu Phe Gln Pro Glu Thr		
		10035	10040 10045
	Ile Asn Ser Val Val Thr Val Phe Gln Glu Ile Leu Arg Arg Gly Leu		
		10050	10055 10060
40	Asp Gln Pro Gln Val Ser Ile Ser Thr Met Pro Leu Thr Asp Gly Leu		
		10065	10070 10075 10080
	Ile Asp Leu Glu Lys Leu Gly Leu Leu Glu Ile Glu Ser Ser Asn Phe		
		10085	10090 10095
45	Pro Arg Asp Tyr Ser Val Val Asp Val Phe Arg Gln Gln Val Ala Ala		
		10100	10105 10110
	Asn Pro Asn Ala Pro Ala Val Val Asp Ser Glu Thr Ser Met Ser Tyr		
		10115	10120 10125
50	Thr Ser Leu Asp Gln Lys Ser Glu Gln Ile Ala Ala Trp Leu His Ala		
		10130	10135 10140
	Gln Gly Leu Arg Pro Glu Ser Leu Ile Cys Val Met Ala Pro Arg Ser		
		10145	10150 10155 10160
55	Phe Glu Thr Ile Val Ser Leu Phe Gly Ile Leu Lys Ala Gly Tyr Ala		
		10165	10170 10175

EP 0 578 616 A2

Tyr Leu Pro Leu Asp Val Asn Ser Pro Ala Ala Arg Ile Gln Pro Ile  
 10180 10185 10190  
 5 Leu Ser Glu Val Glu Gly Lys Arg Leu Val Leu Leu Gly Ser Gly Ile  
 10195 10200 10205  
 Asp Met Pro Gln Ser Asp Arg Met Asp Val Glu Thr Ala Arg Ile Gln  
 10210 10215 10220  
 10 Asp Ile Leu Thr Asn Thr Lys Val Glu Arg Ser Asp Pro Met Ser Arg  
 10225 10230 10235 10240  
 Pro Ser Ala Thr Ser Leu Ala Tyr Val Ile Phe Thr Ser Gly Ser Thr  
 10245 10250 10255  
 15 Gly Arg Pro Lys Gly Val Met Ile Glu His Arg Asn Ile Leu Arg Leu  
 10260 10265 10270  
 Val Lys Gln Ser Asn Val Thr Ser Gln Leu Pro Gln Asp Leu Arg Met  
 10275 10280 10285  
 20 Ala His Ile Ser Asn Leu Ala Phe Asp Ala Ser Ile Trp Glu Ile Phe  
 10290 10295 10300  
 Thr Ala Ile Leu Asn Gly Gly Ala Leu Ile Cys Ile Asp Tyr Phe Thr  
 10305 10310 10315 10320  
 25 Leu Leu Asp Ser Gln Ala Leu Arg Thr Thr Phe Glu Lys Ala Arg Val  
 10325 10330 10335  
 Asn Ala Thr Leu Phe Ala Pro Ala Leu Leu Lys Glu Cys Leu Asn His  
 10340 10345 10350  
 30 Ala Pro Thr Leu Phe Glu Asp Leu Lys Val Leu Tyr Ile Gly Gly Asp  
 10355 10360 10365  
 Arg Leu Asp Ala Thr Asp Ala Ala Lys Ile Gln Ala Leu Val Lys Gly  
 10370 10375 10380  
 35 Thr Val Tyr Asn Ala Tyr Gly Pro Thr Glu Asn Thr Val Met Ser Thr  
 10385 10390 10395 10400  
 Ile Tyr Arg Leu Thr Asp Gly Glu Ser Tyr Ala Asn Gly Val Pro Ile  
 10405 10410 10415  
 40 Gly Asn Ala Val Ser Ser Ser Gly Ala Tyr Ile Met Asp Gln Lys Gln  
 10420 10425 10430  
 Arg Leu Val Pro Pro Gly Val Met Gly Glu Leu Val Val Ser Gly Asp  
 10435 10440 10445  
 45 Gly Leu Ala Arg Gly Tyr Thr Asn Ser Thr Leu Asn Ala Asp Arg Phe  
 10450 10455 10460  
 Val Asp Ile Val Ile Asn Asp Gln Lys Ala Arg Ala Tyr Arg Thr Gly  
 10465 10470 10475 10480  
 50 Asp Arg Thr Arg Tyr Arg Pro Lys Asp Gly Ser Ile Glu Phe Phe Gly  
 10485 10490 10495  
 Arg Met Asp Gln Gln Val Lys Ile Arg Gly His Arg Val Glu Pro Ala  
 10500 10505 10510  
 55 Glu Val Glu Gln Ala Met Leu Gly Asn Lys Ala Ile His Asp Ala Ala  
 10515 10520 10525

EP 0 578 616 A2

Val Val Val Gln Ala Val Asp Gly Gln Glu Thr Glu Met Ile Gly Phe  
10530 10535 10540

Val Ser Met Ala Ser Asp Arg Phe Ser Glu Gly Glu Glu Glu Ile Thr  
10545 10550 10555 10560

Asn Gln Val Gln Glu Trp Glu Asp His Phe Glu Ser Thr Ala Tyr Ala  
10565 10570 10575

Gly Ile Glu Ala Ile Asp Gln Ala Thr Leu Gly Arg Asp Phe Thr Ser  
10580 10585 10590

Trp Thr Ser Met Tyr Asn Gly Asn Leu Ile Asp Lys Ala Glu Met Glu  
10595 10600 10605

Glu Trp Leu Asp Asp Thr Met Gln Ser Leu Leu Asp Lys Glu Asp Ala  
10610 10615 10620

Arg Pro Cys Ala Glu Ile Gly Thr Gly Thr Gly Met Val Leu Phe Asn  
10625 10630 10635 10640

Leu Pro Lys Asn Asp Gly Leu Glu Ser Tyr Val Gly Ile Glu Pro Ser  
10645 10650 10655

Arg Ser Ala Ala Leu Phe Val Asp Lys Ala Ala Gln Asp Phe Pro Gly  
10660 10665 10670

Leu Gln Gly Lys Thr Gln Ile Leu Val Gly Thr Ala Glu Asp Ile Lys  
10675 10680 10685

Leu Val Lys Asp Phe His Pro Asp Val Val Val Ile Asn Ser Val Ala  
10690 10695 10700

Gln Tyr Phe Pro Ser Arg Ser Tyr Leu Val Gln Ile Ala Ser Glu Leu  
10705 10710 10715 10720

Ile His Met Thr Ser Val Lys Thr Ile Phe Phe Gly Asp Met Arg Ser  
10725 10730 10735

Trp Ala Thr Asn Arg Asp Phe Leu Val Ser Arg Ala Leu Tyr Thr Leu  
10740 10745 10750

Gly Asp Lys Ala Thr Lys Asp Gln Ile Arg Gln Glu Val Ala Arg Leu  
10755 10760 10765

Glu Glu Asn Glu Asp Glu Leu Leu Val Asp Pro Ala Phe Phe Thr Ser  
10770 10775 10780

Leu Thr Ser Gln Trp Pro Gly Lys Val Lys His Val Glu Ile Leu Pro  
10785 10790 10795 10800

Lys Arg Met Arg Thr Ser Asn Glu Leu Ser Ser Tyr Arg Tyr Ala Ala  
10805 10810 10815

Val Leu His Ile Cys Arg Asp Gly Glu Gly Arg Asn Arg Tyr Gly Arg  
10820 10825 10830

Arg Val His Ser Val Glu Glu Asn Ala Trp Ile Asp Phe Ala Ser Ser  
10835 10840 10845

Gly Met Asp Arg His Ala Leu Val Gln Met Leu Asp Glu Arg Arg Asp  
10850 10855 10860

Ala Lys Thr Val Ala Ile Gly Asn Ile Pro His Ser Asn Thr Ile Asn  
10865 10870 10875 10880

Glu Arg His Phe Thr Thr Ser Leu Asp Thr Glu Gly Glu Gly Ile Ala

EP 0 578 616 A2

	10885	10890	10895
	Gln Asp Ser Leu Asp Gly Ser Ala Trp Gln Ser Ala Thr Lys Ala Met		
	10900	10905	10910
5	Ala Ala Arg Cys Pro Cys Leu Ser Val Thr Glu Leu Val Glu Ile Gly		
	10915	10920	10925
	Gln Ala Ala Gly Phe Arg Val Glu Val Ser Trp Ala Arg Gln Arg Ser		
	10930	10935	10940
10	Gln His Gly Ala Leu Asp Val Val Phe His His Leu Glu Asp Asp Arg		
	10945	10950	10955
	Val Gly Arg Val Leu Ile Asn Phe Pro Thr Asp Phe Glu Arg Leu Pro		
	10965	10970	10975
15	Pro Ser Thr Gly Leu Thr Ser Arg Pro Leu Gln Arg Ile Gln Asn Arg		
	10980	10985	10990
	Arg Phe Glu Ser Gln Ile Arg Glu Gln Leu Gln Thr Leu Leu Pro Pro		
	10995	11000	11005
20	Tyr Met Val Pro Ser Arg Ile Val Val Leu Glu Arg Met Pro Leu Asn		
	11010	11015	11020
	Ala Asn Ser Lys Val Asp Arg Lys Glu Leu Ala Arg Lys Ala Arg Thr		
	11025	11030	11035
	Leu Gln Thr Ile Lys Pro Ser Ala Thr Arg Val Ala Pro Arg Asn Asp		
	11045	11050	11055
25	Ile Glu Ala Val Leu Cys Asp Glu Phe Gln Ala Val Leu Gly Val Thr		
	11060	11065	11070
30	Val Gly Val Met Asp Asn Phe Phe Glu Leu Gly Gly His Ser Leu Met		
	11075	11080	11085
	Ala Thr Lys Leu Ala Ala Arg Leu Ser Arg Arg Leu Asp Thr Arg Val		
	11090	11095	11100
35	Ser Val Lys Asp Ile Phe Asn Gln Pro Ile Leu Gln Asp Leu Ala Asp		
	11105	11110	11115
	Val Val Gln Thr Gly Ser Ala Pro His Glu Ala Ile Pro Ser Thr Pro		
	11125	11130	11135
40	Tyr Ser Gly Pro Val Glu Gln Ser Phe Ser Gln Gly Arg Leu Trp Phe		
	11140	11145	11150
	Leu Asp Gln Leu Asn Leu Asn Ala Ser Trp Tyr His Met Pro Leu Ala		
	11155	11160	11165
45	Ser Arg Leu Arg Gly Pro Leu Arg Ile Glu Ala Leu Gln Ser Ala Leu		
	11170	11175	11180
	Ala Thr Ile Glu Ala Arg His Glu Ser Leu Arg Thr Thr Phe Glu Glu		
	11185	11190	11195
	Gln Asp Gly Val Pro Val Gln Ile Val Arg Ala Ala Arg Asn Lys Gln		
	11205	11210	11215
50	Leu Arg Ile Ile Asp Val Ser Gly Thr Glu Asp Ala Tyr Leu Ala Ala		
	11220	11225	11230
55	Leu Lys Gln Glu Gln Asp Ala Ala Phe Asp Leu Thr Ala Glu Pro Gly		
	11235	11240	11245



Trp Arg Val Ala Leu Leu Arg Leu Gly Pro Asp Asp His Val Leu Ser  
 11250 11255 11260  
 5 Ile Val Met His His Ile Ile Ser Asp Gly Trp Ser Val Asp Ile Leu  
 11265 11270 11275 11280  
 Arg Gln Glu Leu Gly Gln Leu Tyr Ser Asn Ala Ser Ser Gln Pro Ala  
 11285 11290 11295  
 10 Pro Leu Pro Ile Gln Tyr Arg Asp Phe Ala Ile Trp Gln Lys Gln Asp  
 11300 11305 11310  
 Ser Gln Ile Ala Glu His Gln Lys Gln Leu Asn Tyr Trp Lys Arg Gln  
 11315 11320 11325  
 15 Leu Val Asn Ser Lys Pro Ala Glu Leu Leu Ala Asp Phe Thr Arg Pro  
 11330 11335 11340  
 Lys Ala Leu Ser Gly Asp Ala Asp Val Ile Pro Ile Glu Ile Asp Asp  
 11345 11350 11355 11360  
 20 Gln Val Tyr Gln Asn Leu Arg Ser Phe Cys Arg Ala Arg His Val Thr  
 11365 11370 11375  
 Ser Phe Val Ala Leu Leu Ala Ala Phe Arg Ala Ala His Tyr Arg Leu  
 11380 11385 11390  
 25 Thr Gly Ala Glu Asp Ala Thr Ile Gly Ser Pro Ile Ala Asn Arg Asn  
 11395 11400 11405  
 Arg Pro Glu Leu Glu Gly Leu Ile Gly Cys Phe Val Asn Thr Gln Cys  
 11410 11415 11420  
 30 Leu Arg Ile Pro Val Lys Ser Glu Asp Thr Phe Asp Thr Leu Val Lys  
 11425 11430 11435 11440  
 Gln Ala Arg Glu Thr Ala Thr Glu Ala Gln Asp Asn Gln Asp Val Pro  
 11445 11450 11455  
 35 Phe Glu Arg Ile Val Ser Ser Met Val Ala Ser Ser Arg Asp Thr Ser  
 11460 11465 11470  
 Arg Asn Pro Leu Val Gln Val Met Phe Ala Val His Ser Gln His Asp  
 11475 11480 11485  
 40 Leu Gly Asn Ile Arg Leu Glu Gly Val Glu Gly Lys Pro Val Ser Met  
 11490 11495 11500  
 Ala Ala Ser Thr Arg Phe Asp Ala Glu Met His Leu Phe Glu Asp Gln  
 11505 11510 11515 11520  
 45 Gly Met Leu Gly Gly Asn Val Val Phe Ser Lys Asp Leu Phe Glu Ser  
 11525 11530 11535  
 Glu Thr Ile Arg Ser Val Val Ala Val Phe Gln Glu Thr Leu Arg Arg  
 11540 11545 11550  
 50 Gly Leu Ala Asn Pro His Ala Asn Leu Ala Thr Leu Pro Leu Thr Asp  
 11555 11560 11565  
 Gly Leu Pro Ser Leu Arg Ser Leu Cys Leu Gln Val Asn Gln Pro Asp  
 11570 11575 11580  
 55 Tyr Pro Arg Asp Ala Ser Val Ile Asp Val Phe Arg Glu Gln Val Ala  
 11585 11590 11595 11600

Ser Ile Pro Lys Ser Ile Ala Val Ile Asp Ala Ser Ser Gln Leu Thr  
 11605 11610 11615  
 Tyr Thr Glu Leu Asp Glu Arg Ser Ser Gln Leu Ala Thr Trp Leu Arg  
 5 11620 11625 11630  
 Arg Gln Val Thr Val Pro Glu Glu Leu Val Gly Val Leu Ala Pro Arg  
 11635 11640 11645  
 Ser Cys Glu Thr Ile Ile Ala Phe Leu Gly Ile Ile Lys Ala Asn Leu  
 10 11650 11655 11660  
 Ala Tyr Leu Pro Leu Asp Val Asn Ala Pro Ala Gly Arg Ile Glu Thr  
 11665 11670 11675 11680  
 Ile Leu Ser Ser Leu Pro Gly Asn Arg Leu Ile Leu Leu Gly Ser Asp  
 15 11685 11690 11695  
 Thr Gln Ala Val Lys Leu His Ala Asn Ser Val Arg Phe Thr Arg Ile  
 11700 11705 11710  
 Ser Asp Ala Leu Val Glu Ser Gly Ser Pro Pro Thr Glu Glu Leu Ser  
 20 11715 11720 11725  
 Thr Arg Pro Thr Ala Gln Ser Leu Ala Tyr Val Met Phe Thr Ser Gly  
 11730 11735 11740  
 Ser Thr Gly Val Pro Lys Gly Val Met Val Glu His Arg Gly Ile Thr  
 25 11745 11750 11755 11760  
 Arg Leu Val Lys Asn Ser Asn Val Val Ala Lys Gln Pro Ala Ala Ala  
 11765 11770 11775  
 Ala Ile Ala His Leu Ser Asn Ile Ala Phe Asp Ala Ser Ser Trp Glu  
 30 11780 11785 11790  
 Ile Tyr Ala Pro Leu Leu Asn Gly Gly Thr Val Val Cys Ile Asp Tyr  
 11795 11800 11805  
 Tyr Thr Thr Ile Asp Ile Lys Ala Leu Glu Ala Val Phe Lys Gln His  
 35 11810 11815 11820  
 His Ile Arg Gly Ala Met Leu Pro Pro Ala Leu Leu Lys Gln Cys Leu  
 11825 11830 11835 11840  
 Val Ser Ala Pro Thr Met Ile Ser Ser Leu Glu Ile Leu Phe Ala Ala  
 40 11845 11850 11855  
 Gly Asp Arg Leu Ser Ser Gln Asp Ala Ile Leu Ala Arg Arg Ala Val  
 11860 11865 11870  
 Gly Ser Gly Val Tyr Asn Ala Tyr Gly Pro Thr Glu Asn Thr Val Leu  
 45 11875 11880 11885  
 Ser Thr Ile His Asn Ile Gly Glu Asn Glu Ala Phe Ser Asn Gly Val  
 11890 11895 11900  
 Pro Ile Gly Asn Ala Val Ser Asn Ser Gly Ala Phe Val Met Asp Gln  
 50 11905 11910 11915 11920  
 Asn Gln Gln Leu Val Ser Ala Gly Val Ile Gly Glu Leu Val Val Thr  
 11925 11930 11935  
 Gly Asp Gly Leu Ala Arg Gly Tyr Thr Asp Ser Lys Leu Arg Val Asp  
 55 11940 11945 11950  
 Arg Phe Ile Tyr Ile Thr Leu Asp Gly Asn Arg Val Arg Ala Tyr Arg

EP 0 578 616 A2

	11955	11960	11965
	Thr Gly Asp Arg Val Arg	His Arg Pro Lys Asp	Gly Gln Ile Glu Phe
	11970	11975	11980
5	Phe Gly Arg Met Asp Gln Gln Ile Lys Ile	Arg Gly His Arg Ile Glu	12000
	11985	11990	11995
	Pro Ala Glu Val Glu Gln Ala Leu Ala	Arg Asp Pro Ala Ile Ser Asp	12015
	12005	12010	
10	Ser Ala Val Ile Thr Gln Leu Thr	Asp Glu Glu Glu Pro Glu Leu Val	12030
	12020	12025	
	Ala Phe Phe Ser Leu Lys Gly Asn Ala Asn Gly Thr	Asn Gly Val Asn	12045
	12035	12040	
15	Gly Val Ser Asp Gln Glu Lys Ile	Asp Gly Asp Glu Gln His Ala Leu	12060
	12050	12055	
	Leu Met Glu Asn Lys Ile Arg His Asn Leu	Gln Ala Leu Leu Pro Thr	12080
	12065	12070	12075
20	Tyr Met Ile Pro Ser Arg Ile Ile His Val	Asp Gln Leu Pro Val Asn	12095
	12085	12090	
	Ala Asn Gly Lys Ile Asp Arg Asn Glu Leu Ala Val	Arg Ala Gln Ala	12110
	12100	12105	
25	Thr Pro Arg Thr Ser Ser Val Ser Thr Tyr Val	Ala Pro Arg Asn Asp	12125
	12115	12120	
	Ile Glu Thr Ile Ile Cys Lys Glu Phe Ala Asp	Ile Leu Ser Val Arg	12140
	12130	12135	
30	Val Gly Ile Thr Asp Asn Phe Phe Asp Leu	Gly Gly His Ser Leu Ile	12160
	12145	12150	12155
	Ala Thr Lys Leu Ala Ala Arg Leu Ser Arg Arg	Leu Asp Thr Arg Val	12175
	12165	12170	
35	Ser Val Arg Asp Val Phe Asp Thr Pro Val Val	Gly Gln Leu Ala Ala	12190
	12180	12185	
	Ser Ile Gln Gln Gly Ser Thr Pro His Glu Ala Ile	Pro Ala Leu Ser	12205
	12195	12200	
40	His Ser Gly Pro Val Gln Gln Ser Phe Ala Gln	Gly Arg Leu Trp Phe	12220
	12210	12215	
	Leu Asp Arg Phe Asn Leu Asn Ala Ala Trp Tyr Ile	Met Pro Phe Gly	12240
	12225	12230	12235
45	Val Arg Leu Arg Gly Pro Leu Arg Val Asp	Ala Leu Gln Thr Ala Leu	12255
	12245	12250	
	Arg Ala Leu Glu Glu Arg His Glu Leu Leu Arg Thr Thr	Phe Glu Glu	12270
	12260	12265	
50	Gln Asp Gly Val Gly Met Gln Ile Val His Ser Pro	Arg Met Arg Asp	12285
	12275	12280	
	Ile Cys Val Val Asp Ile Ser Gly Ala Asn Glu Asp	Leu Ala Lys Leu	12300
	12290	12295	
55	Lys Glu Glu Gln Gln Ala Pro Phe Asn Leu Ser Thr	Glu Val Ala Trp	12320
	12305	12310	12315

Arg Val Ala Leu Phe Lys Ala Gly Glu Asn His His Ile Leu Ser Ile  
 12325 12330 12335  
 5 Val Met His His Ile Ile Ser Asp Gly Trp Ser Val Asp Ile Phe Gln  
 12340 12345 12350  
 Gln Glu Leu Ala Gln Phe Tyr Ser Val Ala Val Arg Gly His Asp Pro  
 12355 12360 12365  
 10 Leu Ser Gln Val Lys Pro Leu Pro Ile His Tyr Arg Asp Phe Ala Val  
 12370 12375 12380  
 Trp Gln Arg Gln Asp Lys Gln Val Ala Val His Glu Ser Gln Leu Gln  
 12385 12390 12395 12400  
 15 Tyr Trp Ile Glu Gln Leu Ala Asp Ser Thr Pro Ala Glu Ile Leu Ser  
 12405 12410 12415  
 Asp Phe Asn Arg Pro Glu Val Leu Ser Gly Glu Ala Gly Thr Val Pro  
 12420 12425 12430  
 20 Ile Val Ile Glu Asp Glu Val Tyr Glu Lys Leu Ser Leu Phe Cys Arg  
 12435 12440 12445  
 Asn His Gln Val Thr Ser Phe Val Val Leu Leu Ala Ala Phe Arg Val  
 12450 12455 12460  
 25 Ala His Tyr Arg Leu Thr Gly Ala Glu Asp Ala Thr Ile Gly Thr Pro  
 12465 12470 12475 12480  
 Ile Ala Asn Arg Asn Arg Pro Glu Leu Glu Asp Leu Ile Gly Phe Phe  
 12485 12490 12495  
 30 Val Asn Thr Gln Cys Met Arg Ile Ala Leu Glu Glu His Asp Asn Phe  
 12500 12505 12510  
 Leu Ser Val Val Arg Arg Val Arg Ser Thr Ala Ala Ser Ala Phe Glu  
 12515 12520 12525  
 35 Asn Gln Asp Val Pro Phe Glu Arg Leu Val Ser Ala Leu Leu Pro Gly  
 12530 12535 12540  
 Ser Arg Asp Ala Ser Arg Asn Pro Leu Val Gln Leu Met Phe Val Val  
 12545 12550 12555 12560  
 40 His Ser Gln Arg Asn Leu Gly Lys Leu Gln Leu Glu Gly Leu Glu Gly  
 12565 12570 12575  
 Glu Pro Thr Pro Tyr Thr Ala Thr Thr Arg Phe Asp Val Glu Phe His  
 12580 12585 12590  
 45 Leu Phe Glu Gln Asp Lys Gly Leu Ala Gly Asn Val Val Phe Ala Ala  
 12595 12600 12605  
 Asp Leu Phe Glu Ala Ala Thr Ile Arg Ser Val Val Glu Val Phe His  
 12610 12615 12620  
 50 Glu Ile Leu Arg Arg Gly Leu Asp Gln Pro Asp Ile Ala Ile Ser Thr  
 12625 12630 12635 12640  
 Met Pro Leu Val Asp Gly Leu Ala Ala Leu Asn Ser Arg Asn Leu Pro  
 12645 12650 12655  
 55 Ala Val Glu Asp Ile Glu Pro Asp Phe Ala Thr Glu Ala Ser Val Val  
 12660 12665 12670

EP 0 578 616 A2

Asp Val Phe Gln Thr Gln Val Val Ala Asn Pro Asp Ala Leu Ala Val  
 12675 12680 12685  
 Thr Asp Thr Ser Thr Lys Leu Thr Tyr Ala Glu Leu Asp Gln Gln Ser  
 12690 12695 12700  
 Asp His Val Ala Ala Trp Leu Ser Lys Gln Lys Leu Pro Ala Glu Ser  
 12705 12710 12715 12720  
 Ile Val Val Val Leu Ala Pro Arg Ser Ser Glu Thr Ile Val Ala Cys  
 12725 12730 12735  
 Ile Gly Ile Leu Lys Ala Asn Leu Ala Tyr Leu Pro Met Asp Ser Asn  
 12740 12745 12750  
 Val Pro Glu Ala Arg Arg Gln Ala Ile Leu Ser Glu Ile Pro Gly Glu  
 12755 12760 12765  
 Lys Phe Val Leu Leu Gly Ala Gly Val Pro Ile Pro Asp Asn Lys Thr  
 12770 12775 12780  
 Ala Asp Val Arg Met Val Phe Ile Ser Asp Ile Val Ala Ser Lys Thr  
 12785 12790 12795 12800  
 Asp Lys Ser Tyr Ser Pro Gly Thr Arg Pro Ser Ala Ser Ser Leu Ala  
 12805 12810 12815  
 Tyr Val Ile Phe Thr Ser Gly Ser Thr Gly Arg Pro Lys Gly Val Met  
 12820 12825 12830  
 Val Glu His Arg Gly Val Ile Ser Leu Val Lys Gln Asn Ala Ser Arg  
 12835 12840 12845  
 Ile Pro Gln Ser Leu Arg Met Ala His Val Ser Asn Leu Ala Phe Asp  
 12850 12855 12860  
 Ala Ser Val Trp Glu Ile Phe Thr Thr Leu Leu Asn Gly Gly Thr Leu  
 12865 12870 12875 12880  
 Phe Cys Ile Ser Tyr Phe Thr Val Leu Asp Ser Lys Ala Leu Ser Ala  
 12885 12890 12895  
 Ala Phe Ser Asp His Arg Ile Asn Ile Thr Leu Leu Pro Pro Ala Leu  
 12900 12905 12910  
 Leu Lys Gln Cys Leu Ala Asp Ala Pro Ser Val Leu Ser Ser Leu Glu  
 12915 12920 12925  
 Ser Leu Tyr Ile Gly Gly Asp Arg Leu Asp Gly Ala Asp Ala Thr Lys  
 12930 12935 12940  
 Val Lys Asp Leu Val Lys Gly Lys Ala Tyr Asn Ala Tyr Gly Pro Thr  
 12945 12950 12955 12960  
 Glu Asn Ser Val Met Ser Thr Ile Tyr Thr Ile Glu His Glu Thr Phe  
 12965 12970 12975  
 Ala Asn Gly Val Pro Ile Gly Thr Ser Leu Gly Pro Lys Ser Lys Ala  
 12980 12985 12990  
 Tyr Ile Met Asp Gln Asp Gln Gln Leu Val Pro Ala Gly Val Met Gly  
 12995 13000 13005  
 Glu Leu Val Val Ala Gly Asp Gly Leu Ala Arg Gly Tyr Thr Asp Pro  
 13010 13015 13020  
 Ser Leu Asn Thr Gly Arg Phe Ile His Ile Thr Ile Asp Gly Lys Gln

EP 0 578 616 A2

	13025	13030	13035	13040
	Val Gln Ala Tyr Arg Thr Gly Asp Arg Val Arg Tyr Arg Pro Arg Asp			
	13045		13050	13055
5	Tyr Gln Ile Glu Phe Phe Gly Arg Leu Asp Gln Gln Ile Lys Ile Arg			
	13060		13065	13070
	Gly His Arg Ile Glu Pro Ala Glu Val Glu Gln Ala Leu Leu Ser Asp			
	13075		13080	13085
10	Ser Ser Ile Asn Asp Ala Val Val Val Ser Ala Gln Asn Lys Glu Gly			
	13090		13095	13100
	Leu Glu Met Val Gly Tyr Ile Thr Thr Gln Ala Ala Gln Ser Val Asp			
	13105		13110	13115
15	Lys Glu Glu Ala Ser Asn Lys Val Gln Glu Trp Glu Ala His Phe Asp			
	13125		13130	13135
	Ser Thr Ala Tyr Ala Asn Ile Gly Gly Ile Asp Arg Asp Ala Leu Gly			
	13140		13145	13150
20	Gln Asp Phe Leu Ser Trp Thr Ser Met Tyr Asp Gly Ser Leu Ile Pro			
	13155		13160	13165
	Arg Glu Glu Met Gln Glu Trp Leu Asn Asp Thr Met Arg Ser Leu Leu			
	13170		13175	13180
25	Asp Asn Gln Pro Pro Gly Lys Val Leu Glu Ile Gly Thr Gly Thr Gly			
	13185		13190	13195
	Met Val Leu Phe Asn Leu Gly Lys Val Glu Gly Leu Gln Ser Tyr Ala			
	13205		13210	13215
30	Gly Leu Glu Pro Ser Arg Ser Val Thr Ala Trp Val Asn Lys Ala Ile			
	13220		13225	13230
	Glu Thr Phe Pro Ser Leu Ala Gly Ser Ala Arg Val His Val Gly Thr			
	13235		13240	13245
35	Ala Glu Asp Ile Ser Ser Ile Asp Gly Leu Arg Ser Asp Leu Val Val			
	13250		13255	13260
	Ile Asn Ser Val Ala Gln Tyr Phe Pro Ser Arg Glu Tyr Leu Ala Glu			
	13265		13270	13275
40	Leu Thr Ala Asn Leu Ile Arg Leu Pro Gly Val Lys Arg Ile Phe Phe			
	13285		13290	13295
	Gly Asp Met Arg Thr Tyr Ala Thr Asn Lys Asp Phe Leu Val Ala Arg			
	13300		13305	13310
45	Ala Val His Thr Leu Gly Ser Asn Ala Ser Lys Ala Met Val Arg Gln			
	13315		13320	13325
	Gln Val Ala Lys Leu Glu Asp Asp Glu Glu Glu Leu Leu Val Asp Pro			
	13330		13335	13340
50	Ala Phe Phe Thr Ser Leu Ser Asp Gln Phe Pro Asp Glu Ile Lys His			
	13345		13350	13355
	Val Glu Ile Leu Pro Lys Arg Met Ala Ala Thr Asn Glu Leu Ser Ser			
	13365		13370	13375
55	Tyr Arg Tyr Ala Ala Val Ile His Val Gly Gly His Gln Met Pro Asn			
	13380		13385	13390

EP 0 578 616 A2

Gly Glu Asp Glu Asp Lys Gln Trp Ala Val Lys Asp Ile Asn Pro Lys  
13395 13400 13405

Ala Trp Val Asp Phe Ala Gly Thr Arg Met Asp Arg Gln Ala Leu Leu  
13410 13415 13420

Gln Leu Leu Gln Asp Arg Gln Arg Gly Asp Asp Val Val Ala Val Ser  
13425 13430 13435 13440

Asn Ile Pro Tyr Ser Lys Thr Ile Met Glu Arg His Leu Ser Gln Ser  
13445 13450 13455

Leu Asp Asp Asp Glu Asp Gly Thr Ser Ala Val Asp Gly Thr Ala Trp  
13460 13465 13470

Ile Ser Arg Thr Gln Ser Arg Ala Lys Glu Cys Pro Ala Leu Ser Val  
13475 13480 13485

Ala Asp Leu Ile Glu Ile Gly Lys Gly Ile Gly Phe Glu Val Glu Ala  
13490 13495 13500

Ser Trp Ala Arg Gln His Ser Gln Arg Gly Gly Leu Asp Ala Val Phe  
13505 13510 13515 13520

His Arg Phe Glu Pro Pro Arg His Ser Gly His Val Met Phe Arg Phe  
13525 13530 13535

Pro Thr Glu His Lys Gly Arg Ser Ser Ser Ser Leu Thr Asn Arg Pro  
13540 13545 13550

Leu His Leu Leu Gln Ser Arg Arg Leu Glu Ala Lys Val Arg Glu Arg  
13555 13560 13565

Leu Gln Ser Leu Leu Pro Pro Tyr Met Ile Pro Ser Arg Ile Thr Leu  
13570 13575 13580

Leu Asp Gln Met Pro Leu Thr Ser Asn Gly Lys Val Asp Arg Lys Lys  
13585 13590 13595 13600

Leu Ala Arg Gln Ala Arg Val Ile Pro Arg Ser Ala Ala Ser Thr Leu  
13605 13610 13615

Asp Phe Val Ala Pro Arg Thr Glu Ile Glu Val Val Leu Cys Glu Glu  
13620 13625 13630

Phe Thr Asp Leu Leu Gly Val Lys Val Gly Ile Thr Asp Asn Phe Phe  
13635 13640 13645

Glu Leu Gly Gly His Ser Leu Leu Ala Thr Lys Leu Ser Ala Arg Leu  
13650 13655 13660

Ser Arg Arg Leu Asp Ala Gly Ile Thr Val Lys Gln Val Phe Asp Gln  
13665 13670 13675 13680

Pro Val Leu Ala Asp Leu Ala Ala Ser Ile Leu Gln Gly Ser Ser Arg  
13685 13690 13695

His Arg Ser Ile Pro Ser Leu Pro Tyr Glu Gly Pro Val Glu Gln Ser  
13700 13705 13710

Phe Ala Gln Gly Arg Leu Trp Phe Leu Asp Gln Phe Asn Ile Asp Ala  
13715 13720 13725

Leu Trp Tyr Leu Ile Pro Phe Ala Leu Arg Met Arg Gly Pro Leu Gln  
13730 13735 13740

EP 0 578 616 A2

Val Asp Ala Leu Ala Ala Ala Leu Val Ala Leu Glu Glu Arg His Glu  
13745 13750 13755 13760

5 Ser Leu Arg Thr Thr Phe Glu Glu Arg Asp Gly Val Gly Ile Gln Val  
13765 13770 13775

Val Gln Pro Leu Arg Thr Thr Lys Asp Ile Arg Ile Ile Asp Val Ser  
13780 13785 13790

10 Gly Met Arg Asp Asp Ala Tyr Leu Glu Pro Leu Gln Lys Glu Gln  
13795 13800 13805

Gln Thr Pro Phe Asp Leu Ala Ser Glu Pro Gly Trp Arg Val Ala Leu  
13810 13815 13820

15 Leu Lys Leu Gly Lys Asp Asp His Ile Leu Ser Ile Val Met His His  
13825 13830 13835 13840

Ile Ile Ser Asp Gly Trp Ser Thr Glu Val Leu Gln Arg Glu Leu Gly  
13845 13850 13855

Gln Phe Tyr Leu Ala Ala Lys Ser Gly Lys Ala Pro Leu Ser Gln Val  
13860 13865 13870

20 Ala Pro Leu Pro Ile Gln Tyr Arg Asp Phe Ala Val Trp Gln Arg Gln  
13875 13880 13885

Glu Glu Gln Val Ala Glu Ser Gln Arg Gln Leu Asp Tyr Trp Lys Lys  
13890 13895 13900

25 Gln Leu Ala Asp Ser Ser Pro Ala Glu Leu Leu Ala Asp Tyr Thr Arg  
13905 13910 13915 13920

Pro Asn Val Leu Ser Gly Glu Ala Gly Ser Val Ser Phe Val Ile Asn  
13925 13930 13935

30 Asp Ser Val Tyr Lys Ser Leu Val Ser Phe Cys Arg Ser Arg Gln Val  
13940 13945 13950

Thr Thr Phe Thr Thr Leu Leu Ala Ala Phe Arg Ala Ala His Tyr Arg  
13955 13960 13965

35 Met Thr Gly Ser Asp Asp Ala Thr Ile Gly Thr Pro Ile Ala Asn Arg  
13970 13975 13980

Asn Arg Pro Glu Leu Glu Asn Leu Ile Gly Cys Phe Val Asn Thr Gln  
13985 13990 13995 14000

40 Cys Met Arg Ile Thr Ile Gly Asp Asp Glu Thr Phe Glu Ser Leu Val  
14005 14010 14015

Gln Gln Val Arg Ser Thr Thr Ala Thr Ala Phe Glu Asn Gln Asp Val  
14020 14025 14030

45 Pro Phe Glu Arg Ile Val Ser Thr Leu Ser Ala Gly Ser Arg Asp Thr  
14035 14040 14045

Ser Arg Asn Pro Leu Val Gln Leu Leu Phe Ala Val His Ser Gln Gln  
14050 14055 14060

50 Gly Leu Gly Arg Ile Gln Leu Asp Gly Val Val Asp Glu Pro Val Leu  
14065 14070 14075 14080

Ser Thr Val Ser Thr Arg Phe Asp Leu Glu Phe His Ala Phe Gln Glu  
14085 14090 14095

55 Ala Asp Arg Leu Asn Gly Ser Val Met Phe Ala Thr Asp Leu Phe Gln



EP 0 578 616 A2

	14100	14105	14110
	Pro Glu Thr Ile Gln Gly Phe Val Ala Val Val Glu Glu Val Leu Gln 14115	14120	14125
5	Arg Gly Leu Glu Gln Pro Gln Ser Pro Ile Ala Thr Met Pro Leu Ala 14130	14135	14140
	Glu Gly Ile Ala Gln Leu Arg Asp Ala Gly Ala Leu Gln Met Pro Lys 14145	14150	14155 14160
10	Ser Asp Tyr Pro Arg Asn Ala Ser Leu Val Asp Val Phe Gln Gln Gln 14165	14170	14175
	Ala Met Ala Ser Pro Ser Thr Val Ala Val Thr Asp Ser Thr Ser Lys 14180	14185	14190
15	Leu Thr Tyr Ala Glu Leu Asp Arg Leu Ser Asp Gln Ala Ala Ser Tyr 14195	14200	14205
	Leu Arg Arg Gln Gln Leu Pro Ala Glu Thr Met Val Ala Val Leu Ala 14210	14215	14220
20	Pro Arg Ser Cys Glu Thr Ile Ile Ala Phe Leu Ala Ile Leu Lys Ala 14225	14230	14235 14240
	Asn Leu Ala Tyr Met Pro Leu Asp Val Asn Thr Pro Ser Ala Arg Met 14245	14250	14255
25	Glu Ala Ile Ile Ser Ser Val Pro Gly Arg Arg Leu Ile Leu Val Gly 14260	14265	14270
	Ser Gly Val Arg His Ala Asp Ile Asn Val Pro Asn Ala Lys Thr Met 14275	14280	14285
30	Leu Ile Ser Asp Thr Val Thr Gly Thr Asp Ala Ile Gly Thr Pro Glu 14290	14295	14300
	Pro Leu Val Val Arg Pro Ser Ala Thr Ser Leu Ala Tyr Val Ile Phe 14305	14310	14315 14320
35	Thr Ser Gly Ser Thr Gly Lys Pro Lys Gly Val Met Val Glu His Arg 14325	14330	14335
	Ala Ile Met Arg Leu Val Lys Asp Ser Asn Val Val Thr His Met Pro 14340	14345	14350
40	Pro Ala Thr Arg Met Ala His Val Thr Asn Ile Ala Phe Asp Val Ser 14355	14360	14365
	Leu Phe Glu Met Cys Ala Thr Leu Leu Asn Gly Gly Thr Leu Val Cys 14370	14375	14380
45	Ile Asp Tyr Leu Thr Leu Leu Asp Ser Thr Met Leu Arg Glu Thr Phe 14385	14390	14395 14400
	Glu Arg Glu Gln Val Arg Ala Ala Ile Phe Pro Pro Ala Leu Leu Arg 14405	14410	14415
50	Gln Cys Leu Val Asn Met Pro Asp Ala Ile Gly Met Leu Glu Ala Val 14420	14425	14430
	Tyr Val Ala Gly Asp Arg Phe His Ser Arg Asp Ala Arg Ala Thr Gln 14435	14440	14445
55	Ala Leu Ala Gly Pro Arg Val Tyr Asn Ala Tyr Gly Pro Thr Glu Asn 14450	14455	14460

Ala Ile Leu Ser Thr Ile Tyr Asn Ile Asp Lys His Asp Pro Tyr Val  
14465 14470 14475 14480

5 Asn Gly Val Pro Ile Gly Ser Ala Val Ser Asn Ser Gly Ala Tyr Val  
14485 14490 14495

Met Asp Arg Asn Gln Gln Leu Leu Pro Pro Gly Val Met Gly Glu Leu  
14500 14505 14510

10 Val Val Thr Gly Glu Gly Val Ala Arg Gly Tyr Thr Asp Ala Ser Leu  
14515 14520 14525

Asp Thr Asp Arg Phe Val Thr Val Thr Ile Asp Gly Gln Arg Gln Arg  
14530 14535 14540

15 Ala Tyr Arg Thr Gly Asp Arg Val Arg Tyr Arg Pro Lys Gly Phe Gln  
14545 14550 14555 14560

Ile Glu Phe Phe Gly Arg Leu Asp Gln Gln Ala Lys Ile Arg Gly His  
14565 14570 14575

20 Arg Val Glu Leu Gly Glu Val Glu His Ala Leu Leu Ser Glu Asn Ser  
14580 14585 14590

Val Thr Asp Ala Ala Val Val Leu Arg Thr Met Glu Glu Glu Asp Pro  
14595 14600 14605

25 Gln Leu Val Ala Phe Val Thr Thr Asp His Glu Tyr Arg Ser Gly Ser  
14610 14615 14620

Ser Asn Glu Glu Glu Asp Pro Tyr Ala Thr Gln Ala Ala Gly Asp Met  
14625 14630 14635 14640

30 Arg Lys Arg Leu Arg Ser Leu Leu Pro Tyr Tyr Met Val Pro Ser Arg  
14645 14650 14655

Val Thr Ile Leu Arg Gln Met Pro Leu Asn Ala Asn Gly Lys Val Asp  
14660 14665 14670

35 Arg Lys Asp Leu Ala Arg Arg Ala Gln Met Thr Pro Thr Ala Ser Ser  
14675 14680 14685

Ser Gly Pro Val His Val Ala Pro Arg Asn Glu Thr Glu Ala Ala Ile  
14690 14695 14700

40 Cys Asp Glu Phe Glu Thr Ile Leu Gly Val Lys Val Gly Ile Thr Asp  
14705 14710 14715 14720

Asn Phe Phe Glu Leu Gly Gly His Ser Leu Leu Ala Thr Lys Leu Ala  
14725 14730 14735

45 Ala Arg Leu Ser Arg Arg Met Gly Leu Arg Ile Ser Val Lys Asp Leu  
14740 14745 14750

Phe Asp Asp Pro Val Pro Val Ser Leu Ala Gly Lys Leu Glu Gln Gln  
14755 14760 14765

50 Gln Gly Phe Ser Gly Glu Asp Glu Ser Ser Thr Val Gly Ile Val Pro  
14770 14775 14780

Phe Gln Leu Leu Pro Ala Glu Met Ser Arg Glu Ile Ile Gln Arg Asp  
14785 14790 14795 14800

55 Val Val Pro Gln Ile Glu Asn Gly His Ser Thr Pro Leu Asp Met Tyr  
14805 14810 14815

Pro Ala Thr Gln Thr Gln Ile Phe Phe Leu His Asp Lys Ala Thr Gly  
 14820 14825 14830  
 5 His Pro Ala Thr Pro Pro Leu Phe Ser Leu Asp Phe Pro Glu Thr Ala  
 14835 14840 14845  
 Asp Cys Arg Arg Leu Ala Ser Ala Cys Ala Ala Leu Val Gln His Phe  
 14850 14855 14860  
 10 Asp Ile Phe Arg Thr Val Phe Val Ser Arg Gly Gly Arg Phe Tyr Gln  
 14865 14870 14875 14880  
 Val Val Leu Ala His Leu Asp Val Pro Val Glu Val Ile Glu Thr Glu  
 14885 14890 14895  
 15 Gln Glu Leu Asp Glu Val Ala Leu Ala Leu His Glu Ala Asp Lys Gln  
 14900 14905 14910  
 Gln Pro Leu Arg Leu Gly Arg Ala Met Leu Arg Ile Ala Ile Leu Lys  
 14915 14920 14925  
 20 Arg Pro Gly Ala Lys Met Arg Leu Val Leu Arg Met Ser His Ser Leu  
 14930 14935 14940  
 Tyr Asp Gly Leu Ser Leu Glu His Ile Val Asn Ala Leu His Ala Leu  
 14945 14950 14955 14960  
 25 Tyr Ser Asp Lys His Leu Ala Gln Ala Pro Lys Phe Gly Leu Tyr Met  
 14965 14970 14975  
 His His Met Ala Ser Arg Arg Ala Glu Gly Tyr Asn Phe Trp Arg Ser  
 14980 14985 14990  
 30 Ile Leu Gln Gly Ser Ser Met Thr Ser Leu Lys Arg Ser Val Gly Ala  
 14995 15000 15005  
 Leu Glu Ala Met Thr Pro Ser Ala Gly Thr Trp Gln Thr Ser Lys Ser  
 15010 15015 15020  
 35 Ile Arg Ile Pro Pro Ala Ala Leu Lys Asn Gly Ile Thr Gln Ala Thr  
 15025 15030 15035 15040  
 Leu Phe Thr Ala Ala Val Ser Leu Leu Leu Ala Lys His Thr Lys Ser  
 15045 15050 15055  
 40 Thr Asp Val Val Phe Gly Arg Val Val Ser Gly Arg Gln Asp Leu Ser  
 15060 15065 15070  
 Ile Asn Cys Gln Asp Ile Val Gly Pro Cys Ile Asn Glu Val Pro Val  
 15075 15080 15085  
 45 Arg Val Arg Ile Asp Glu Gly Asp Asp Met Gly Gly Leu Leu Arg Ala  
 15090 15095 15100  
 Ile Gln Asp Gln Tyr Thr Ser Ser Phe Arg His Glu Thr Leu Gly Leu  
 15105 15110 15115 15120  
 Gln Glu Val Lys Glu Asn Cys Thr Asp Trp Thr Asp Ala Thr Lys Glu  
 15125 15130 15135  
 50 Phe Ser Cys Cys Ile Ala Phe Gln Asn Leu Asn Leu His Pro Glu Ala  
 15140 15145 15150  
 Glu Ile Glu Gly Gln Gln Ile Arg Leu Glu Gly Leu Pro Ala Lys Asp  
 15155 15160 15165  
 55 Gln Ala Arg Gln Ala Asn Gly His Ala Pro Asn Gly Thr Asn Gly Thr

5                   15170                   15175                   15180

Asn Gly Thr Asn Gly Thr Asn Gly Ala Asn Gly Thr Asn Gly Thr Asn  
15185                   15190                   15195                   15200

Gly Thr Asn Gly Thr His Ala Asn Gly Ile Asn Gly Ser Asn Gly Val  
                  15205                   15210                   15215

10 Asn Gly Arg Asp Ser Asn Val Val Ser Ala Ala Gly Asp Gln Ala Pro  
                  15220                   15225                   15230

Val His Asp Leu Asp Ile Val Gly Ile Pro Glu Pro Asp Gly Ser Val  
                  15235                   15240                   15245

15 Lys Ile Gly Ile Gly Ala Ser Arg Gln Ile Leu Gly Glu Lys Val Val  
                  15250                   15255                   15260

Gly Ser Met Leu Asn Glu Leu Cys Glu Thr Met Leu Ala Leu Ser Arg  
15265                   15270                   15275                   15280

Thr

20

## (2) INFORMATION FOR SEQ ID NO: 3:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 178 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: DNA (genomic)
- (iii) HYPOTHETICAL: NO
- 30 (iii) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:  
 (A) ORGANISM: Tolypocladium geodes

## 35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

ATGCAACTAT CGGCTCTCCA ATTGCGAACA GAAATCGAGC AGAGCTTGAG GGCCTTATTG           60

GCTGTTTTGT GAATACTCAG TGTATGAGAC TGCCAGTTAC CGATGAAGAT ACATTCGCCA           120

ATTTGATTGA CTGTGTACGA GAGACGTCAA CCGAGGCCTT GAGCACCAAG ATATCCTT           178

40

## (2) INFORMATION FOR SEQ ID NO: 4:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 1713 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: unknown
- 45 (ii) MOLECULE TYPE: DNA (genomic)
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
- 50 (vi) ORIGINAL SOURCE:  
 (A) ORGANISM: Neocosmospora vasinfecta

55

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

5	ACATCGGGG TATTGATCGC GATGCCCTCG GACAGGACTT CTTATCCTGG ACATCCATGT	60
	ACGACGGCTC ATTGATTCCC CGGGAAGAGA TGCAGGAATG GCTCAGCGAC ACTATGCACT	120
	CACTCCTCGA CAACCAGCCA CCCGGAAGAG TGCTCGAGAT CGGAACTGGT ACCGGTATGG	180
10	TGCTTTTCAA TCTCGGCAAG GTTGAGGGAC TACAGAGCTA TGCCGGTCTT GAGCCCTCGC	240
	GCTCCGTCAC TGCCCTGGGTT AACAAAGGCAA TCGAAACTTT CCCAAGCCTG GCAGGAAGCG	300
	CCCGAGTCCA CGTTGGAACC GCCGAGGATG TCAGCTCCAT CAATGGACTG CGTGCCGATC	360
15	TCGTTGTGAT CAACTCGGTC GCCCAATACT TCCCAAGTCG AGAATATCTC GCTGAGCTGA	420
	CGGCCAACTT GATTTCGACTG CCCGGCGTCA AGCGTATTTT CTTCGGCGAC ATGAGAACCT	480
	ATGCCACCAA TAAGGACTTC TTGGTGGCAC GAGCAGTCCA TACCCTAGGG TCCAATGCAT	540
	CTAAGGCCAT GGTTCGACAA CAGGTGGCCA AGCTTGAAGA TGACGAGGAA GAGTTGCTTG	600
20	TTGACCCGTC CTTCTTCACC AGCCTGAGCG ACCAGTCCCC TGACGAAATC AAGCACGTCG	660
	AGATTCTGCC AAAGAGGATG GCCGCGACCA ACGAACTCAG CTCTTACCGA TATGCTGCTG	720
	TTATTCATGT GGGAGGCCAC GAGATGCCGA ATGGGGAGGA TGAGGATAAG CAATGGGCTG	780
25	TCAAGGATAT CGATCCGAAG GCCTGGGTGG ACTTCGCCGG CACGAGGATG GACCGTCAGG	840
	CTCTCTTGCA GCTCCTCCAG GACCGCCAAC GTGGCGATGA CGTTGTTGCC GTCAGTAACA	900
	TCCCATACAG CAAGACCATC ATGGAGCGCC ATCTGTCTCA GTCACCTGAC GATGACGAGG	960
30	ACGGCACTTC AGATGCAGAC GGAACGGCCT GGATATCGGC CACTCAATCA CGGGCGAAGG	1020
	AATGCCCTGC TCTCTCAGTG GCCGACCTGA TTGAGATTGG TAAGGGGATC GGCTTCCAAG	1080
	TTGAGACCAG CTGGGCTCGA CAACACTCCC AGCGCGGCGG ACTCGATGCT GTTTTCCACC	1140
	GATTTCGAAA ACCAAGACAC TCGGGTCATG TCATGTTCAG GTTCCCAACT GAACACAAGG	1200
35	GGCCCGTCTT CGAGCAGTCT CACGAATCGC CCGCTACACC TGGTTCAGAG CCGCCGGCTG	1260
	GAGGCAAAGG TCCGCGAGCG GCTGCAATCG CTGCTTCCAT CGTACATGAT TCCCTCTCGG	1320
	ATCATGTTGC TCGATCAGAT GCCTCTCACG TCCAACGGCA AGGTGGATCG CAAGAAGCTC	1380
40	GCTCGACAAG CCCGGGTCAT CCCAACAATT GCCGCAAGCA CGTTGGACTT TGTGGCGCGC	1440
	ACGCACGGAA ATCGAGGTCG GTTCTCTGCG AAGAATTAC CGATCTACTA GGCGTCAAGG	1500
	TCGGCATTAC AGACAACTTC TTCGAGTTGG GCGGCCATTG GCTGCTGGCC ACGAACTGA	1560
45	GCGCACGTCT AAGTCGCAGA CTGGACGCCG GTGTCACTGT GAAGCAGATC TTTGACCAGC	1620
	CAGTACTTGC TGATCTTGCT GCTTCTATTG GTCAAGGCTC GTCCCGTCAC AGGTCTATCC	1680
	CGTCTTTACC CTACGAAGGA CCCGTGGAGC AGT	1713

## (2) INFORMATION FOR SEQ ID NO: 5:

50

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 655 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: unknown

55

(ii) MOLECULE TYPE: cDNA  
 5 (iii) HYPOTHETICAL: NO  
 (iii) ANTI-SENSE: NO  
 (vi) ORIGINAL SOURCE:  
 (A) ORGANISM: Tolypocladium niveum  
 10 (B) STRAIN: ATCC 34921

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

CATCAGCAAT CATGGGCAAC AAAGTCTTCT TCGACATTGA GTGGGAGGGC CCCGTCATGC	60
15 AGGGTTGCAA GCCTACCTCT ACCGTCAAAG AGCAGTCTGG TCGCATCAAC TTCAAGCTGT	120
ACGATGACGT CGTCCCCAAG ACCGCCGAGA ACTTCCGCGC TCTCTGCACC GGCGAGAAGG	180
GCTTCGGCTA CGAGGGCTCG TCCTTCCACC GTATCATCCC CGAGTTCATG CTCCAGGGCG	240
20 GCGACTTCAC CCGCGGTAAC GGCCTGGCG GCAAGTCCAT CTACGGCGAG AAGTTTGCCG	300
ATGAGAACTT CCAGCTGAAG CACGACCGCC CCGGTCTGCT GTCCATGGCT AACGCTGGCC	360
CCAACACCAA CGGCTCCCAG TTCTTCGTCA CCACCGTCGT CACCTCGTGG CTCAACGGCC	420
ACCACGTCGT CTTGCGCGAG GTCGCTGACC AGGAGTCCCT GGACGTCGTC AAGGCCCTTG	480
25 AGGCCACTGG CTCTGGTAGC GCGCTGTCA AGTACAACAA GCGCGCCACC ATTGTCAAGT	540
CTGCGGAGCT GTAAGCTATG GCATCTGTGT ATCTTGCATG TTCCTGCACC CAATTCGGAC	600
GGACAAAAGA GCGCTGCCCC ACAGCAAGGA CCTTTGGTTC ACGGGACGGC TTGAA	655

30 (2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 33 base pairs  
 (B) TYPE: nucleic acid  
 35 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA  
 (iii) HYPOTHETICAL: NO  
 40 (iii) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

GGGATATCGT GAATTGTAAT ACGACTCACT ATA	33
--------------------------------------	----

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 2157 base pairs  
 (B) TYPE: nucleic acid  
 50 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA  
 (iii) HYPOTHETICAL: NO  
 55

(iii) ANTI-SENSE: NO

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

	GGATCCGTGA ATTGTAATAC GACTCACTAT AGGGCGAATT CGCTCGACGT CACCTAGGAG	60
10	ATCAGCCAGC TCCTTGGCCC TGTTCCGCAC GTTGATGCCC TGGTCTTTGC CGTTTGGATC	120
	GATGAAGTGG AACTGGCGCA GCATCTTCAA AAGTGTGATG TGCCCCGAG CGTCATCAAT	180
	CACACGCTCA GAGCCATGCT TGACGAGGAA CTCGAGCAGT TGCAGAGCCT TGTAGATCTG	240
15	GCGCCACTCC TCGGCCGACT TCTCCGTGAA CCGTCGATAT ATCATCGGCA TGATCTCGTT	300
	GAGGGTTTGG CTGGTTCTGT TAGCTGAAGC CGGGCTGTTC AGTCGTCGAA CCGCGTACTA	360
	GTTGAAGGTG CCATTGGCAA TCTCCTGCAT AATACTGGAC GATGCTCCCC ATGGCTCGTT	420
	GTTCTGTTGCC TCTCGGACCT AGTACACGGA GTTAGCCACC GTGTTAACAA ACCGTCGCGG	480
20	CCGCAGACTA ACCTTGGACT CCATCTCGGT ATAGTTCATA ACAGCTACAT GCCAGGTCAG	540
	CATTGGACGC GCCAGGGCTG AGGTCAGGCC TGGTACCATT TTGCGCCTTT CGGAACCCAG	600
	CCTTGAGGTC GTACAAGGTC AGGTTGGAGA CTGTGTTCTT GATGTCGTTT AAGTCCATTT	660
25	TGGCAGATTC GACTTAGCGA GACCGGCCGG GAGCGGCAGA GGAGTTGTCG ATTCAGCACG	720
	AGTCGCTGAT GAGCGATGGT TGTGGTGCAA GTCGATGGTC CGAGGGCGGG TGGTAGAGGT	780
	GCTTGTCGCG ATGGACAGCT GGACTTTCGG GCCGCCAGCG ACACCTACCC GGCCTTGATG	840
30	GGTCAGAGGG ATGATCACGT GATATGGGTC GGAGTCGCAT CGTACTTCGT ACCAGCATCA	900
	TCTCCAAGCC AGAGGCAGCA GAGATTATAT GACTGCAAAT GTGAAACGAA ATAAACCGTC	960
	AATATGGTAT TTATGTTGGC AATTGCATGA TGCATCCCGG TGAATTGAA CTAGAACGTC	1020
35	GAGGGCTTGC ATACCAGAGG CTGCGGGTGC ATCGTGGGCA GCGGTACCTG AGACTTCAGG	1080
	CCAGAACGAC TGCTAATAAG CCGCGACGGA GCCAAACTT TTCCCCTTTC CAGAGGCTCT	1140
	CAGCTTTTCA CTCAGCCATT TGAAGTTGCG ACTCAAGCCC GTTCATAACA CTTTATCTCT	1200
	TGTACTTCTA CCGCATTACC TCCTGTACGA ATTGTAATCC CAGGTATGTC TATTTTCCTG	1260
40	TTGTTCTCGT CACATGCCCT CCCCAGCATG CGCAATGTCT TTGGACAACG CAGCTCCTCT	1320
	CGACACATCA CAAAGGCTTC ACCCAGCAGA GCACGCGAGA GCCTGCGCGC GACAGCCTGC	1380
	GAGCGACATG CAGCGCTTCC CTGGAAGCCA ACTGCACCAG CCTGGAAAGT TGCGCAGTTT	1440
45	GCCAGGGGGC CTCCGTCCCC CAGAATGGAT GGCCTCCTC GGCTTGACCT GGAGCGCTGC	1500
	TCCCGATCAA GCCAGAGCCC GCCGCGCATG GGGACTGGCC GCGCCAGCCT CTGCACATGA	1560
	GTGTGCTGGT TGGCTGGAGG TGGGTGGCCT TTGGCTCCC AACCACTCCC CACCATTGTC	1620
	TGGAAGCTGC TGCAGCTGGT CGGAACGCAC CCAAGCCGTT GAGCTCAGCG CTCTGTCGGG	1680
50	TCGAGCGCCC ATTGGGGTTC CCGGAAGGT CCTTTGACTG GGCCGGGGCC ACTCGTCTTG	1740
	CCGGCCAGAG CTGAGCTCGC TGGTCTGGCA GCGACAGCAG CCGGGAGCTC CGTTGTCTAG	1800

55

5 GCGATGAGCG CAGCGGCCAG AGCTCCGGGC CGGATCGGTG ACCTCACAGC CGTGGAAGCT 1860  
 CCTGGGCCCC CGAATCAAGG ACCGCAATTC CACGTGACTG GCCGGTTGCT CCCCTTCCGG 1920  
 CATTGCCCCG CCCGCTATTA CACCCCTTTG CGCGCCCTGG TTGGTTCAAA GTCCCACCGC 1980  
 TAACTTTTAA CCCCTCCAGC AGCCTTCAAA ATGAAGTCAA CGCTCCTTCG ACCCCTCCTA 2040  
 CCCCCTATA AGCTCTGCTC CCCCAGGTCA AGATCTTTCC CTCTTCACA ACTTGCATCA 2100  
 10 GCTTCCAACA CATTCCGAGC TGCTCGATTC TTCTCCGCAA CATCAGCAAT CATCGAT 2157

## 15 Claims

1. An isolated DNA sequence which codes for an enzyme having cyclosporin synthetase-like activity.
2. A DNA sequence according to claim 1 which codes for cyclosporin synthetase or an enzyme that is at least 70% homologous thereto and that has cyclosporin synthetase-like activity.
3. A DNA sequence according to claim 1 or claim 2 which codes for an enzyme that has cyclosporin synthetase-like activity and in which at least one amino-acid recognition unit is different from that of cyclosporin synthetase.
4. A DNA sequence according to any of claims 1 to 3 which includes the 2890 bp *Sall* restriction fragment containing sequences 40239 to 43129 of Seq Id 1, or a sequence which hybridizes thereto.
5. A DNA sequence according to any of claims 1 to 3 which includes the 2482 bp *Sall* restriction fragment containing sequences 37781 to 40244 of Seq Id 1, or a sequence which hybridizes thereto.
6. A DNA sequence according to claim 1 which includes the sequence of Seq Id 1, or a sequence that hybridizes thereto.
7. A DNA sequence according to claim 1 which codes for an enzyme having an amino acid sequence as given in Seq Id 2.
8. A recombinant vector containing a DNA sequence as defined in any one of claims 1 to 7.
9. A recombinant vector according to claim 8 which has a restriction map as set out in any one of figures 2 to 5.
10. A host cell carrying a vector according to claim 8 or claim 9.
11. A process for the production of cyclosporin or a cyclosporin derivative, comprising cultivating a host cell according to claim 10 and causing the host cell to produce the cyclosporin or cyclosporin derivative.
12. A method for the production of a cyclosporin derivative, comprising altering the DNA sequence coding for cyclosporin synthetase so that the enzyme causes the production of the cyclosporin derivative, placing the altered DNA sequence in a vector, transforming a host cell with the vector, and causing the host cell to produce the cyclosporin derivative.
13. A method according to claim 11 in which the DNA sequence coding for cyclosporin synthetase is altered by changing the fragments that code for amino acid recognition units.



FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5

